

# OUR PRODUCTS



Our quality ..... How we develop our class

#### **CHAIRS**

Overview chairs ..... Chairs with plastic shell, Chairs with PAGHOLZ® Chairs and tables with PAGHOLZ<sup>®</sup> shell, CHANO Chairs with Multiplex/W Plastic shell..... Chairs with Multiplex shell ......22

### **CORPUS FURNITURE**

Corpus furniture system Corpus furniture for lea Classroom tables, height-adjustable .....54 Hallway furniture system Mono-column tables, height-adjustable...62 Display cases, administr 

### 

Rolling containers and base units......92 Beanbag and seat cushid Acoustic elements . . . .



10

2

2	
ssics 4	
10	
, FLEX 12	
shell 14	
GE 18	
OODMARK/	

ure	•	•	•	•	•				•	•	•	•	.9	6
n	•		•	•						•	•	•	.98	B
irni	n	ļĢ	1	S	р	а	С	е	S	•	•	•	108	B
m.	•		•	•						•	•	•	118	B
	•	•	•		•					•	•	•	12(	0
rati	ic	or	۱							•	•	•	12	2
mir	ni	S	tı	ĉ	at	ti	0	n		•	•		124	4

ure/acoustics126
House128
ies130
NDA/BLOC133
chair135
on CHILL Series .136
on walls138

Our customer service6
Size labeling8

Solid wood chairs26
Office swivel chairs
Conference and office swivel chair WAVE.30
Conference chair32
Upholstered/lounge chair
Stools
Benches
Standing/sitting combinations

### **BOARDS**

Overview boards142
Multifunctional board system144
Display DURAVISION146
Digital boards DURABOARD148
Long wall boards150
Sliding boards 151
Pylon boards152
Bogie boards/light screens154
Rulings and accessories


#### **PRODUCTS AND** MATERIALS

Tabletops and surfaces15	6
Table edges15	8
PAGHOLZ <sup>®</sup> 15	9

The A2S Service.....160



ABOUT A2S | OUR QUALITY



### A GOOD EXAMPLE OF EDUCATION.

The careful use of resources stands for our conviction that quality and sustainability belong together. As educational institution, we have a special responsibility in this respect: Our products will shape future generations.

This is precisely why we are committed to carefully treating nature and the environment by  $\label{eq:commutation}$ 

- avoiding tropical woods
- not using substances containing solvents
- remaining significantly below the legal emission limits
- producing low-dust and low-sound
- reducing packaging
- efficiently disposing of waste

We would be delighted if this commitment is to be rewarded: Our products are repeatedly awarded numerous seals of approval and certificates. This motivates us every day anew to put safety and quality into practice. And to work on many new developments that we make transparent - through regular checks by independent experts and in our own laboratory.

Because quality is the benchmark for us, today and tomorrow.

### WWW.A2S.COM/US






Our furniture is manufactured by 400 employees in Germany, because short distances protect the environment.






Management System ISO 14001:2015 ISO 9001:2015

www.tuv.com ID 0910075053







### WE'RE HERE FOR YOU.

Our customer service department takes care of everything else, so that you can concentrate fully on your educational work. And that even before you buy anything from us:

Our sales representatives will be happy to inform and advise you on site and discuss all your wishes with you.

The A2S planners set everything up according to your ideas and,

### WWW.A2S.COM/US

if desired, visualise the planned room photorealistically in advance. We deliver your furniture mostly pre-assembled, some larger pieces we assemble on site.

In the unlikely event that something does not meet your expectations or a spare part is required, we will resolve the issue, quickly and reliably – and that's a promise!

#### SIZE 2


Pupil size 3' 6.52" - 3' 11.64" Table height 1' 8.87" Seat height 1' 0.20"

## SIZE 3

Pupil size 3' 10.85" - 4' 7.90" Table height 1' 11.23'' Seat height 1' 1.78"

### SIZE 4

Pupil size 4' 4.36" - 5' 2.60" Table height 2' 1.20" Seat height 1' 2.96"




#### SIZE 5

Pupil size 4' 9.48" - 5' 9.29" Table height 2' 3.95" Seat height 1' 4.93"

### SIZE 6

Pupil size 5' 2.60" - 6' 2.01" Table height 2' 5.92" Seat height 1' 6.11''



### CHILDREN BECOME PEOPLE.

Children often grow faster than you think. It is therefore particularly important to take into account in spatial planning that a first-grader can grow up to 2' 7.50" taller before he or she is finally full-grown. If you check every six months whether the tables and chairs still have the right height for all students, you are on the safe side: Is the foot position still correct? Are the elbows at the same level as the table surface when sitting upright?

Furniture from A2S offers six size divisions, which can be easily distinguished thanks to their coloured labelings. There is also an extra size with an extra wide seat available for all pupils and adults who are a little more strongly built.


Due to this, you can always be sure that everyone is sitting well and comfortably - no matter what stage of growth someone is currently in.



### SIZE 7

Pupil size 5' 8.50" - 6' 9.50" Table height 2' 8.28'' Seat height 1' 8.08"





### WWW.A2S.COM/US

11



7853 FLEX with the worldwide patented Z-shaped frame

## FLEX | PLASTIC SHELL

- ergonomically shaped plastic shell made of robust, recyclable polypropylene in 7 attractive colors, see A2S material overview
- inverted sitting, saddle sitting and casual sitting are additionally supported by the design
- easy cleaning due to special A2S surface structure
- channel for ventilation and relief of the spinal column
- grip hole in the lordosis area, grip recesses on the upper back edge and underside of the chair
- available in many different frame shapes or with base also in powder coating, the color selection of the steel colors can be found on our A2S material overview



Supports the toning of the muscles through its ergonomic shape and promotes variable, fatigue-free sitting, e.g. saddle sitting



FLEX seat shell with integrated ventilation ducts. The closed surface prevents soiling and thus the formation of mould inside the shell



A2S floorsafe<sup>®</sup> floor protectors protect the underground, even when tilted, Patent # 10 2010 039 292 A1





7854 FLEX C-shape with cross brace, with A2S floorsafe® floor protectors, liftable

7874.002 FLEX 4-legged with writing surface





7854 FLEX C-shape with upholstery

7873/7876 FLEX gas-lift swivel chair

#### 78 SERIES | FLEX

O SERIES   I EEX						
		<b>,</b>	-			2
ODEL	7874	7853	7854	7416.035/.036	7876/7873	7875
owder-coated frame	4-legs	Z-shape	C-shape	Footrest chair	Gas-lift I/II	Turning spindle
owder-coated base					Aluminium	Steel
ize	2-7	2-7	2-7	2-4/3-4, 1' 3.75"	3-5/5-7	5-7
eat height				1' 8.47" / 1' 6.90"	1' 0.99"-1' 4.93" / 1' 4.14"-1' 9.26"	1' 4.14"-1' 8.87"
leight · size 6	11 lb 14 oz	13 lb 14 oz	11 lb 14 oz	13 lb 11 oz/16 lb 2 oz	16 lb 2 oz	16 lb 5 oz
tackability	5 pieces	2 pieces	4 pieces	3 pieces		
PTIONS						
hrome-plated frame					Polished ALU	Polished ALU
pholstery shell · size 5-7					- / 🔳	
2S floorsafe®			including			
elt floor protectors						
ow connection						
able suspension					- / 7873.005	
astors, load-dependent braking						
-D rocker mechanism						
artial foot ring					- / 🔳	
levation with foot ring 8.87"-2' 4.74"					7873.002	
ross brace · size 5-7						

IO SERIES   I LEX						
MODEL	7874	7853	7854	7416.035/.036	7876/7873	7875
Powder-coated frame	4-legs	Z-shape	C-shape	Footrest chair	Gas-lift I/II	Turning spindle
Powder-coated base					Aluminium	Steel
Size	2-7	2-7	2-7	2-4/3-4, 1' 3.75"	3-5/5-7	5-7
Seat height				1' 8.47" / 1' 6.90"	1' 0.99"-1' 4.93" / 1' 4.14"-1' 9.26"	1' 4.14"-1' 8.87"
Weight · size 6	11 lb 14 oz	13 lb 14 oz	11 lb 14 oz	13 lb 11 oz/16 lb 2 oz	16 lb 2 oz	16 lb 5 oz
Stackability	5 pieces	2 pieces	4 pieces	3 pieces		
OPTIONS						
Chrome-plated frame					Polished ALU	Polished ALU
Upholstery shell · size 5-7					- / 🔳	
A2S floorsafe®			including			
Felt floor protectors						
Row connection						
Table suspension					- / 7873.005	
Castors, load-dependent braking	g					
3-D rocker mechanism						
Partial foot ring					- / 🔳	
Elevation with foot ring 1' 8.87"-2' 4.74"					7873.002	
Cross brace · size 5-7						

TO SERIES   LEX						
		<b>F</b>	-			
MODEL	7874	7853	7854	7416.035/.036	7876/7873	7875
Powder-coated frame	4-legs	Z-shape	C-shape	Footrest chair	Gas-lift I/II	Turning spindle
Powder-coated base					Aluminium	Steel
Size	2-7	2-7	2-7	2-4/3-4, 1' 3.75"	3-5/5-7	5-7
Seat height				1' 8.47" / 1' 6.90"	1' 0.99"-1' 4.93" / 1' 4.14"-1' 9.26"	1' 4.14"-1' 8.87"
Weight · size 6	11 lb 14 oz	13 lb 14 oz	11 lb 14 oz	13 lb 11 oz/16 lb 2 oz	16 lb 2 oz	16 lb 5 oz
Stackability	5 pieces	2 pieces	4 pieces	3 pieces		
OPTIONS						
Chrome-plated frame					Polished ALU	Polished ALU
Upholstery shell · size 5-7					- / 🔳	
A2S floorsafe®			including			
Felt floor protectors						
Row connection						
Table suspension					- / 7873.005	
Castors, load-dependent braking						
3-D rocker mechanism						
Partial foot ring					- /	
Elevation with foot ring 1' 8.87"-2' 4.74"					7873.002	
Cross brace · size 5-7						
Book storage basket · size 5-7						
Writing surface · size 6/7	7874.002					

\*The adjustable footrest allows small and large children to sit together at the same table - learning at eye level



#### WWW.A2S.COM/US



7416.036 FLEX footrest chair with large seat shell and comfortable one-handed operation\*



7873.002 FLEX gas-lift swivel chair with foot ring



7811 PAGHOLZ® C-shape sliding chair, 5 chairs stackable



- PAGHOLZ<sup>®</sup> shell: resilient because it is scratch- and impact-resistant, break-proof and glow-resistant, water resistant and flexible (info p. 159)
- ergonomically adapted shell shape or any size from 2-7 (info p. 8-9)
- individual seat depth for each shell size
- optional with round or oval grip hole on top
- PAGHOLZ<sup>®</sup> shell in color wood stained possible, see A2S material overview
- seat and back upholstery possible in fabric groups 1-4, see A2S material overview
- available in many different frame shapes or with base also in powder coating,
- the color selection of the steel colors can be found on our A2S material overview



Resistant to chemicals



Scratch- and wear-resistant



Shock- and break-proof





**7805** Sliding chair with seat upholstery





7899 Bar stool

8385.002 Gas-lift swivel chair with foot ring

#### 78 SERIES | PAGHOLZ<sup>®</sup> SHELL

					A		*
MODEL	7800/7805	7850	7811	7416.031/.032	7899	8345/8385	7847
Powder-coated frame	Sliding chair	4-legged	C-shape	Footrest chair	Bar stool	Gas-lift I/II	Turning spindle
Powder-coated base						Aluminium	Steel
Size	2-7/6E	4, 5, 6E, 7	2-7	2-4/3-4, 1' 3.75"		3-5/5-7	5-7
Seat height				1' 8.47"/1' 6.90"	2' 6.71"	1' 0.2"-1' 4.54"/ 1' 4.14"-1' 10.05"	1' 3.75"- 1' 10.83"
Weight · size 6	10 lb 9 oz/ 11 lb 0 oz	11 lb 4 oz	11 lb 0 oz	12 lb 13 oz/ 13 lb 4 oz	18 lb 12 oz	16 lb 9 oz/ 19 lb 13 oz	13 lb 11 oz
Stackability · size 6	7 pieces	10 pieces	5 pieces	3 pieces			
OPTIONS						Dellahad ALU	
Chrome-plated frame						Polished ALU	
PAGHOLZ <sup>®</sup> shell color wood						•	
A2S floorsafe®			including				
Felt floor protector		•			•		
Upholstery seat/back only 6E, 7	- / 🔳					- / 🔳	-
Row connection		7860					
Table suspension						- / 🔳	
Handle hole (n.w. back upholstery)							=
Castors, load-dependent braking							7849
2-D rocker mechanism lockable							
Partial foot ring						- /	
Elevation with foot ring 1' 6.11"-2' 1.98"						8385.002	
Cross brace · size 5-7							

					A		*
MODEL	7800/7805	7850	7811	7416.031/.032	7899	8345/8385	7847
Powder-coated frame	Sliding chair	4-legged	C-shape	Footrest chair	Bar stool	Gas-lift I/II	Turning spindle
Powder-coated base						Aluminium	Steel
Size	2-7/6E	4, 5, 6E, 7	2-7	2-4/3-4, 1' 3.75"		3-5/5-7	5-7
Seat height				1' 8.47"/1' 6.90"	2' 6.71"	1' 0.2"-1' 4.54"/ 1' 4.14"-1' 10.05"	
Weight · size 6	10 lb 9 oz/ 11 lb 0 oz	11 lb 4 oz	11 lb 0 oz	12 lb 13 oz/ 13 lb 4 oz	18 lb 12 oz	16 lb 9 oz/ 19 lb 13 oz	13 lb 11 oz
Stackability · size 6	7 pieces	10 pieces	5 pieces	3 pieces			
OPTIONS							
Chrome-plated frame						Polished ALU	
PAGHOLZ <sup>®</sup> shell color wood	-	-	-		-		
A2S floorsafe®			including				
Felt floor protector							
Upholstery seat/back only 6E, 7	- / 🔳					- / 🔳	
Row connection		7860					
Table suspension						- / 🔳	
Handle hole (n.w. back upholstery)					-		
Castors, load-dependent braking							7849
2-D rocker mechanism lockable							
Partial foot ring						- / 🔳	
Elevation with foot ring 1' 6.11"-2' 1.98"						8385.002	
Cross brace · size 5-7							
Writing surface only 6E		7850.012					

\*The adjustable footrest allows small and large children to sit together at the same table



### WWW.A2S.COM/US



7850.012 Four-legged chair with writing surface



7416.032 Footrest chair with large seat shell and comfortable one-hand operation\*



8345/8385 Gas-lift swivel chair with partial foot ring



7200 Sliding chair PAGHOLZ<sup>®</sup> shell nature 15 pieces stackable



- ergonomically adapted shell shape in sizes 2-7, thus universally applicable
- PAGHOLZ<sup>®</sup> shell: CO<sub>2</sub>-neutral through natural materials, therefore very ecological (info p. 159)
- extra stable shape with comfortable, straight back
- optional with round or oval grip hole on top
- PAGHOLZ<sup>®</sup> shell in color wood stained possible, see A2S material overview
- seat and back upholstery possible in fabric groups 1-4, see A2S material overview
- available in many different frame shapes or with base also in powder coating, the color selection of the steel colors can be found on our A2S material overview



Resistant to chemicals



Scratch- and wear-resistant



Shock- and break-proof





7205 Sliding chair

3305 Four-legged chair





8346/8386 Gas-lift swivel chair

8386 Gas-lift swivel chair with partial foot ring

#### 72 SERIES | PAGHOLZ<sup>®</sup> SHELL

MODEL	7200/7205	3305	7307	8346/8386	7846
Powder-coated frame	Sliding chair	4-legged	C-shape	Gas-lift I/II	Turning spindle
Powder-coated base				Aluminium	Steel
Size	2-7/6E, 7	6E, 7	2-7, 6E	3-5/5-7	5-7
Height adjustability				1' 0.20"-1' 4.54"/ 1' 4.14"-1' 10.05"	1' 3.75"-1' 10.83"
Weight · size 6	10 lb 13 oz	9 lb 11 oz	10 lb 13 oz	13 lb 7 oz/17 lb 10 oz	13 lb 14 oz
Stackability without upholstery · size 6	15 pieces	13 pieces	5 pieces		
OPTIONS					

OPTIONS	
Chrome-nlate	

Chrome-plated frame		
PAGHOLZ <sup>®</sup> shell color wood		
A2S floorsafe®		
Felt floor protectors		
Upholstery seat/back only 6E, 7	- / 🔳	
Row connection only 6E, 7		3205
Handle hole (n.w. back upholstery)		
Castors, load-dependent braking		
2-D rocker mechanism lockable or 3-D rocker mechanism		
Partial foot ring		
Elevation with foot ring 1' 6.11"-2' 1.98"		
Cross brace · size 5-7		



### WWW.A2S.COM/US





7307 C-shape sliding chair



8386.002 Raised gas-lift swivel chair with foot ring

	Polished ALU	
including		
	- / 🔳	
		7826
	•	
	- / =	



**7802** CHANGE sliding chair PAGHOLZ<sup>®</sup> shell stained black-brown 7270 CHANGE school desk PAGHOLZ<sup>®</sup> board black brown stained

## CHANGE SERIES | PAGHOLZ®

- PAGHOLZ<sup>®</sup> shell: resilient because it is scratch- and impact-resistant, break-proof and glow resistant, water resistant and flexible (info p. 159)
- different comfortable sitting positions when sitting invertedly
- filigree, robust chair frame made of 0.63"/0.08" thick, chromed round tube with plastic floor protectors
- $\blacksquare$  PAGHOLZ  $^{\otimes}$  seat shell and table top in PAGHOLZ  $^{\otimes}$  natural or color wood black-brown stained, see A2S material overview
- seat and back upholstery possible in fabric groups 1-4, see A2S material overview



Resistant to chemicals



Scratch- and wear-resistant



Shock- and break-proof



7270 5 tables stackable



7813 C-shape 5 chairs stackable

#### CHANGE CHAIR



MODEL	7802	7813	
Frame	Sliding chair	C-shape	
Size	6	6	
Weight	17 lb 10 oz	9 lb 8 oz	
Stackability	5 pieces	5 pieces	

OPTIONS			OPTIONS		
Chrome-plated frame	including		Chrome-plated frame	including	including
Powder-coated frame		including	Felt floor protectors		
A2S floorsafe®		including	Use	Training and	Training and
Felt floor protectors				seminar rooms Classrooms	seminar room
Upholstery seat/back				CIdSSI 001115	Classrooms
Row connection					
Cross brace					
Use	Training and seminar rooms Classrooms	Training and seminar rooms Classrooms			







7813 CHANGE chair C-shape 7270 CHANGE School desk

#### CHANGE SCHOOL DESK



MODEL	7270	7270.002
Frame	1-seater	1-seater
Size	6	6
Panel dimensions	2' 3.56" x 1' 9.65"	2' 11.43" x 1' 9.65"
Weight · size 6	39 lb 11 oz	41 lb 14 oz
Stackability	5 pieces	



7100 WOODMARK sliding chair with C-shape frame Scratch-resistant seat and back surface available in many fresh colors




## 71 SERIES | MULTIPLEX/WOODMARK

- ideal for small rooms with little space, as no chair legs disturb when getting in and out
- extremely robust and durable due to the solid construction
- stable welded oval tube made of 0.08" thick steel, scratch-resistant because powder-coated
- scratch-resistant wood surface due to our unique WOODMARK melamine resin coating
- WOODMARK seat and back available in stained color wood, see A2S material overview
- seat and back upholstery possible in fabric groups 1-4, see A2S material overview



- seat and back made of polypropylene, recyclable
- ergonomically shaped with integrated ventilation channels
- seat and back available in red, blue and grey
- optional with felt floor protectors with kick protection
- In sizes 5 · 7
- frame in RAL 9006 chrome silver



WOODMARK seat with embossed nubs for non-slip seating



Floor protectors with kick protection



7100 WOODMARK C-shape sliding chair, 5 chairs stackable







7130/7132 Sliding chair, 3-way height adjustable frame





8382 Gas-lift swivel chair

#### 71 SERIES | MULTIPLEX/WOODMARK

8383 Gas-lift swivel chair

MODEL	7110	7100	7130/7132	8342/8382	7950
Design	Multiplex seat without nubs	WOODMARK seat with nubs	WOODMARK seat with nubs	WOODMARK seat with nubs	WOODMARK seat with nubs
Powder-coated frame	C-shape	C-shape	height adjustable	Gas-lift I/II	Turning spindle
Powder-coated base				Aluminium	Steel
Size	2-7	2-7	3-5/5-7	3-5/5-7	5-7
Height adjustability			1' 1.39"-1' 4.54"/ 1' 4.54"-1' 7.68"	1' 0.20"-1' 4.54"/ 1' 4.14"-1' 10.05"	1' 4.14"-1' 11.23"
Weight · size 6	14 lb 12 oz	14 lb 12 oz	17 lb 10 oz/24 lb 15 oz	19 lb 13 oz	19 lb 6 oz
Stackability without upholstery · size 6	5 pieces	5 pieces	3/4 pieces		

#### 0.0.71.0.110

OPTIONS					
Seat and back WOODMARK		including	including	including	including
Seat and back plastic	6100				
PAGHOLZ <sup>®</sup> color wood					
Polished ALU frame					
Felt floor protectors					
Upholstery seat/seat + back · s	size 6	7105/7106		8383/8384	
Row connection					
Castors, load-dependent bra	aking				7960
Partial foot ring				- / 🔳	
Elevation with foot ring 1' 7.68"-2' 3.56"				- / 8382.002	
Writing surface · size 6-7		7120			

7120 C-shape sliding chair with writing surface



with partial foot ring



6100 Sliding chair with seat and back made of plastic



8382.002 Gas-lift swivel chair with foot ring



7470.003 Four-legged chair with seat and back upholstery



- vertically stackable up to 9 chairs
- micro-alloyed, 0.79"/0.06" thick, chromed round steel tube
- solid beech multiplex shell, environmentally friendly varnished with water-based lacquer
- optional with trapezoidal grip hole on top
- shell Multiplex veneer direction longitudinal in color wood stained possible, see A2S material overview
- shell Multiplex veneer direction transverse with CPL-coating with especially scratch-resistant surface possible, but without grip hole, see A2S material overview
- on request with seat and back upholstery in fabric groups 1-4 possible, see A2S material overview



Also with seat upholstery up to 9 chairs vertically stackable due to stacking bar



Optional with panic-proof row connection; rows of chairs in rooms with more than 20 seats, e.g. also in the auditorium, must be linked according to §10/1 of the Assembly Rooms Ordinance







7470.003 Four-legged chair

7471.010 Four-legged chair with row connection, with CPL-coated pan





7419.010 Cantilever chair

#### 7470 SERIES | MULTIPLEX SHELL

	AA	AA	AA				
MODEL	7470.003	7470.004	7470.010	7819.010	7419.010	7419.011	8379
Frame	4-legged	4-legged	4-legged	C-shape	Cantilever chair	Cantilever chair	Gas-lift
Size	6	6	6	6	6	6	5-7
Weight	11 lb 14 oz	11 lb 14 oz	14 lb 12 oz	17 lb 14 oz	14 lb 5 oz	16 lb 9 oz	15 lb 7 oz
Stackability (also with upholstery)	9 pieces	9 pieces	9 pieces	5 pieces	5 pieces		

OPTIONS							
Chrome-plated frame	including	including	including		including	including	Polished ALL
Powder-coated frame				including			including
Shell veneer direction	longitudinal	longitudinal	transverse	transverse	transverse		transverse
Shell color wood							
Shell CPL coating (without grip hole)			-				
A2S floorsafe®				including			
Felt floor protectors							
Seat upholstery						including	
Back upholstery						including	
Row connection	7471.003	7471.004	7471.010				
Armrests					7429.010	7429.011	
Handle hole (n. w. CPL/back upholstery)			-				
Castors, load-dependent braking							
3-D rocker mechanism							
Partial foot ring							
Elevation with foot ring 1' 6.11"-2' 1.98"							8379.002
Cross brace							







7429.011 Cantilever chair



7470.004 Four-legged chair



8379 Gas-lift swivel chair




7470.009 Beech multiplex shell round with four-legged frame in many attractive colors, optionally with kidney-shaped grip hole

## 74 SERIES | MULTIPLEX SHELLROUND/WAISTED



- classic seat shell shapes for all applications
- made of solid beech multiplex, environmentally friendly varnished with water-based lacquer
- micro-alloyed, 0.79"/0.06" thick, chromed round steel tube
- optional with kidney-shaped grip hole at the top for round shells and trapezoid-shaped shells with a waisted cut
- Multiplex shell in color wood stained possible, see A2S material overview
- on request with seat and back upholstery in fabric groups 1-4 possible, see A2S material overview









Up to 9 chairs stackable, also with upholstery



Optional with seat and back upholstery

#### 7470.005

Beech multiplex shell, waisted and color wood stained with four-legged frame, optionally with trapezoidal grip hole

#### 74 SERIES | MULTIPLEX ROUND SHELL

FA	
	1

MODEL	7470.009	7822	8338/8378
Frame	4-legged	C-shape	Gas-lift I/II
Base			Aluminium
Size	6	2-7	3-5/5-7
Height adjustability			1' 0.2"-1' 4.54"/ 1' 4.14"-1' 10.05"
Weight · size 6	14 lb 16 oz	17 lb 10 oz	15 lb 7 oz/ 17 lb 10 oz
Stackability without upholstery · size 6	9 pieces	9 pieces	

OPTIONS			
Chrome-plated frame	including		- / Polished ALU
Powder-coated frame		including	including
Shell veneer direction	longitudinal	longitudinal	longitudinal
Shell color wood			
A2S floorsafe®		including	
Felt floor protectors			
Seat upholstery size 6, 7			- / 🔳
Back upholstery size 6, 7			- / 🔳
Row connection	7471.009		
Handle hole (n.w. back upholstery)	■ kidney shape	■kidney shape	■ kidney shape
Castors, load-dependent braking			
2-D rocker mechanism lockable or 3-D rocker mechanism			
Partial foot ring			- / 🔳
Elevation with foot ring 1' 6.11"-2' 1.98"			8378.002
Cross brace			







#### Up to 9 chairs stackable, also with upholstery





7470.005

4-legged

11 lb 14 oz

9 pieces

6

MULTIPLEX WAISTED SHELL





7818	8337/8377
C-shape	Gas-lift I/II
	Aluminium
2-7	3-5/5-7
	1' 0.20"-1' 4.54"/ 1' 4.14"-1' 10.05"
17 lb 10 oz	15 lb 7 oz/ 17 lb 10 oz
9 pieces	

including		- / Polished ALU
	including	including
longitudinal	longitudinal	longitudinal
	including	
		- / 🔳
		- / 🔳
7471.005		
■ trapezoidal	■ trapezoidal	■ trapezoidal
		- / 🔳
		- / 🔳
		8377.002



7097 Solid wood chair in sizes 2-6

### 7097 | SOLID WOOD CHAIR

seat and back available in stained color wood, for color selection see A2S material overview

- optional with seat and back upholstery in fabric groups 1-4, see A2S material overview solid beech wood frame
- environmentally friendly sealed with water-based lacquer
- durable due to doweled, glued and screwed connections
- up to 6 chairs stackable



Solid beech wood; environmentally friendly sealed with water-based lacquer



Up to 5 chairs stackable



Softly rounded seat surface at the front for comfortable sitting

## 52 SERIES | SOLID WOOD CHAIRS

- seat and back made of ergonomically shaped, solid beech multiplex
- frame made of solid beech wood, 2.17" x 1.18" thick
- environmentally friendly sealed with water-based lacquer
- optional with armrest made of solid beech wood
- optional seat and back in color wood stained possible, see A2S material overview
- without upholstery up to 6 chairs stackable
- seat and back upholstery possible in fabric groups 1-4, see A2S material overview

## 7000 | SOLID WOOD CHAIR

robust two-column construction made of solid beech wood, mortised and doweled

- frame, seat and back environmentally friendly lacquered with water-based lacquer
- seat and back in beech multiplex optionally stained in color wood, see A2S material overview





Equipment for chair suspension: protects the table surface and the chair remains securely on the table

### Durable due to mortised, doweled and glued connections





	5261	5271	7000
			Sliding chair
			2-7
-0		D	
3 lb 0 oz	15 lb 14 oz	18 lb 15 oz	12 lb 13 oz
pieces	6 pieces	5 pieces	
		-legged     4-legged       -6     6       3 lb 0 oz     15 lb 14 oz	-legged         4-legged         4-legged with armrests           -6         6         6           8 lb 0 oz         15 lb 14 oz         18 lb 15 oz

.

5272

5273

#### OPTIONS

Seat and back color wood	-
Felt floor protectors	-
Seat upholstery	5262
Seat and back upholstery	5263











Suitable combination: 7000 Solid wood chair 7010/7030 Solid wood table

.



9349.002 Office swivel chair with mesh back. with headrest and 3D armrests

## PREMIUM OFFICE SWIVEL CHAIR

- synchronous, dynamic movement sequence permanently movable with locking of the back in 5 positions
- seat inclination and seat depth adjustment. Adjustable back 20°, seat 6° and seat depth adjustment range 2.36"
- black mesh back 1' 10.05" high
- headrest black mesh 5.91" high and height adjustable by 2.95"
- independent adjustment of the lumbar support by membrane tension
- backrest with fabric cover 1' 9.26" high
- models with upholstered seat and fabric back available with fabric groups 1-3, see A2S material overview
- models with upholstered seat and mesh back available with price groups 1-3, expect artificial leather,
- see A2S material overview optional with 3D armrests black, rotatable as well as height, width and depth adjustable
- gas-lift seat height adjustment incl. seat depth springing: 1' 5.72"-1' 10.05"
- 5-arm base in die-cast aluminium, polished aluminium or RAL 9005 black with load-dependent braked safety castors



9348.002 Office swivel chair with mesh back, with 3D armrests



9354.002 Office swivel chair with fabric back, with 3D armrests



9352.002 Office swivel chair with mesh back and armrests

## STANDARD OFFICE SWIVEL CHAIR

- synchronous mechanism with locking of the back in 4 positions
- seat inclination adjustment: Back 22°, seat 13°
- black mesh back 1' 8.47" high
- backrest with fabric cover 1' 9.26" high
- models with upholstered seat and fabric back available with fabric groups 1-3, see A2S material overview
- models with upholstered seat and mesh back available with price groups 1-3, expect artificial leather, see A2S material overview
- with lumbar support adjustment
- optional with armrests black
- gas-lift seat height adjustment 1' 5.72"-1' 10.05"
- 5-arm base, black nylon with load-dependent braked safety castors

PREMIUM OFFICE SWIVEL CHA	IR			STANDARD OFFICE	SWIVEL CHAIR
MODEL	9349.001	9348.001	9354.001	9352.001	9353.001
Base	Polished ALU	Polished ALU	Polished ALU	Nylon black	Nylon black
Back	Mesh black*	Mesh black*	Fabric cover**	Mesh black*	Fabric cover**
Headrest					
Lordosis adjustment					
Height adjustability	1' 5.72"-1' 10.05"	1' 5.72"-1' 10.05"	1' 5.72"-1' 10.05"	1' 5.72"-1' 10.05"	1' 5.72"-1' 10.05"
Dimensions W/H/D	2' 1.98"/3' 9.67"- 4' 5.15"/2' 0.80"	2' 1.98"/3' 3.76"- 3' 8.09"/2' 0.80"	2' 1.98"/3' 2.19"- 3' 10.46"/2' 0.21"	2' 1.98"/3' 2.19"- 3' 10.46"/2' 0.21"	2' 1.98"/3' 2.19"- 3' 10.46"/2' 0.21"
Weight	52 lb 15 oz	50 lb 11 oz	37 lb 8 oz	33 lb 1 oz	37 lb 8 oz
OPTIONS					
Base aluminium die-cast black					
Armrests/3D armrests	-/9349.002	-/9348.002	-/9354.002	9352.002 / -	9353.002 / -
Hard castors for soft floors	including	including	including	including	including
Soft castors for hard floors					
* available with price groups 1-3,	expect artificial leather				

PREMIUM OFFICE SWIVEL CHAIR		STANDARD OFFICE SWIVEL CHAIR			
MODEL	9349.001	9348.001	9354.001	9352.001	9353.001
Base	Polished ALU	Polished ALU	Polished ALU	Nylon black	Nylon black
Back	Mesh black*	Mesh black*	Fabric cover**	Mesh black*	Fabric cover**
Headrest					
Lordosis adjustment					
Height adjustability	1' 5.72"-1' 10.05"	1' 5.72"-1' 10.05"	1' 5.72"-1' 10.05"	1' 5.72"-1' 10.05"	1' 5.72"-1' 10.05"
Dimensions W/H/D	2' 1.98"/3' 9.67"- 4' 5.15"/2' 0.80"	2' 1.98"/3' 3.76"- 3' 8.09"/2' 0.80"	2' 1.98"/3' 2.19"- 3' 10.46"/2' 0.21"	2' 1.98"/3' 2.19"- 3' 10.46"/2' 0.21"	2' 1.98"/3' 2.19"- 3' 10.46"/2' 0.21"
Weight	52 lb 15 oz	50 lb 11 oz	37 lb 8 oz	33 lb 1 oz	37 lb 8 oz
OPTIONS					
Base aluminium die-cast black					
Armrests/3D armrests	-/9349.002	- / 9348.002	-/9354.002	9352.002 / -	9353.002 / -
Hard castors for soft floors	including	including	including	including	including

\*\* non-upholstered back, structure like mesh back, but fabric-covered, available with fabric groups 1-3

#### WWW.A2S.COM/US



#### 9353.002 Office swivel chair with fabric back with armrests



9335 WAVE office swivel chair with wave-shaped seat and back upholstery

### **WAVE SERIES** CONFERENCE AND OFFICE SWIVEL CHAIR

- PAGHOLZ<sup>®</sup> shell: particularly slim design, therefore flexible and yet break-proof (info p. 159)
- PAGHOLZ<sup>®</sup> shell in PAGHOLZ<sup>®</sup> natural or color wood black-brown, see A2S material overview
- on request with flat or wave upholstery on seat and back, see A2S material overview
- infinitely variable height adjustment from 1' 4.54"-1' 8.08" by gas-lift with depth spring
- synchronous mechanism with one-hand lever adjustment
- seat inclination mechanism with weight adjustment, inclination 0° 18° lockable in 5 positions
- 5-legged, polished die-cast aluminium frame with load dependent braked safety double castors



Resistant to chemicals



Scratch- and wear-resistant



Shock- and break-proof



7414 Cantilever chair



7410 Four-legged chair

#### WAVE | CONFERENCE AND OFFICE SWIVEL CHAIR



MODEL	7410	7414
Chrome-plated frame	4-legged	Cantilever chair
Base		
Size	6	6
Height adjustability		
Weight	22 lb 1 oz	22 lb 1 oz
Stackability without upholstery · size 6	5 pieces	5 pieces

#### OPTIONS

01 110103	
Armrests	7424
Felt floor protectors	
Wave upholstery on seat	
Wave upholstery on back	
Flat upholstery on seat	
Flat upholstery on back	





7424 Cantilever chair with armrests



7410 Four-legged chair, 5 chairs stackable without upholstery



including	
including	



9251.002 Cantilever conference chair with mesh back and armrests

### **CONFERENCE CHAIR**

- black mesh back, height 11.02"
- back fully upholstered, height 1' 3.35"
- full upholstery in material groups 1-4 possible, see A2S material overview
- cantilever and four-legged frame in chrome-plated round tube, stackable
- frame optionally powder-coated in RAL 9006 chrome silver or RAL 9005 black
- optional with armrests

#### CONFERENCE CHAIR

Chrome-plated frame

Dimensions W/H/D

MODEL

Back

Weight

Seat height

Stackability

OPTIONS



9251.001

Mesh

1' 6.11"

1'10.44"

13 lb 4 oz

4 pieces

Cantilever chair

1' 8.87"/2' 8.68"/



9252.001

4-legged

Mesh

1' 6.11"

1'10.44"

13 lb 4 oz

4 pieces

1' 8.87"/2' 7.50"/



9253.001

17 lb 10 oz

4 pieces

Cantilever chair

1.	[ 1	
9254.	001	
4-legg	ed	

Upholstery	Upholstery	
1' 6.11"	1' 6.11"	
1' 8.87"/2' 9.86"/ 1' 10.44"	1' 8.87"/2' 8.68"/ 1' 9.65"	
17 lb 10 oz	15 lb 7 oz	

87"/2' 8.68"/ 55"	
7 oz	11 lb 0 oz

1 9.00	
15 lb 7 oz	11 lb 0 oz
4 pieces	4 pieces

Powder-coated frame	RAL 9006 chrome silver RAL 9005 black			
Felt floor protectors				
Armrests	9251.002	9252.002	9253.002	9254.002
Dimensions with armrests W/H/D	1' 11.62"/2' 8.68"/ 1' 10.44"	1' 11.62"/2' 7.50"/ 1' 10.44"	1' 11.62"/2' 9.86"/ 1' 10.44"	1' 11.62"/2' 8.68"/ 1' 9.65"
Weight with armrests	15 lb 7 oz	15 lb 7 oz	19 lb 13 oz	17 lb 10 oz



9252.002 Four-legged with mesh back and armrests



9253.002 Cantilever fully upholstery with armrests



9254.002 Four-legged chair fully upholstered with armrests

### STACKING TRANSPORTER




9250

for 4-legged model series 9252 and 9254







Ā
9370
Gas-lift base

OPHOLSTERED/LOUNGE CHAI	R. C.			
MODEL	9370	9374.001	9374.002	9376.001
Frame	Gas-lift base	Wire frame	Wire frame	4-legged
	Polished ALU	RAL 9006 chrome silver RAL 9010 white RAL 9005 black	RAL 9006 chrome silver RAL 9010 white RAL 9005 black	Ash solid wood
Seat height	1' 6.90"-1' 10.83"	1' 6.11"	1' 6.11"	1' 6.11"
2D rocker function				
Dimensions W/H/D	2' 3.17"/2' 8.28"- 3' 1.40"/2' 0.80"	1' 11.62"/2' 8.28"/1' 11.62"	1' 11.62"/2' 5.13"/2' 0.41"	1' 11.62"/2' 8.68"/2' 0.41"
Weight	30 lb 14 oz	26 lb 7 oz	26 lb 7 oz	24 lb 4 oz
Certification		GS Certificate	GS Certificate	GS Certificate
OPTIONS				
Frame	RAL 9005 black	chrome-plated	chrome-plated	
Hard castors for soft floors	including			
Soft castors for hard floors				
Felt floor protectors				

#### Har Soft Felt





9374.002 Lounge chair 3-colored with 2D-rocker function

### **UPHOLSTERED/LOUNGE CHAIR**

■ 1- or 3-colored fabric cover possible in fabric groups 1-4, see A2S material overview

- upholstered gas-lift swivel chair with rocker mechanism incl. lock
- 5-arm base with load-dependently braked safety castors
- lounge chair wire frame with 2D rocker function
- four-legged frame in ash solid wood natural varnished



Fabric selectable in 3 colors within a fabric group



9376.001 Upholstered armchair 3-colored, solid ash wood



9370 Gas-lift swivel chair 3-colored with load dependent braked safety castors



8389 Gas-lift swivel stool with load-dependent braked castors PAGHOLZ<sup>®</sup>-seat natural

## STOOL

#### PAGHOLZ<sup>®</sup>/MULTIPLEX

- PAGHOLZ<sup>®</sup>-seat: resilient, because it is scratch- and impact-resistant, break-proof and glow-resistant, water-resistant and flexible
- all frames are scratch-resistant powder-coated
- 4-legged stool optional with foot ring or foot rests at various heights, up to 15 pieces stackable
- turning spindle with continuously welded, 5-arm steel base with plastic floor protectors, infinitely variable in height
- gas-lift with stable, 5-legged base made of die-cast aluminium, infinitely height adjustable, optional with felt floor protectors or with load-dependent braked safety double castors
- on request seat in color wood stained possible, see A2S material overview

#### **TURNING SPINDLE STOOL**

- upholstery made of foam
- seat upholstery available in material groups 1-4, see A2S material overview
- ash frame legs solid wood natural varnished
- upper part of the frame powder-coated, optional in RAL 9005 black or RAL 9010 white
- height adjustment by means of turning spindle

#### PLASTIC STOOL

- plastic recyclable
- seat height adjustment by hand strap from 1' 5.72"-2' 0.80" by safety gas-lift
- soft seat inlay and base in RAL 7012 basalt grey
- stable stand, as underside is slip-resistant
- available in the colors black, grey-white, red, lemon and pastel turquoise



Resistant to chemicals



Scratch- and wear-resistant



Shock- and break-proof





7984 PAGHOLZ<sup>®</sup> four-legged stools, stackable up to 15 pieces

7984.002 PAGHOLZ® four-legged stool





7936 PAGHOLZ<sup>®</sup> Turning spindle stool

9377.001 Upholstered stool, solid ash wood frame

STOOL





		Æ	Ţ	-	T	I
MODEL	7984	7984014/7984017	8349/8389	7936	9377.001	7940
Frame	4-legged	4-legged	Gas-lift I/II	Turning spindle	4-legged wood	
Base			Aluminium	Steel		
Head office	PAGHOLZ®	PAGHOLZ®	PAGHOLZ®	PAGHOLZ®	upholstered	Plastic
Size	6	6	2-5/4-7	5-7	6	6
Height	1' 6.11", 1' 7.68", 1' 9.65"	1' 9.65"/1' 6.11"	11.81"-1' 4.14"/ 1' 3.35"-1' 9.26"	1' 3.75"-1' 10.83"	1' 6.9"-2' 2.77"	1' 5.72"-2' 0.8"
Weight	6 lb 13 oz	8 lb 13 oz/6 lb 13 oz	9 lb 4 oz/11 lb 0 oz	13 lb 4 oz	15 lb 7 oz	9 lb 8 oz
Stackability	15 pieces	9 pieces				

OPTIONS						
Chrome-plated frame			Polished ALU		Oak	
Powder-coated frame	including	including	including	including	RAL 9005/9010	
Seat multiplex						
PAGHOLZ <sup>®</sup> color wood						
Felt floor protectors						
Castors, load-dependent braking				7935		
Foot ring	7984.002					
Various foot rests		2-5/2-4 +1' 3.75"				



WWW.A2S.COM/US

with all-round foot ring, non-stackable



7984014/7984017 PAGHOLZ® four-legged stools with foot rests at different heights





7940 Plastic stool with seat height adjustment



Solid beech multiplex edge crowned natural varnished





9459.004 Bench solid wood with middle bar



9445.160 Bench with castors



- seats made of solid beech multiplex or beech wood
- environmentally friendly sealed with water-based lacquer
- beech multiplex seat with HPL coating available in many finishes, see A2S material overview
- powder-coated frame in various colors, see A2S material overview
- stackable bench optional with castors ideal for flexible use





9445.100 Bench, stackable. Retrofittable with castors at any time

Stackable 5 pieces

BENCHES



MODEL	9459.004	9445.100
Frame		
Powder-coated frame	Solid wood	
Seat solid beech wood	Multiplex board	Multiplex board
Backrest		
Size/seat height	1' 2.96"	3/4/5/6
Lengths	3' 11.24"	3' 3.37"/3' 11.24"/ 5' 2.99"/5' 10.87"/ 6' 6.74"
Weight	19 lb 13 oz	18 lb 13 oz
Stackability		5 pieces

#### OPTIONS

Chrome-plated frame		
Castors can be retrofitted		
Felt floor protectors		
Shoe tray		
With rear crossbar	9469.004	





9430 Changing room bench one-sided





With 2 castors on one side for easy changeover







9430	9440	9450
one-sided	double-sided	
1' 4.54"	1' 4.54"	1' 4.54"
3' 3.37"/6' 6.74"/ 9' 10.11"/13' 1.48"	3' 3.37"/6' 6.74"/ 9' 10.11"/13' 1.48"	3' 3.37"/6' 6.74"/ 9' 10.11"/13' 1.48"
66 lb 2 oz	88 lb 3 oz	44 lb 1 oz



3639 CHANGE high table 2-seater 7897 CHANGE bench 2-seater 7898 CHANGE bench 1-seater

## **CHANGE | HIGH TABLE AND BENCHES**

- filigree lounge furniture for comfortable sitting
- closed skid as subconstruction, made of chrome-plated, micro-alloyed round steel, each with plastic floor protectors, optional with felt floor protectors
- with stable cross braces as supports for the feet
- CHANGE series seat and table top in PAGHOLZ<sup>®</sup> natural or color wood black-brown
- barstool seat in CPL black coated

CHANGE HIGH TABLE	AND BENCHES			
		Ħ		H
MODEL	7897	7898	3639	7896
Frame	Bench 2-seater	Bench 1-seater	High table 4' 3.18" x 2' 1.59"	Bar stool
Seat/table top	PAGHOLZ®	PAGHOLZ®	PAGHOLZ®	Beech plywood
Height	2' 10.65"	2' 10.65"	3' 10.46"	2' 8.68"
Weight	30 lb 14 oz	22 lb 1 oz	39 lb 11 oz	15 lb 7 oz
OPTIONS				
Chrome-plated frame	including	including	including	
Brushed stainless steel				including
Felt floor protectors				





9378 High table 9377.002 Turning spindle stool

## **TURNING SPINDLE STOOL AND HIGH TABLE**

- frame in solid wood ash or optional in natural lacquered oak
- upper part of the frame powder-coated in RAL 9005 black or RAL 9010 white
- table frame equipped with two bag hooks
- tabletop melamine coated white or optional in solid oak
- stool height adjustable by means of a turning spindle
- table and stool with foot ring in brushed stainless steel
- stool seat upholstered, fabric as desired 2-colored, see A2S material overview
- upholstery made of foam

#### TURNING SPINDLE STOOL AND HIGH TABLE

	Â	A
MODEL	9377.002	9378
Solid wood frame	Ash	Ash
Frame upper part powder-coated		
Height	2' 4.35"-3' 0.22"	3' 7.31"
Table top Ø		1' 11.62"
Table top finish		Pure white
Weight	19 lb 13 oz	30 lb 14 oz
OPTIONS		
Solid wood frame	Oak	Oak
Table top natural oak		
Felt floor protectors		

### WWW.A2S.COM/US




Optional with integrated sockets



**3101.208** SOLID table **3103.194** SOLID bench **3104.194** Bench upholstery



- made of 1.50" thick 3-layer finish board B1 according to DIN 4102
- 0.08" plastic edge in table top color
- available in three heights
- completely demountable system
- floor protectors with level compensation
- $\hfill\blacksquare$  optional with floor mounting and integrated sockets incl. cable duct
- version with privacy screen available for high tables
- use: All-day rooms, assembly hall, cafeteria, canteen, hallway
- bench upholstery cover available with fabric groups 2-4, see A2S material overview



Integrated cable channel under the table top



Optional with floor mounting



**3101.208** SOLID table equipped with central sockets **7899** Bar stool

31 SERIES | SOLID TABLES



HEIGHT	2' 1.20" AND 2' 5.53"
Plate dimensions 3' 11.24" x 2' 7.5"	3101.128
Plate dimensions 4' 7.12" x 2' 7.5"	3101.148
Plate dimensions 5' 2.99" x 2' 7.5"	3101.168
Plate dimensions 5' 10.87"x 2' 7.5"	3101.188
Plate dimensions 6' 6.74" x 2' 7.5"	3101.208
Footrest	
Privacy screen	
OPTIONS	

Cable outlet	
Floor mounting	
2-way power socket with USB charger*	
2-way socket with network*	

\* 1 x central up to W 4' 7.12", 1 x left and 1 x right from W 5' 2.99"

#### 31 SERIES | SOLID BENCHES



SEAT HEIGHT	1' 2.96" AND 1' 5.72"
Seat area 3' 7.31" x 1' 2.96"	3103.114
Seat area 4' 3.18" x 1' 2.96"	3103.134
Seat area 4' 11.05" x 1' 2.96"	3103.154
Seat area 5' 6.93"x 1' 2.96"	3103.174
Seat area 6' 2.80"x 1' 2.96"	3103.194



#### OPTIONS

Floor mounting



**3112.208** SOLID table with privacy screen equipped with sockets at the front and lateral cable outlets

WITH FOOTREST	WITH BACK WALL
3' 7.31"	3' 7.31"
3102.128	3112.128
3102.148	3112.148
3102.168	3112.168
3102.188	3112.188
3102.208	3112.208

WITH FOOTREST

BENCH UPHOLSTERY

2' 5.53"	
3105.114	3104.114
3105.134	3104.134
3105.154	3104.154
3105.174	3104.174
3105.194	3104.194





Other table sizes, tabletop materials and all options for the tables shown can be found on the pages indicated. You will find our selection of colors, fabrics, finishes and materials in our A2S material overview.

WWW.A2S.COM/US

43



7280 Four-legged classroom table with WOODMARK table top, Tidy Box and 2 castors optional

## 7280 SERIES | CLASSROOM TABLES

- due to the unique asymmetrical frame, the tables are stackable and can be placed side by side without joints
- sturdy, yet lightweight round tube steel frame, scratch-resistant powder-coated or chrome-plated
- available in frame size 2-7
- working surfaces with multi-layer melamine resin coating, thus scratch-resistant, shock-proof and glare-free
- as standard we deliver the table with a 0.12" plastic edge in the color of the top, see A2S material overview
- other possible board designs: Edge beech concealed edge band crowned, ASSODUR<sup>®</sup>-Multiplex, WOODMARK or 0.47" compact board, color selection see A2S material overview
- optional with 2 castors on the long side, mobile and therefore flexibly adjustable



Easy to stack from the front also with book storage or Tidy Box



With piggyback equipment to prevent the table top from sliding down or scratching when tables are stacked



Optional with stable castors for easy movement in flexible teaching



7280 Four-legged classroom table with WOODMARK table top 7416.035 Footrest chair FLEX with comfortable one-hand operation of the footrest - learning at eye level

#### 7280 SERIES | CLASSROOM TABLES

DEL	7280	7280	7280.002	7280.005	7280.008
vder-coated frame	1-seater	1-seater	1-seater	2-seater	2-seater
e	2-7	2-7	2-7	2-7	2-7
te dimensions W x D	2' 3.56" x 1' 7.68"	2' 3.56" x 1' 9.65"	2' 5.53" x 2' 1.59"	4' 3.18" x 1' 7.68"/ 1' 9.65"	4' 3.18" x 2' 1.59"
ight · size 6	31 lb 15 oz	33 lb 1 oz	36 lb 6 oz	46 lb 5 oz	55 lb 2 oz
ckability	4 pieces	4 pieces	4 pieces	4 pieces	4 pieces
TIONS					
ome-plated frame					
t floor protectors					
astors on the long side*				- / 🔳	
ok storage basket zinc-plated					
air suspension					
g hook	including	including	including	including	including
de rails with Tidy Box A4					
ly available in combination with f	elt floor protectors				

•					
MODEL	7280	7280	7280.002	7280.005	7280.008
Powder-coated frame	1-seater	1-seater	1-seater	2-seater	2-seater
Size	2-7	2-7	2-7	2-7	2-7
Plate dimensions W x D	2' 3.56" x 1' 7.68"	2' 3.56" x 1' 9.65"	2' 5.53" x 2' 1.59"	4' 3.18" x 1' 7.68"/ 1' 9.65"	4' 3.18" x 2' 1.59
Weight · size 6	31 lb 15 oz	33 lb 1 oz	36 lb 6 oz	46 lb 5 oz	55 lb 2 oz
Stackability	4 pieces	4 pieces	4 pieces	4 pieces	4 pieces
OPTIONS					
Chrome-plated frame					
Felt floor protectors					
2 castors on the long side*				- / 🔳	
Book storage basket zinc-plated					
Chair suspension					
Bag hook	including	including	including	including	including
Guide rails with Tidy Box A4					
*only available in combination with fo	elt floor protectors				

\*only available in combination with felt floor protectors









Up to 4 tables stackable



**7280.005** Four-legged classroom table 2-seater with WOODMARK table top, chrome frame, with Tidy Boxes



Chair suspension under the table top optional



**7530** Classroom table 1-seater, optional with chair suspension



- absolutely robust, torsion-free oval tube steel frame (1.97" x 1.18" x 0.08") scratch-resistant powder-coated with board support, for extra large boards with double web
- easy side entry, ideal for small rooms
- available in frame size 2-7
- working surfaces with multi-layer melamine resin coating, thus scratch-resistant, shock-proof and glare-free
- as standard we deliver the table with a 0.12" plastic edge in the color of the table top, see A2S material overview
- other possible board designs: Edge beech concealed edge band crowned, ASSODUR®-Multiplex, WOODMARK or 0.47" compact board, color selection see A2S material overview



Easy side entry, ideal for small rooms



A2S floor protectors with kick plate protect the floor and table feet from scratches and are easy to change



7536 Classroom table, 2-seater with double column and 0.47" compact board 7854 FLEX C-shape chair

#### 75 SERIES | CLASSROOM TABLES

-	-	
C.	er er	

MODEL	7530	7530	7532	7534	7534	7536	7538
Powder-coated frame	1-seater	1-seater	1-seater	2-seater	2-seater	2-seater	2-seater
Size	2-7	2-7	2-7	2-7	2-7	2-7	2-7
Plate dimensions W x D	2' 3.56" x 1' 7.68"	2' 3.56" x 1' 9.65"	2' 5.53" x 2' 1.59"	4' 3.18" x 1' 7.68"	4' 3.18" x 1' 9.65"	4' 3.18" x 2' 1.59"	4' 11.05" x 2' 1.59"
Weight · size 6	37 lb 8 oz	38 lb 9 oz	41 lb 14 oz	50 lb 11 oz	52 lb 15 oz	57 lb 5 oz	61 lb 12 oz
OPTIONS							
WOODMARK board							
Book storage basket zinc-plated							

OFTIONS							
WOODMARK board	-	-	-	-	-	-	
Book storage basket zinc-plated							-
Chair suspension							
Felt floor protectors with kick plate	-						
Bag hook	including						
Guide rails with Tidy Box A4	7530003	7530003					



### WWW.A2S.COM/US

47





In the Tidy Box, even small utensils such as erasers or rulers are in good hands.



**9530** Classroom table 1-seater with Tidy Box A4



- robust, torsion-free double-column construction (1.57" x 0.79" x 0.06" and 1.97" x 1.18" x 0.08") scratch-resistant powder-coated, with board support for 2-seater, selection of steel colors see A2S material overview
- available in frame size 2-7
- working surfaces with multi-layer melamine resin coating, thus scratch-resistant, shock-proof and glare-free
- as standard we deliver the table with a 0.12" plastic edge in the color of the top, see A2S material overview
- other possible board designs: Edge beech concealed edge band crowned, ASSODUR<sup>®</sup>, Multiplex, WOODMARK
- or 0.47" compact board, color selection see A2S material overview



The Tidy Box with exchangeable name badge is available in 2 sizes and in 5 colors, see A2S material overview



**9534** Classroom table 2-seater with chair suspensions in WOODMARK maple finish **7100** WOODMARK sliding chair in maple finish

#### 95 SERIES | CLASSROOM TABLES

	$\Box$	Ţ,	Ţ				
MODEL	9530	9530	9532	9534	9534	9536	9538
Powder-coated frame	1-seater	1-seater	1-seater	2-seater	2-seater	2-seater	2-seater
Size	2-7	2-7	2-7	2-7	2-7	2-7	2-7
Plate dimensions W x D	2' 3.56" x 1' 7.68"	2' 3.56" x 1' 9.65"	2' 5.53" x 2' 1.59"	4' 3.18" x 1' 7.68"	4' 3.18" x 1' 9.65"	4' 3.18" x 2' 1.59"	4' 11.05" x 2' 1.59"
Weight · size 6	28 lb 11 oz	29 lb 12 oz	33 lb 1 oz	40 lb 13 oz	42 lb 16 oz	44 lb 1 oz	47 lb 6 oz

### OPTION

Felt floor protectors	-						
Guide rails with small Tidy Box A4	-						
Bag hook	including						
Chair suspension	-						
Book storage basket zinc-plated	=						
WOODMARK board	=						
OPTIONS							





7010 Solid wood sliding table, 1-seater with bag hook **7000** Solid wood sliding table



- solid beech frame from sustainable forestry, environmentally friendly varnished with water-based lacquer
- extra stable with continuously mortised and glued connections
- available in frame size 2-7
- working surfaces with multi-layer melamine resin coating, thus scratch-resistant, shock-proof and glare-free
- as standard we deliver the table with a 0.12" plastic edge in the color of the top, see A2S material overview
- other possible board designs: Edge beech concealed edge band crowned, ASSODUR®, Multiplex, WOODMARK
- or 0.47" compact board, color selection see A2S material overview



7030 Wooden sliding table, 2-seater, solid wood, environmentally friendly protected with water-based lacquer

#### 70 SERIES | CLASSROOM TABLES

	Ţ	Ţ	Ţ	Ţ
MODEL	7010	7010	7030	7030
Frame natural beech, varnished	1-seater	1-seater	2-seater	2-seater
Size	2-7	2-7	2-7	2-7
Plate dimensions W x D	2' 3.56" x 1' 7.68"	2' 3.56" x 1' 9.65"	4' 3.18" x 1' 7.68"	4' 3.18" x 1' 9.65"
Weight · size 6	24 lb 4 oz	25 lb 6 oz	39 lb 11 oz	44 lb 1 oz

#### OPTIONS

Book storage basket zinc-plated	
Felt floor protectors	
Bag hook	



### WWW.A2S.COM/US



-

 Optional with chair suspension
 Robust table top with anti-glare

 • former interval
 Stable, micro-alloyed 1.18" x 0.08"

 • owder-coated or chrome-plated
 Stable, micro-alloyed 1.18" x 0.08"

 • owder-coated or chrome-plated
 Felt floor protector optional

 • owner/cial T-frame allows
 Stable, micro-alloyed 1.17"

 • owner/cial T-frame allows
 Stable, micro-alloyed 1.17"

 • owner/cial T-frame allows
 Stable, micro-alloyed 1.17"

**7220** Classroom table 2-seater optional with chair suspension **7307** PAGHOLZ<sup>®</sup> C-shape sliding chair

## 72/73 SERIES | CLASSROOM TABLES

- absolutely robust round tube steel frame (1.18" x 0.08"), scratch-resistant powder-coated or chrome-plated, with board support for 2-seater
- available in frame size 2-7
- working surfaces with multi-layer melamine resin coating, thus scratch-resistant, shock-proof and glare-free
- as standard we deliver the table with a 0.12" plastic edge in the color of the top, see A2S material overview
- other possible board designs: Edge beech concealed edge band crowned, ASSODUR®, Multiplex, WOODMARK
- or 0.47" compact board, color selection see A2S material overview



7210 1-seater with WOODMARK board 7853 FLEX Z-shape

#### 72/73 SERIES | CLASSROOM TABLES

	Ţ	Π	Π	Ţ		Ţ	
MODEL	7210	7210	7310	7220	7220	7320	7340
Powder-coated frame	1-seater	1-seater	1-seater	2-seater	2-seater	2-seater	2-seater
Size	2-7	2-7	2-7	2-7	2-7	2-7	2-7
Plate dimensions W x D	2' 3.56" x 1' 7.68"	2' 3.56" x 1' 9.65"	2' 5.53" x 2' 1.59"	4' 3.18" x 1' 7.68"	4' 3.18" x 1' 9.65"	4' 3.18" x 2' 1.59"	4' 11.05" x 2' 1.59"
Weight · size 6	18 lb 12 oz	19 lb 13 oz	26 lb 7 oz	33 lb 1 oz	35 lb 4 oz	39 lb 11 oz	44 lb 1 oz

OPTIONS							
WOODMARK board	-						
Book storage basket zinc-plated*							-
Chair suspension*							-
Bag hook	including						
Felt floor protectors							

### WWW.A2S.COM/US

53



Easy cleaning of table top and floor due to chair suspension



856 Series can be seated from both sides ideal for group work



A2S floor protectors protect floor and



8580.135 Classroom table 2-seater with grid height adjustment and book storage basket





Multiple height adjustments with allen key

#### 856 SERIES | CLASSROOM TABLES

MODEL

Powdor-costod framo

8560	8562
1-seater	1-seater

Fowder coaled frame	i sealei	i sealei
Size	2-7	2-7
Plate dimensions W x D	2' 3.56" x 1' 7.68"/1' 9.65"	2' 5.53" x 2' 1.59"
Weight · size 6	27 lb 9 oz	30 lb 14 oz
Height-adjustable · size 3-6	8581.075	8581.076
Height adjustable · size 4-7	8580.075	8580.076

OPTIONS		
WOODMARK board		-
Book storage basket zinc-plated*		
Chair suspension*		
Bag hook	including	including
Felt floor protectors		
*either book storage basket or chair	suspension	

er book storage basket **or** chair suspensio



8564 Classroom table 2-seater with WOODMARK board, optional with chair suspension **7811** PAGHOLZ<sup>®</sup> C-shape with handle hole



table feet from scratching

### **856 SERIES** CLASSROOM TABLES FIXED AND HEIGHT-ADJUSTABLE

- robust, torsion-free oval column construction (1.97" x 1.18" x 0.08"), scratch-resistant powder-coated, with crossbar (1.97" x 0.79" x 0.08") and board support for 2-seater
- available in fixed frame sizes 2-7
- height-adjustable models with grid height adjustment by means of screw connection for sizes 3-6 and 4-7
- for further height-adjustable classroom tables see page 56
- incl. A2S floor protectors, protect the floor and table feet from scratches
- working surfaces with multi-layer melamine resin coating, thus scratch-resistant, shock-proof and glare-free
- as standard we deliver the table with a 0.12" plastic edge in the color of the top, see A2S material overview
- other possible board designs: Edge beech concealed edge band crowned, ASSODUR<sup>®</sup>, Multiplex, WOODMARK or 0.47" compact board, color selection see A2S material overview











Optional with book storage basket

#### Including bag hook on the right or on both sides for 2-seater

8564	8566	8567
2-seater	2-seater	2-seater
2-7	2-7	2-7
4' 3.18" x 1' 7.68"/1' 9.65"	4' 3.18" x 2' 1.59"	4' 11.05" x 2' 1.59"
41 lb 14 oz/44 lb 1 oz	44 lb 1 oz	48 lb 8 oz
8581.135		
8580.135		
including	including	including



Solid beech multiplex edge crowned natural varnished



**7750** Classroom table 1-seater height-adjustable Multiplex top, edges natural varnished, optional with chair suspension 7130/7132 WOODMARK sliding chair height-adjustable in sizes 3-5/5-7

## 77 SERIES HEIGHT-ADJUSTABLE CLASSROOM TABLES

- robust metal frame, scratch-resistant due to powder coating, selection of colors see A2S material overview
- easy locking by grid height adjustment with snap lock and safety shut-off by Allen screw
- available in the 2 frame sizes 2-5 and 5-7
- incl. bag hook on the right or on both sides for 2-seater
- working surfaces with multi-layer melamine resin coating, therefore scratch-resistant, shock-proof and glare-free
- as standard we deliver the table with a 0.12" plastic edge in the color of the top, see A2S material overview
- other possible boarddesigns: Edge beech concealed edge band crowned, ASSODUR®, Multiplex, WOODMARK
- or 0.47" compact board, color selection see A2S material overview









Multiple height adjustments with allen kev

on the work surface

#### 77 SERIES | HEIGHT-ADJUSTABLE CLASSROOM TABLES

TT SERIES [ HEIGHT ADSOSTABLE				
	$\Box$	$\Box$		
MODEL	7750	7760	7755	7765
Powder-coated frame	1-seater	1-seater	2-seater	2-seater
Size	2-5/5-7	2-5/5-7	2-5/5-7	2-5/5-7
Height adjustability	1' 9.26"-2' 3.56"/ 2' 3.56"-2' 8.28"			
Plate dimensions W x D	2' 3.56" x 1' 9.65"	2' 5.53" x 2' 1.59"	4' 3.18" x 1' 9.65"	4' 3.18" x 2' 1.59"
Weight	39 lb 11 oz/40 lb 13 oz	42 lb 16 oz/45 lb 3 oz	49 lb 10 oz/51 lb 13 oz	54 lb 0 oz/56 lb 3 oz
OPTIONS				
Book storage basket zinc-plated				
Chair suspension				
Felt floor protector with kick plate				

#### OPTION Book sto Chair su Felt floo including Bag hook including Guide rails with Tidy Box A4 .

### WWW.A2S.COM/US



Multiple height adjustment, in sizes 2-5 or 5-7, with colored size labelings

7755 Classroom table 2-seater height-adjustable with WOODMARK board, optional with Tidy Boxes A4

Tidy Boxes create order and more space



A2S floor protectors with kick plate protect the floor and table feet from scratches and are easy to change

including

.

including



Bag hook on the right or on both sides for 2-seater

Infinitely variable in height by means of manually operated spindle gear with colored size labelings

7692 Classroom table 1-seater height-adjustable, with fixed table top 8389 PAGHOLZ<sup>®</sup> gas lift swivel stool

Feet with scratch protection and adjusting screws to level uneven floors

## **76 SERIES** HEIGHT-ADJUSTABLE CLASSROOM TABLES

- robust metal frame, scratch-resistant due to powder coating, selection of colors see A2S material overview adjustable from size 3-7
- incl. A2S floor protectors with kick plate, protect the floor and table feet from scratches and are easy to change
- working surfaces with multi-layer melamine resin coating, thus scratch-resistant, shock-proof and glare-free
- as standard we deliver the table with a 0.12" plastic edge in the color of the table top, see A2S material overview
- other possible board designs: Edge beech concealed edge band crowned, ASSODUR<sup>®</sup>, Multiplex, WOODMARK
- or 0.47" compact board, color selection see A2S material overview

## 

## ACCESSORIES FOR CLASSROOM TABLES

CHAIR SUSPENSIONS		
C 3	Ĩ	A
0200	0831	(
suitable for chair models <b>7200/7205/7800/7805</b> PAGHOLZ <sup>®</sup> sliding chair	Zinc-plated steel with rubber coa suitable for chair models 7100 WOODMARK ssliding chair ( 7307/7811/7813 PAGHOLZ® C-sl 7819.010/7822 Multiplex C-sha	size 3-7)
* Only suitable for tables without	front frame	
BOOK STORAGE BASKET	TIDY BOXES	BAG HOOK
		J
0303/0304	0886	0540
1' 7.68" x 3.35" x 7.87", zinc-plated	1' 0.2" x 2.95" x 1' 4.93", in 5 colors	galvanized

## 1110 | DRAWING TABLE



1110 Drawing table with continuously tiltable and height-adjustable table top, board version exclusively in 3-layer finish board (E1), 0.03" glued with 0.08" plastic edge, for finish selection see A2S material overview

#### 76 SERIES | HEIGHT-ADJUSTABLE CLASSROOM TABLES WITH STRAIGHT BOARD

	F	
MODEL	7692	7697
Powder-coated frame	1-seater	2-seater
Size	3-7	3-7
Height adjustability	1'10.83"-2' 8.28"*	1' 10.83"-2' 8.28"*
Board inclination		
Plate dimensions W x D	2' 5.53" x 2' 1.59"	4' 3.18" x 2' 1.59"
Weight · size 6	55 lb 2 oz	88 lb 3 oz

#### OPTIONS

Book storage basket zinc-plated	
Felt floor protectors with kick plate	
Book stop	
Removable crank	
*The crank for height adjustment is fixed as	s standard,

but can also be supplied with a removable crank on request.

WWW.A2S.COM/US

#### 0837

suitable for chair models 8385 PAGHOLZ<sup>®</sup> gas lift swivel chair 7854 FLEX C-shape 7873 FLEX gas lift swivel chair 7875 FLEX swivel chair

#### 0881\*/0882\*

suitable for chair models 7873 FLEX gas lift swivel chair 3D rocker (size 5-7)/ 7876 FLEX gas lift swivel chair 3D rocker (size 3-5)





#### 1110 | DRAWING TABLE



#### 1110 1-seater

2' 5.92"

#### 0-90 degrees 2' 11.43" x 1' 11.62" 61 lb 12 oz



Self-explanatory control element optional with memory function



Hidden cable management by hinged cable tray



Easy levelling of uneven floors

**5580.168** OFFICE desk electrically height adjustable

**OFFICE SERIES MOTORIZED HEIGHT-ADJUSTABLE OFFICE TABLES** 

■ large adjustment range from 2' 0.8" to 4' 2" in height, therefore usable as a worktable and standing table

- stable frame even in standing height
- frame powder-coated in RAL 9006 chrome silver, RAL 9003 white or RAL 9005 black possible
- equipped with floor levellers
- hidden cable management by hinged metal cable tray incl. 6-way socket strip
- self-explanatory control element, optional with memory function
- note: Power supply required
- working surfaces with multi-layer melamine resin coating, therefore scratch-resistant, shock-proof and glare-free, for finishes see A2S material overview
- with a 0.12" plastic edge in board color, see A2S material overview







5580.168 OFFICE table 9232.800 Rolling container 7873.002 FLEX gas lift swivel chair with elevation and foot ring

#### OFFICE SERIES | MOTORIZED HEIGHT-ADJUSTABLE OFFICE TABLES RECTANGULAR

MODEL	5580.148	5580.149	5580.168	5580.169	5580.188	5580.189	5580.208	5580.209
Frame powder-coated RAL 9006								
motorized height-adjustability	2' 0.8"-4' 2"	2' 0.8"-4' 2"	2' 0.8"-4' 2"	2' 0.8"-4' 2"	2' 0.8"-4' 2"	2' 0.8"-4' 2"	2' 0.8"-4' 2"	2' 0.8"-4' 2"
Plate dimensions W x D	4' 7.12" x 2' 7.50"	4' 7.12" x 2' 11.43"	5' 2.99" x 2' 7.50"	5' 2.99" x 2' 11.43"	5' 10.87" x 2' 7.50"	5' 10.87" x 2' 11.43"	6' 6.74" x 2' 7.50"	6' 6.74" x 2' 11.43"
Weight	79 lb 6 oz	83 lb 12 oz	90 lb 6 oz	94 lb 13 oz	97 lb 0 oz	103 lb 10 oz	105 lb 13 oz	114 lb 10 oz
6-way Schuko power socket with 9' 10.11" supply cable		•	•	•	•	•	•	•
OPTIONS								
Frame black or white	-			-			-	

01 110140								
Frame black or white	-	-	-	=	-	-	-	-
Cable outlet	-	-	-	-	-	-		
CPU holder <b>1876.020</b>			-	-	-			
Front panel	2050.142	2050.142	2050.162	2050.162	2050.182	2050.182	2050.202	2050.202

OFFICE SERIES | MOTORIZED HEIGHT-ADJUSTABLE OFFICE TABLES L-SHAPE

MODEL	5585.208	5586.20
Variant	right	left
Powder-coated frame		
Motorized height-adjustability	2' 0.8"-4' 2"	2' 0.8"-4
Plate dimensions W x D	6' 6.74" x 5' 2.99"/2' 7.50"	6' 6.74"
Weight	189 lb 10 oz	189 lb 10
6-way Schuko power socket with 9' 10.11" supply cable		-
OPTIONS		

	Frame black or white		
	Cable outlet		
	CPU holder <b>1876.020</b>		
	Front panel	2050.202	2050.20



#### WWW.A2S.COM/US


61

5585.208 OFFICE table L-shaped 9335 WAVE gas lift swivel chair

208

-4' 2" ' x 5' 2.99"/2' 7.50" 0 oz

202



7616.097 Barrel-shaped mono-column table, mobile with lockable valuables drawer

## **76 SERIES** HEIGHT-ADJUSTABLE MONO-COLUMN TABLES

- large adjustment range from 2' 3.56" 3' 7.31" height, therefore usable as work and standing table
- triggering of the height adjustment by means of encapsulated Bowden cable and safety hand release, which prevents unintentional release
- heavy-duty, torsion-resistant tubular steel table column
- optional all-steel valuables drawer under the table top
- frame powder-coated in RAL 9006 chrome silver
- optionally available with 0.47" compact board, not with front panel
- possible finish table tops see A2S material overview





7612.076 Rectangular mono-column table with 0.47" compact board, with levelling at the front and 2 castors at the back



7620.138 Oval mono-column table with perforated sheet metal front panel 7873.002 FLEX gas lift swivel chair with foot ring

76 SERIES   PNEUMATIC HEIGHT-ADJUSTABLE MONO-COLUMN TABLES					
BOARD					
MODEL	7612.076	7614.097	7615.138	7616.097	7618.080
Frame powder-coated RAL 9006					Polished ALU
Height adjustability	2' 3.56"-3' 7.31"	2' 3.56"-3' 7.31"	2' 3.56"-3' 7.31"	2' 3.56"-3' 7.31"	2' 6.31"-3' 9.67"
Plate dimensions W x D	2' 5.53" x 2' 1.59"	2' 11.43" x 2' 3.56"	4' 3.18" x 2' 7.50"	2' 11.43" x 2' 3.56"	Ø 2' 7.50"
Weight	41 lb 14 oz	47 lb 13 oz	68 lb 5 oz/69 lb 7 oz	42 lb 2 oz	38 lb 13 oz
Castors					
OPTIONS					
Lockable valuables drawer					
Front panel			7620.138*		
*not possible with compact board					

\*not possible with compact board









#### 7268

Chrome-plated metal frame with two castors and a lockable base cabinet with two drawers

## TEACHER'S DESKS

- frames match the classroom tables: made of metal, scratch-resistant powder-coated, or solid wood natural beech varnished with transparent water-based lacquer
- model 7268 mobile with castors (suitable for classroom table model 7280)
- optional with felt floor protectors
- the base units and drawers are lockable as standard
- working surfaces 14' 3.18" x 2' 1.59" or 4' 11.05" x 2' 1.59" with additional melamine resin coating, therefore scratch and impact resistant and glare-free
- as standard, we supply the table with a 0.12" plastic edge in the color of the table top, for color selection see A2S material overview
- WOODMARK board not possible in size 4' 11.05" x 2' 1.59"
- other possible board designs: Edge beech concealed edge band crowned, ASSODUR<sup>®</sup>, Multiplex, WOODMARK or 0.47" compact board, color selection see A2S material overview



**7573.901** Base unit with storage compartment, with 1-door base unit on the right Frame 4-legged oval tube



**7524.901** Base unit with storage compartment, with 1-door base unit and drawer on the left Frame C-shape oval tube

TEACHER'S DESKS	BOARD SIZE 4' 3.	BOARD SIZE 4' 3.18" X 2' 1.59"		
FRAME				
4-legged*	7571.901	7572.901/7573.901	7574.	
C-shape*	7521.901	7522.901/7523.901	7524.	
Skid**	7351.901	7352.901/7353.901	7354.	
Solid beech wood	7051.901	7052.901/7053.901	7054.	
Cabinet		left/right	left/rig	
Dimensions W/D/H	4' 3.18" x 2' 1.59" x 2' 5.92"	4' 3.18" x 2' 1.59" x 2' 5.92"	4' 3.18 2' 1.59	
Weight	102 lb 1 oz	119 lb 1 oz	127 lb 1	
*powder-coated **pow	der-coated; chrome-pl	ated frame optionally av	ailable	

#### TEACHER'S DESKS BOA

FRAME

4-legged\*\*


BOARD SIZE 4' 11.05" X 2' 1.59"

7571.902	7572.902/7573.902	7574.902/7
7521.902	7522.902/7523.902	7524.902/7
7351.902	7352.902/7353.902	7354.902/7

	C-shape*	7521.902	7522.902/7523.902	7524.902/7525.90
	Skid**	7351.902	7352.902/7353.902	7354.902/7355.90
_	Solid beech wood	7051.902	7052.902/7053.902	7054.902/7055.90
	Cabinet		left/right	left/right
_	Dimensions W/D/H	4' 11.05" x 2' 1.59" x 2' 5.92"	4' 11.05" x 2' 1.59" x 2' 5.92"	4' 11.05" x 2' 1.59" x 2' 5.92"
	Weight	112 lb 7 oz	127 lb 14 oz	136 lb 11 oz
	*nowder-costed **nowde	r-costed: chrome-nl	ated frame ontionally av	ailable

\*powder-coated \*\*powder-coated; chrome-plated frame optionally available





left/right

4' 11.05" x

152 lb 2 oz

2' 1.59" x 2' 5.92"

on both sides

152 lb 2 oz

4' 11.05" x

on both sides

4' 11.05" x

178 lb 9 oz

2'1.59" x 2' 5.92" 2'1.59" x 2' 5.92"



1810.168 Computer table 2-seater,upstand at the back of the table top, optional with CPU holder7873 FLEX gas lift swivel chair with load-dependent braked castors

## 18 SERIES | COMPUTER TABLES

- absolutely stable, solid welded metal frame with scratch-resistant powder coating, color selection see A2S material overview
- 0.98" thick working surfaces with multi-layer melamine resin coating, therefore scratch-resistant, shock-proof and glare-free
- lockable board on slide fitting slides forward with lip seal at the back
- as standard, we supply the table with a 0.12" plastic edge in the color of the table top, for color selection see A2S material overview
- $\hfill$  with installation channel for sockets, on request without upstand at the back
- frame is prepared to accommodate various attachments (see options)
- incl. A2S floor protectors, protect the floor and the table frame from scratches and are easy to change



**1810.168** Board on slide fitting slides forward for easy, hidden cable entry, sealed with rubber lip



18 SERIES COMPUTER TABLES

2' 7.50" DEEP

MODEL	1812.088	1811.128	1811.148	1810.168	1812.087	1811.127	1811.147	1810.167
Powder-coated frame	1-seater	1-seater	2-seater	2-seater	1-seater	1-seater	2-seater	2-seater
Height	2' 4.35"	2' 4.35"	2' 4.35"	2' 4.35"	2' 4.35"	2' 4.35"	2' 4.35"	2' 4.35"
Plate dimensions W x D	2' 7.50" x 2' 7.50"	3' 11.24" x 2' 7.50"	4' 7.12" x 2' 7.50"	5' 2.99" x 2' 7.50"	2' 7.50" x 2' 3.56"	3' 11.24" x 2' 3.56"	4' 7.12" x 2' 3.56"	5' 2.99" x 2' 3.56"
Weight	63 lb 4 oz	121 lb 4 oz	125 lb 11 oz	132 lb 4 oz	58 lb 3 oz	116 lb 14 oz	121 lb 4 oz	125 lb 11 oz

OPTIONS						
CPU holder						
CPU cabinet open		-	-			
CPU cabinet with door		-	-			
Connecting fitting for 2 tables						
Connecting fitting for 2 tables with 1 corner element						
Cable channel		-	-	-		
Floor mounting		-	-			
Floor leveller		-	-	-		
6-way Schuko power socket with 9' 10.11" supply cable	-					
Felt floor protectors with kick plate	-					



### WWW.A2S.COM/US



2' 3.56" DEEP







Optional cable outlet leads the power supply bundled to the grille cable channel



Optional grille cable channel leads the cables to the sockets directly underneath the table top

**1960.128** 1-seater multi-functional table, optional with CPU cabinet with door and cable outlet



absolutely stable, solid welded metal frame, scratch-resistant powder-coated, color selection see A2S material overview

• 0.98" thick working surfaces with multi-layer melamine resin coating, therefore scratch-resistant, shock-proof and glare-free

as standard we deliver the table with a 0.12" plastic edge in the color of the top, for finish selection see A2S material overview
 many extension possibilities

## ACCESSORIES FOR COMPUTER AND MULTI-FUNCTIONAL TABLES





**1960.168** 2-seater multi-functional table optional with cable outlets

1960 SERIES | MULTI-FUNCTIONAL TABLES

2' 7.50" DEEP

MODEL	1960.088	1960.128	1960.148	1960.168	1960.087	1960.127	1960.147	1960.167
Powder-coated frame	1-seater	1-seater	2-seater	2-seater	1-seater	1-seater	2-seater	2-seater
Height	2' 4.35"	2' 4.35"	2' 4.35"	2' 4.35"	2' 4.35"	2' 4.35"	2' 4.35"	2' 4.35"
Board dimensions W x D	2' 7.50" x 2' 7.50"	3' 11.24" x 2' 7.50"	4' 7.12" x 2' 7.50"	5' 2.99" x 2' 7.50"	2' 7.50" x 2' 3.56"	3' 11.24" x 2' 3.56"	4' 7.12" x 2' 3.56"	5' 2.99" x 2' 3.56"
Weight	44 lb 1 oz	70 lb 9 oz	74 lb 15 oz	85 lb 16 oz	41 lb 14 oz	66 lb 2 oz	70 lb 9 oz	81 lb 9 oz

OPTIONS								
CPU holder								
CPU cabinet open								
CPU cabinet with door				-				
Connection fitting for 2 tables		-			-	-		
Connection fitting for 2 tables with 1 corner element	-	=	-	-	-			
Cable channel				-				
Floor mounting				-				
Floor leveller				-				
Grille cable channel				-				
Cable outlet possible	1 piece	2 pieces	2 pieces	2 pieces	1 piece	2 pieces	2 pieces	2 pieces
6-way Schuko power socket with 9' 10.11" supply cable		-			-	-		
Felt floor protectors with kick plate	-							

#### WWW.A2S.COM/US

69

2' 3.56" DEEP





Continuous trigger lever with robust 2-hand safety operation





Stable board support and folding mechanism

**3660.127** Side folding table

### **3660 SERIES** SIDE FOLDING TABLES



Robust, lockable swivel castor

- stable and torsion-free steel frame with central crossbeam made of round tube 1.57" x 0.08", powder-coated in RAL 9006 chrome silver
- mobile frame on 4 lockable castors
- working surfaces with multi-layer melamine resin coating, thus scratch-resistant, shock-proof and glare-free
- as standard we deliver the table with a 0.12" plastic edge in the color of the top, for finish selection see A2S material overview
- optional edges beech concealed edge band crowned or ASSODUR<sup>®</sup>, for possible colors see A2S material overview
- from width 5' 2.99" with extra central crossbeam (round tube 1.57" x 0.08") under the table, prevents bending of the table top
- 2-hand safety operation underneath the table top as a trigger for folding down sideways and simultaneously securing the table top in vertical and horizontal position



Space-saving storage, with the top folded up, any number of tables can be pushed together

#### SIDE FOLDING TABLES:

The folding table on castors is particularly practical where the tables often have to be moved to the side. The sturdy table can be quickly folded up with the 2-hand safety control and pushed together to save space.



**3660.168** Side folding table 7853 FLEX with Z-shaped frame

3660 SERIES SIDE FOLDING TABLES	3' 11.24"		4' 7.12"		5' 2.99"		5' 10.87"	
MODEL	3660.127	3660.128	3660.147	3660.148	3660.167	3660.168	3660.187	3660.188
Powder-coated frame								
Height	2' 3.56"/ 2' 5.53"	2' 5.53"	2' 3.56"/ 2' 5.53"	2' 5.53"	2' 3.56"/ 2' 5.53"	2' 5.53"	2' 3.56"/ 2' 5.53"	2' 5.53"
Dimensions W x D	3' 11.24" x 2' 3.56"	3' 11.24" x 2' 7.50"	4' 7.12" x 2' 3.56"	4' 7.12" x 2' 7.50"	5' 2.99" x 2' 3.56"	5' 2.99" x 2' 7.50"	5' 10.87" x 2' 3.56"	5' 10.87" x 2' 7.50"
Weight (2' 5.53")	60 lb 3 oz	64 lb 10 oz	66 lb 6 oz	71 lb 10 oz	73 lb 7 oz	77 lb 3 oz	81 lb 13 oz	85 lb 12 oz
OPTIONS								
ASSODUR <sup>®</sup> edge								-
Edge concealed edge		-		-		-		

3660.127	3660.128	3660.147	3660.148	3660.167	3660.168	3660.187	3660.188
2' 3.56"/ 2' 5.53"	2' 5.53"	2' 3.56"/ 2' 5.53"	2' 5.53"	2' 3.56"/ 2' 5.53"	2' 5.53"	2' 3.56"/ 2' 5.53"	2' 5.53"
3' 11.24" x 2' 3.56"	3' 11.24" x 2' 7.50"	4' 7.12" x 2' 3.56"	4' 7.12" x 2' 7.50"	5' 2.99" x 2' 3.56"	5' 2.99" x 2' 7.50"	5' 10.87" x 2' 3.56"	5' 10.87" > 2' 7.50"
60 lb 3 oz	64 lb 10 oz	66 lb 6 oz	71 lb 10 oz	73 lb 7 oz	77 lb 3 oz	81 lb 13 oz	85 lb 12 oz
				-			
	3660.127 2' 3.56"/ 2' 5.53" 3' 11.24" x 2' 3.56" 60 lb 3 oz	3660.127       3660.128         2' 3.56"/       2' 5.53"         2' 5.53"       2' 5.53"         3' 11.24" x       2' 7.50"         60 lb 3 oz       64 lb 10 oz	3660.127       3660.128       3660.147         2' 3.56"/       2' 5.53"       2' 3.56"/         2' 5.53"       2' 5.53"       2' 5.53"         3' 11.24" x       3' 11.24" x       4' 7.12" x         2' 3.56"       2' 7.50"       2' 3.56"         60 lb 3 oz       64 lb 10 oz       66 lb 6 oz	3660.127       3660.128       3660.147       3660.148         2' 3.56"/ 2' 5.53"       2' 5.53"       2' 3.56"/ 2' 5.53"       2' 5.53"         3' 11.24" x       3' 11.24" x       4' 7.12" x       4' 7.12" x         2' 3.56"       2' 7.50"       2' 3.56"       2' 7.50"         60 lb 3 oz       64 lb 10 oz       66 lb 6 oz       71 lb 10 oz	3660.127       3660.128       3660.147       3660.148       3660.167         2' 3.56"/ 2' 5.53"       2' 5.53"       2' 3.56"/ 2' 5.53"       2' 5.53"       2' 3.56"/ 2' 5.53"       2' 5.53"       2' 3.56"/ 2' 5.53"         3' 11.24" x 2' 3.56"       3' 11.24" x 2' 7.50"       4' 7.12" x 2' 3.56"       4' 7.12" x 2' 3.56"       5' 2.99" x 2' 3.56"         60 lb 3 oz       64 lb 10 oz       66 lb 6 oz       71 lb 10 oz       73 lb 7 oz	3660.127       3660.128       3660.147       3660.148       3660.167       3660.168         2' 3.56"/ 2' 5.53"       2' 5.53"       2' 3.56"/ 2' 5.53"       2' 3.56"/ 2' 5.53"       2' 3.56"/ 2' 5.53"       2' 5.53"       2' 5.53"       2' 5.53"         3' 11.24" x       3' 11.24" x       4' 7.12" x       4' 7.12" x       5' 2.99" x       5' 2.99" x         3' 56"       2' 7.50"       2' 3.56"       2' 7.50"       5' 2.99" x       2' 7.50"         60 lb 3 oz       64 lb 10 oz       66 lb 6 oz       71 lb 10 oz       73 lb 7 oz       77 lb 3 oz	3660.127       3660.128       3660.147       3660.148       3660.167       3660.168       3660.187         2' 3.56"/ 2' 5.53"       2' 5.53"       2' 3.56"/ 2' 5.53"       2' 3.56"/ 2' 5.53"       2' 3.56"/ 2' 5.53"       2' 5.53"       2' 3.56"/ 2' 5.53"       2' 5.53"       2' 3.56"/ 2' 5.53"         3' 11.24" x 2' 3.56"       3' 11.24" x 2' 7.50"       4' 7.12" x 2' 3.56"       5' 2.99" x 2' 3.56"       5' 10.87" x 2' 3.56"       5' 10.87" x 2' 3.56"         60 lb 3 oz       64 lb 10 oz       66 lb 6 oz       71 lb 10 oz       73 lb 7 oz       77 lb 3 oz       81 lb 13 oz

#### WWW.A2S.COM/US





Robust mechanics, easy to fold up



Standard with beveled aluminium design frame

**3920.126** Sliding folding table

## 3920 SERIES | FOLDING TABLES

- ideal for long rows of tables, no interference of table legs
- available in two different table heights: 2' 4.35" and 2' 5.53"
- absolutely robust round tube steel frame (1.18" x 0.08"), scratch-resistant powder-coated or chrome-plated, see A2S material overview
- working surfaces with multi-layer melamine resin coating, thus scratch-resistant, shock-proof and glare-free
- as standard we deliver the table with a 0.12" plastic edge in the color of the table top, for finish selection see A2S material overview
- optional with robust ASSODUR®-edge or solid wood edge, concealed edge band crowned and nature finish
- equipped with an aluminium design frame, laterally bevelled in natural anodised finish
- optional with recessed solid wood frame and rounded corners conceals the folding mechanism
- glued chipboard from a width of 5' 2.99" with aluminium frame





**3920.168** Sliding folding table with optional solid wood frame, flexible longitudinal seating without interfering table legs while sitting at table transitions **7850** PAGHOLZ<sup>®</sup> four-legged chair with round handle hole





Optional with recessed solid wood frame with rounded corners - conceals the folding mechanism

Suitable stacking trolley for safe and convenient transport of up to 10 tables, powder-coated RAL 9006 chrome silver

920 SERIES OLDING TABLES	3' 11.24"

3920 SERIES FOLDING TABLES	3' 11.24"			4' 7.12"		5' 2.99"		5' 10.87"	
							1		
MODEL	3920.126	3920.127	3920.128	3920.147	3920.148	3920.167	3920.168	3920.187	3920.188
Powder-coated frame									
Height	2' 4.35"/ 2' 5.53"	2' 4.35"/ 2' 5.53"	2' 4.35"/ 2' 5.53"	2' 4.35"/ 2' 5.53"	2' 4.35"/ 2' 5.53"	2' 4.35"/ 2' 5.53"	2' 4.35"/ 2' 5.53"	2' 4.35"/ 2' 5.53"	2' 4.35"/ 2' 5.53"
Dimensions W x D	3' 11.24" x 1' 11.62"	3' 11.24" x 2' 3.56"	3' 11.24" x 2' 7.50"	4' 7.12" x 2' 3.56"	4' 7.12" x 2' 7.50"	5' 2.99" x 2' 3.56"	5' 2.99" x 2' 7.50"	5' 10.87" x 2' 3.56"	5' 10.87" x 2' 7.50"
Weight with aluminium frame	47 lb 6 oz/ 48 lb 8 oz	53 lb 2 oz/ 54 lb 4 oz	58 lb 3 oz/ 59 lb 5 oz	59 lb 12 oz/ 60 lb 14 oz	64 lb 6 oz/ 65 lb 8 oz	65 lb 4 oz/ 66 lb 6 oz	70 lb 12 oz/ 71 lb 14 oz	69 lb 11 oz/ 70 lb 12 oz	76 lb 15 oz/ 78 lb 1 oz
OPTIONS									
ASSODUR <sup>®</sup> edge						-			
Chrome-plated frame									
Recessed solid wood frame with rounded corners	-	-	-		-	-			
Felt floor protectors				-		-			
Stacking trolley <b>3899.147</b> (up to 5' 2.99")						-			
Stacking trolley <b>3899.187</b> (5' 6.93"-5' 10.87)									

3920 SERIES FOLDING TABLES	3' 11.24"			4' 7.12"		5' 2.99"		5' 10.87"	
							i		
MODEL	3920.126	3920.127	3920.128	3920.147	3920.148	3920.167	3920.168	3920.187	3920.188
Powder-coated frame		-	-				-		
Height	2' 4.35"/ 2' 5.53"	2' 4.35"/ 2' 5.53"	2' 4.35"/ 2' 5.53"	2' 4.35"/ 2' 5.53"	2' 4.35"/ 2' 5.53"	2' 4.35"/ 2' 5.53"	2' 4.35"/ 2' 5.53"	2' 4.35"/ 2' 5.53"	2' 4.35"/ 2' 5.53"
Dimensions W x D	3' 11.24" x 1' 11.62"	3' 11.24" x 2' 3.56"	3' 11.24" x 2' 7.50"	4' 7.12" x 2' 3.56"	4' 7.12" x 2' 7.50"	5' 2.99" x 2' 3.56"	5' 2.99" x 2' 7.50"	5' 10.87" x 2' 3.56"	5' 10.87" x 2' 7.50"
Weight with aluminium frame	47 lb 6 oz/ 48 lb 8 oz	53 lb 2 oz/ 54 lb 4 oz	58 lb 3 oz/ 59 lb 5 oz	59 lb 12 oz/ 60 lb 14 oz	64 lb 6 oz/ 65 lb 8 oz	65 lb 4 oz/ 66 lb 6 oz	70 lb 12 oz/ 71 lb 14 oz	69 lb 11 oz/ 70 lb 12 oz	76 lb 15 oz/ 78 lb 1 oz
OPTIONS									
ASSODUR <sup>®</sup> edge		-	-				-		
Chrome-plated frame		-	-	-	-	-	-		
Recessed solid wood frame with rounded corners	-	-	-	•	-	•	-	-	-
Felt floor protectors	-	-	-				-		
Stacking trolley <b>3899.147</b> (up to 5' 2.99")		-	-						
Stacking trolley <b>3899.187</b> (5' 6.93"-5' 10.87)									

### WWW.A2S.COM/US





Easily stackable up to 16 tables thanks to hard rubber buffer



Robust mechanics, easy to fold up



Easily stackable up to 16 tables thanks to hard rubber buffer



3930 Series folding tables in 2 heights: 2' 4.35" and 2' 5.53"

Suitable stacking trolley for safe and convenient transport of up to 10 tables, powder-coated RAL 9006 chrome silver



- seating at all four sides
- stable 4-legged folding frame made of round tube (1.57" x 0.08"), scratch-resistant powder-coated or chrome-plated
- easily stackable up to 16 tables thanks to hard rubber buffer
- equipped with an aluminium design frame (Fig. p. 72), laterally beveled in natural anodised finish
- optional with recessed solid wood frame and rounded corners conceals the folding mechanism
- plastic floor protectors with level compensation
- working surfaces with multi-layer melamine resin coating, thus scratch-resistant, shock-proof and glare-free
- as standard we deliver the table with a 0.12" plastic edge in the color of the top,
- for finish selection see A2S material overview
- optional with robust ASSODUR®-edge or solid wood edge, concealed edge band crowned and natural lacquered
- glued chipboard from a width of 5' 2.99" with aluminium frame





3930 Series allows four-sided seating, flexible arrangement in row or in group possible 7813 CHANGE C-shape chair

3' 11.24"			4' 7.12"		5' 2.99"		5' 10.87"		
3930.126	3930.127	3930.128	3930.147	3930.148	3930.167	3930.168	3930.187	3930.188	3930.189
-									
2' 4.35"/ 2' 5.53"	2' 4.35"/ 2' 5.53"	2' 4.35"/ 2' 5.53"	2' 4.35"/ 2' 5.53"	2' 4.35"/ 2' 5.53"	2' 4.35"/ 2' 5.53"	2' 4.35"/ 2' 5.53"	2' 4.35"/ 2' 5.53"	2' 4.35"/ 2' 5.53"	2' 4.35"/ 2' 5.53"
3' 11.24" x 1' 11.62"	3' 11.24" x 2' 3.56"	3' 11.24" x 2' 7.50"	4' 7.12" x 2' 3.56"	4' 7.12" x 2' 7.50"	5' 2.99" x 2' 3.56"	5' 2.99" x 2' 7.50"	5' 10.87" x 2' 3.56"	5' 10.87" x 2' 7.50"	5' 10.87" x 2' 11.43"
53 lb 9 oz/ 54 lb 11 oz	59 lb 5 oz/ 60 lb 7 oz	64 lb 6 oz/ 65 lb 8 oz	65 lb 15 oz/ 67 lb 0 oz	70 lb 9 oz/ 71 lb 10 oz	73 lb 10 oz/ 74 lb 12 oz	76 lb 15 oz/ 78 lb 1 oz	75 lb 13 oz/ 76 lb 15 oz	83 lb 2 oz/ 84 lb 3 oz	89 lb 15 oz/ 91 lb 1 oz
	<b>3930.126</b> <b>2</b> ' 4.35"/ 2' 5.53" <b>3</b> ' 11.24" x 1' 11.62" 53 lb 9 oz/	3930.126         3930.127           Image: Second system         Image: Second system           2' 4.35"/ 2' 5.53"         2' 4.35"/ 2' 5.53"           3' 11.24" x 1' 11.62"         3' 11.24" x 2' 3.56"           53 lb 9 oz/         59 lb 5 oz/	3930.126         3930.127         3930.128           •         •         •           2' 4.35"/ 2' 5.53"         2' 4.35"/ 2' 5.53"         2' 4.35"/ 2' 5.53"           3' 11.24" x 1' 11.62"         3' 11.24" x 2' 3.56"         3' 11.24" x 2' 7.50"           53 lb 9 oz/         59 lb 5 oz/         64 lb 6 oz/	3930.126         3930.127         3930.128         3930.147           Image: Strain Str	3930.126         3930.127         3930.128         3930.147         3930.148           2' 4.35"/ 2' 5.53"           3' 11.24" x 1' 11.62"         3' 11.24" x 2' 3.56"         3' 11.24" x 2' 7.50"         4' 7.12" x 2' 3.56"         4' 7.12" x 2' 7.50"           53 lb 9 oz/         59 lb 5 oz/         64 lb 6 oz/         65 lb 15 oz/         70 lb 9 oz/	3930.126         3930.127         3930.128         3930.147         3930.148         3930.167           Image: Strain	3930.126         3930.127         3930.128         3930.147         3930.148         3930.167         3930.168           Image: Strain St	3930.126       3930.127       3930.128       3930.147       3930.148       3930.167       3930.168       3930.187         •       •       •       •       •       •       •       •       •         2' 4.35"/ 2' 5.53"       2' 1.55"	3930.126       3930.127       3930.128       3930.147       3930.148       3930.167       3930.168       3930.167       3930.168       3930.187       3930.188         Image: Strain Str

OPTIONS						
ASSODUR <sup>®</sup> edge	-					
Chrome frame						
Recessed solid wood frame with rounded corners						-
Felt floor protectors						-
Stacking trolley <b>3899.147</b> (up to 5' 2.99")	-					
Stacking trolley <b>3899.187</b> (5' 6.93"-5' 10.87)						

### WWW.A2S.COM/US



3690.088 Folding table 4-legged, ideal as single or double table 3305 PAGHOLZ<sup>®</sup> 4-legged chair

## 3690 SERIES | FOLDING TABLES

■ folding table in small size

- stable 4-legged folding frame made of round tube (1.18" x 0.08") chrome-plated
- 0.98" thick working surfaces with multi-layer melamine resin coating, thus scratch-resistant, shock-proof and glare-free
- as standard we deliver the table with a 0.12" plastic edge in the color of the top, for finish selection see A2S material overview
- optional with robust ASSODUR<sup>®</sup>-edge or solid wood edge, concealed and crowned edge band, natural lacquered
- plastic floor protectors with level compensation

#### 3690 SERIES | FOLDING TABLES

MODEL	3690.087	3690.088
Chrome-plated frame		
Height	2' 4.35"	2' 4.35"
Dimensions W x D	2' 7.50" x 2' 3.56"	2' 7.50" x 2' 7.50"
Weight	39 lb 7 oz	42 lb 9 oz
ASSODUR <sup>®</sup> edge		
Stacking trolley <b>3899.147</b> (3' 11.24")		



2006.080 Circular table with plate base; stable due to heavy plate base with adjustable feet for level compensation

# 200 SERIES | TABLES WITH PLATE BASE

 0.98" thick working surfaces with multi-layer melamine resin coating, thus scratch-resistant, shock-proof and glare-free as standard we deliver the table with a 0.12" plastic edge in the color of the top, for finish selection see A2S material overview round tube column (3.15" x 0.08"), scratch-proof powder-coated or optionally made of stainless steel stable due to the heavy plate base made of micro-alloyed steel/stainless steel satin finish

plastic floor protectors with level compensation

Stainless steel column

200 SERIES	ROUND PLA	TE BASE TAE	LE			ELLIPTICAL	PLATE BASE	TABLE	
MODEL	2006.070	2006.071	2006.080	2006.100	2006.120	2007.180	2007.200	2007.220	2007.240
Height	1' 5.72"/ 2' 5.53"	3' 7.70"	1' 5.72"/ 2' 5.53"	1' 5.72"/ 2' 5.53"	1' 5.72"/ 2' 5.53"	2' 5.53"	2' 5.53"	2' 5.53"	2' 5.53"
Dimensions W x D	Ø 2' 3.56"	Ø 2' 3.56"	Ø 2' 7.50"	Ø 3' 3.37"	Ø 3' 11.24"	5' 10.87" x 3' 7.31"	6' 6.74" x 3' 11.24"	7' 2.61" x 3' 11.24"	7' 10.49" x 4' 3.18"
Disc base	Ø 1' 7.68"	Ø 1' 7.68"	Ø 2' 0.80"	Ø 2' 0.80"	Ø 2' 0.80"	Ø 2' 0.80"	Ø 2' 0.80"	Ø 2' 0.80"	Ø 2' 0.80"
Weight (H 2' 5.53"/3' 7.70")	37 lb 8 oz	41 lb 14 oz	48 lb 8 oz	61 lb 12 oz	70 lb 9 oz	121 lb 4 oz	132 lb 4 oz	143 lb 5 oz	165 lb 6 oz
Use	small rooms,	waiting areas	, canteen, cafe	teria		meeting roo	ms		







2006.070 With table height 1' 5.72" ideal lounge table



2006.071 Circular standing table for small meetings and catering



2007.200 Elliptical table with plate base ideal for meetings





**2010** Hexagonal corner unit combined with two **2001** Rectangular tables

Side and front panels are available in various colors and designs. Ask your A2S area manager.

## 2000 SERIES | DEMOUNTABLE METAL DESK SYSTEM

- demountable, absolutely robust metal frame, scratch-resistant powder-coated or chrome-plated
- directly coated side panels made of round tube (1.57" x 0.08"), frames made of square tube (1.57" x 0.79" x 0.08")
- 0.98" thick, directly coated chipboard in a particularly scratch-resistant and shock-proof design
- as standard we deliver the table with a 0.12" plastic edge in the color of the top, for finish selection see A2S material overview
- different table top sizes and shapes (info p. 80-81)
- rectangular table tops optional with 1.57" corner radius
- optional 3.94" height-adjustable
- many accessories, e.g. CPU holder or cable channels (info p. 89)
- plastic floor protectors with level compensation
- for your individually planned table combination, please contact your A2S area manager
- $\blacksquare\,$  available in two different table heights: 2' 4.35" and 2' 5.53"

### **TABLE COMBINATIONS**

Do you manage extensive paper documents which need to be permanently available, do you make a lot of phone calls or have frequent meetings at your workplace? A2S offers the right solution for every work area to you - your A2S area manager will be happy to advise you. EXAMPLES:

EAAMI EEJ.



Single workstation as corner combination for smaller rooms



Generous individual workstation with recessed connecting frames for more legroom




Two workstations opposite each other with corner unit as visitor's seat or additional storage




#### WWW.A2S.COM/US






Consisting of Table 1: **2031/2er** 90° extension table Table 2: **2001s** rectangular table



Consisting of Table 1: **2001s** rectangular table Table 2: **2011s** pentagonal table Table 3: **2001s** rectangular table



Consisting of Table 1: 2030/28s 45° extension table right Table 2: 2029/27s 45° extension table left Table 3: 2016.080 rounded corner unit or 2017.080 straight corner plate

You will find further table combinations and tabletop variants on the following pages.

### INDIVIDUALLY CONFIGURED TABLES

With variable frames, different table top shapes and extensive accessories, such as table attachments or panels, we can plan your workplace to suit your individual needs. Contact your A2S area manager.

	1' 11.62" DEEF	>		2' 3.56" DEE	2' 3.56" DEEP								
MODEL	2001.066*	2001.106	2001.126	2001.077	2001.107	2001.127	2001.147	2001.167					
Dimensions	1' 11.62" x 1' 11.62"	3' 3.37" x 1' 11.62"	3' 11.24" x 1' 11.62"	2' 3.56" x 2' 3.56"	3' 3.37" x 2' 3.56"	3' 11.24" x 2' 3.56"	4' 7.12" x 2' 3.56"	5' 2.99" x 2' 3.56"					
Weight H 2' 4.35"/ 2' 5.53"	25 lb 6 oz/ 26 lb 7 oz	38 lb 9 oz/ 39 lb 11 oz	45 lb 3 oz/ 46 lb 5 oz	31 lb 15 oz/ 33 lb 1 oz	42 lb 16 oz/ 44 lb 1 oz	54 lb 0 oz/ 55 lb 2 oz	60 lb 10 oz/ 61 lb 12 oz	68 lb 5 oz/ 70 lb 9 oz					

\* ATTENTION: Consider the width of the chair frame!

#### 2' 7.50" DEEP

MODEL	2001.088	2001.108	2001.128	2001.148	2001.168	2001.188	2001.208
Dimensions	2' 7.50" x 2' 7.50"	3' 3.37" x 2' 7.50"	3' 11.24" x 2' 7.50"	4' 7.12" x 2' 7.50"	5' 2.99" x 2' 7.50"	5' 10.87" x 2' 7.50"	6' 6.74" x 2' 7.50"
Weight H 2' 4.35"/ 2' 5.53"	38 lb 9 oz/ 39 lb 11 oz	49 lb 10 oz/ 50 lb 11 oz	58 lb 7 oz/ 59 lb 8 oz	62 lb 13 oz/ 63 lb 15 oz	71 lb 10 oz/ 72 lb 12 oz	82 lb 11 oz/ 83 lb 12 oz	87 lb 1 oz/ 88 lb 3 oz

	2' 11.43" DE	EP						3' 3.37" DEE	P
MODEL	2001.099	2001.109	2001.129	2001.149	2001.169	2001.189	2001.209	2001.100	2001.200
Dimensions	2' 11.43" x 2' 11.43"	3' 3.37" x 2' 11.43"	3' 11.24" x 2' 11.43"	4' 7.12" x 2' 11.43"	5' 2.99" x 2' 11.43"	5' 10.87" x 2' 11.43"	6' 6.74" x 2' 11.43"	3' 3.37" x 3' 3.37"	6' 6.74" x 3' 3.37"
Weight H 2' 4.35"/ 2' 5.53"	45 lb 3 oz/ 46 lb 5 oz	54 lb 0 oz/ 55 lb 2 oz	62 lb 13 oz/ 63 lb 15 oz	71 lb 10 oz/ 72 lb 12 oz	89 lb 5 oz/ 90 lb 6 oz	98 lb 2 oz/ 99 lb 3 oz	104 lb 12 oz/ 105 lb 13 oz	51 lb 13 oz/ 52 lb 15 oz	109 lb 2 oz/ 110 lb 4 oz

	90° EXTENSI	90° EXTENSION		EXTENSION	45° EXTENS	45° EXTENSION		TENSION
MODEL	2031.188	2031.208	2033.188	2033.208	2029.228	2029.248	2035.228	2035.248

Variant on the right		2032.208	2034.188	2034.208	2030.228	2030.248	<b>2036.228</b>	2036.248
Weight H 2' 4.35"/	98 lb 2 oz/	104 lb 12 oz/	87 lb1 oz/	95 lb 14 oz/	113 lb 9 oz/	122 lb 6 oz/	131 lb 3 oz/	137 lb 13 oz/
2' 5.53"	99 lb 3 oz	105 lb 13 oz	88 lb3 oz	97 lb 0 oz	114 lb 10 oz	123 lb 7 oz	132 lb 4 oz	138 lb 14 oz
Dimensions	5' 10.87" x	6' 6.74" x	5' 10.87" x	6' 6.74" x	7' 2.89" x	7'10.76" x	7' 2.61" x	7' 10.49" x
	2' 7.50"/	2' 7.50"/	2' 7.50" -	2' 7.50" -	2' 7.50"/	2'7.50"/	2' 7.50"/	2' 7.50"/
	3' 3.37" left	3' 3.37" left	4' 3.18" left	4' 3.18" left	2' 7.50" left	2'7.50" left	4' 3.18" Ø left	4' 3.18" Ø lef

0	D	-	i	0	ь	ā	c
U	۳	1	ł	U	r	A	Э

Chrome-plated frame

Table height optional 2' 4.35" or 2' 5.53"

- Height adjustment 3.94"
- Round cable outlet
- Grille cable channel CPU holder

Felt floor protectors


Front and side panel 1' 0.99" high

Turbusker Turbusker	MADE IN GERMANY
--	-----------------------


	PENTAGON EXT	ENSION						
MODEL	2009.127	2009.12	28	2011.127		2011.12		
Dimensions	3' 11.24" x 3' 11.24", table depth and seat width 2' 3.56"	3' 11.24" 3' 11.24" table de 2' 7.50" seat wid 1' 10.05"	, pth each, th	3' 11.24" x 3' 11.24", table depti and segme width 2' 3.56"	n ent	3' 11.24 3' 11.24 table d 2' 7.50 segmei 1' 10.05		
Weight H 2' 4.35"/ 2' 5.53"	82 lb 11 oz/ 83 lb 12 oz	82 lb 11 c 83 lb 12		82 lb 11 oz/ 83 lb 12 oz		82 lb 11 83 lb 12		
		TENCIO	N					
	90° CORNER EXTENSION							
MODEL	2014.070	20	014.080		2014	.090		
Dimensions	Board dimension 2' 3.56", R = 1' 11.		oard dime 7.50", R	ensions = 2' 3.56"		dimen 3", R =		
Weight H 2' 4.35"/ 2' 5.53"	26 lb 7 oz/ 27 lb 9 oz		lb1oz/ lb3oz		41 lb 1 42 lb			
	SEMI-OVAL 2' 7	.50" EX	TENSIO	N				
						ł		
MODEL	2013.128		2013.	148		201		
Dimensions	3' 11.24" x 2' 7.50	)"		" x 2' 7.50"		5' 2		
Weight H 2' 4.35"/ 2' 5.53"	71 lb 10 oz/ 72 lb 12 oz		78 lb 4 79 lb 6			84 85		

OPTIONS   SERIES	PENTAGON	HEXAGON	90° CORNER EXTENSION	SEMI-OVAL 2' 7.50"
Chrome-plated frame				
Table height optional 2' 4.35" or 2' 5.53"				
Table top with 1.57" corner radius				
Height adjustment 3.94"				
Round cable outlet				
Grille cable channel				
Felt floor protectors				
Front and side panel 1' 0.99" high				

### WWW.A2S.COM/US
















Grille cable channel as accessory for the organisation of cables



Table top optional with cable outlet



Fixed castor for retrofitting on the transverse or longitudinal side of the tables

1001.168 4-legged table with welded frame


Further information on accessories on page 83

1000 SERIES | WELDED METAL TABLE SYSTEM

- welded, absolutely robust metal frame, scratch-resistant powder-coated or chrome-plated
- side parts made of round tube (1.57" x 0.08"), frames made of square tube (1.57" x 0.79" x 0.08")
- plastic floor protectors with level compensation
- optional with castors
- many different table top sizes and shapes
- 0.98" thick finish board in a particularly scratch-resistant and shock-proof design
- as standard we deliver the table with a 0.12" plastic edge in the color of the top, for finish selection see A2S material overview
- see further possible table top designs in ASSODUR<sup>®</sup> or 0.47" compact board under OPTIONS, color selection see A2S material overview
- many accessories, e.g. various table attachments and panels, please contact your A2S area manager
- available with frame sizes 3-7 according to DIN ISO 5970 and table heights 2' 4.35" and 2' 5.53"



#### TABLE COMBINATIONS WITH 90° TRIANGULAR TABLES



MODEL	1001.066*	1001.126	1001.302	1001.303	1001.304	1001.077	1001.127	1001.147	1001.167
Dimensions	1' 11.62" x 1' 11.62"	3' 11.24" x 1' 11.62"	2' 5.53" x 2' 1.59"	4' 3.18" x 2' 1.59"	4' 11.05" x 2' 1.59"	2' 3.56" x 2' 3.56"	3' 11.24" x 2' 3.56"	4' 7.12" x 2' 3.56"	5' 2.99" x 2' 3.56"
Weight · Size 6	28 lb 11 oz	48 lb 8 oz	35 lb 4 oz	57 lb 5 oz	61 lb 12 oz	35 lb 4 oz	50 lb 11 oz	61 lb 12 oz	68 lb 5 oz

\*ATTENTION: Consider the width of the chair frame!

2' 7.	50"	DEE	ΞP

1' 11.62" DEEP 2' 1.59" DEEP

MODEL	1001.088	1001.128	1001.148	1001.168	1001.188	1001.208	1005.126*	1005.302	1005.147	1005.168
Dimensions	2' 7.50" x 2' 7.50"	3' 11.24" x 2' 7.50"	4' 7.12" x 2' 7.50"	5' 2.99" x 2' 7.50"	5' 10.87" x 2' 7.50"	6' 6.74" x 2' 7.50"	3' 11.24" x 1' 11.62"	4' 3.18" x 2' 1.59"	4' 7.12" x 2' 3.56"	5' 2.99" x 2' 7.50"
Weight · Size 6	46 lb 5 oz	62 lb 13 oz	63 lb 15 oz	77 lb 3 oz	88 lb 3 oz	99 lb 3 oz	44 lb 1 oz	46 lb 5 oz	50 lb 11 oz	61 lb 12 oz

	60° TRAPEZO	ID			67.5° TRAPEZOID	90° TRIANGLE	
MODEL	1004.126*	1004.302	1004.147	1004.168	1074.116*	1003.118	1003.129
Dimensions	3' 11.24" x 1' 11.62" x 1' 11.62"	4' 3.18" x 2' 1.59" x 2' 1.59"	4' 7.12" x 2' 3.56" x 2' 3.56"	5' 2.99" x 2' 7.50" x 2' 7.50"	3' 5.73" x 1' 11.62" x 1' 11.62"	3' 7.31" x 2' 7.50" x 2' 7.50"	4' 0.82" x 2' 11.43" x 2' 11.43"
Weight · Size 6	39 lb 11 oz	44 lb 1 oz	48 lb 8 oz	61 lb 12 oz	37 lb 8 oz	57 lb 5 oz	61 lb 12 oz
Guide rails with						1073.118	1073.129

Tidy Box A4

\*ATTENTION: Consider the width of the chair frame!

OPTIONS   SERIES	RECTANGLE	SEMICIRCLE	60° TRAPEZOID	67.5° TRAPEZOID	90° TRIANGLE
Chrome-plated frame					
Glued					
Compact board 0.47"					
ASSODUR <sup>®</sup> edge					
Table top with 1.57" corner radius					including*
Round cable outlet					
Grille cable channel					
Felt floor protectors					
2 fixed castors for longitudinal or transverse side					
Tidy Box					
*					

\*only available with 1.57" corner radius

ς	F	м	i	c	i	P	c	ı.	F	
3	-	IVI	1	c	1	R	C	-	-	

2' 3.56" DEEP

#### S-SHAPED TABLES:

"S-SHAPE" TABLES RECTANGLE

Countless variable table combinations for all purposes can be "put together" from the numerous table top shapes and sizes.



60° TRAPEZOID

OPTIONS | SERIES S-SHAPED TABLES

2 fixed castors for longitudinal or transverse side

Chrome-plated frame

Felt floor protectors

Glued

#### LINKING AND STACKING TABLES:


Easily stackable without dismantling to save space: Simply lift a few centimetres and slide it over the lower table; the welded frame makes them particularly stable.

MODEL	1016.066*	1016.126	1016.077	1016.147	1018.147
Dimensions W x D	1' 11.62" x 1' 11.62"	3' 11.24" x 1' 11.62"	2' 3.56" x 2' 3.56"	4' 7.12" x 2' 3.56"	4' 7.12" x 2' 3.56" x 2' 3.56"
Weight · Size 6	28 lb 11 oz	48 lb 8 oz	33 lb 1 oz	61 lb 12 oz	57 lb 5 oz
Info	Corner radius: 1.57"				Corner radius: 1.57"
ASSODUR <sup>®</sup> edge					

\*ATTENTION: Consider the width of the chair frame!



#### TABLE COMBINATIONS WITH S-SHAPED TABLES





1023.077 Linking and stacking table with protruding legs on the longitudinal side

LINKING AND STACKING TABLES	PROTRUDING LEGS ON LONGITUDINAL							
		ĺ.						
MODEL	1023.077	1023.088	1023.147	102				
Dimensions W x D	2' 3.56" x 2' 3.56"	2' 7.50" x 2' 7.50"	4' 7.12" x 2' 3.56"	5' 2 2' 7				
Weight · Size 6	35 lb 4 oz	39 lb 11 oz	50 lb 11 oz	61 I				





Gapless connection despite protruding legs



Stackable up to 6 tables



OPTIONS LINKING AND STACKING TABLES SERIES

Chrome-plated frame Glued

Felt floor protectors

2 fixed castors for longitudinal or transverse side







Solid beech wood table frame, with wooden frame on all sides



**5822** 4-legged rectangular table with wooden frame, Frame of wooden studs half round beech lacquered



- solid beech wooden table frame from sustainable forestry, environmentally friendly lacquered with water-based lacquer
- 0.98" thick working surface with additional melamine resin coating, thus scratch-resistant, shock-proof and glare-free
- as standard we deliver the table with a 0.12" plastic edge in the color of the top, for finish selection see A2S material overview
- many different table top sizes and shapes
- optional edge beech concealed edge band crowned natural lacquered
- tables available in heights 2' 4.35" or 2' 5.53"



**5822** Table with wooden frame 7414 WAVE cantilever chair with seat and back upholstery

WOODEN TABLES	2' 3.56"	2' 3.56"					2' 7.50"							
MODEL	5820	5821	5822	5823	5824	5800	5801	5802	5803	5804				
Dimensions W x D	2' 3.56" x 2' 3.56"	3' 11.24" x 2' 3.56"	4' 7.12" x 2' 3.56"	5' 2.99" x 2' 3.56"	6' 2.80" x 2' 3.56"	2' 7.50" x 2' 7.50"	3' 11.24" x 2' 7.50"	4' 7.12" x 2' 7.50"	5' 2.99" x 2' 7.50"	6' 2.80" x 2' 7.50"				
Weight H 2' 4.35"/ 2' 5.53"	36 lb 6 oz/ 37 lb 8 oz	54 lb 0 oz/ 55 lb 2 oz	58 lb 7 oz/ 59 lb 8 oz		78 lb 4 oz/ 79 lb 6 oz	42 lb 16 oz/ 44 lb 1 oz	60 lb 10 oz/ 61 lb 12 oz	67 lb 4 oz/ 68 lb 5 oz	76 lb 1 oz/ 77 lb 3 oz	87 lb 1 oz/ 88 lb 3 oz				

WOODEN TABLES

TRAPEZOIDAL



MODEL	5807	5817	5818	5808
Dimensions W x D	5' 2.99" x 2' 7.50" x 2' 7.50"	4' 7.12" x 2' 3.56" x 2' 3.56"	4' 7.12" x 2' 3.56"	5' 2.99" x 2' 7.50"
Weight H 2' 4.35"/2' 5.53"	71 lb 10 oz/ 72 lb 12 oz	58 lb 7 oz/ 59 lb 8 oz	58 lb 7 oz/ 59 lb 8 oz	71 lb 10 oz/ 72 lb 12 oz

OPTIONS	RECTANGLE	TRAPEZOIDAL	SEMICIRCL
Stained frame	-		-
Glued			
Concealed edge band crowned			-
Round cable outlet			
Grille cable channel	-		
Felt floor protectors			
Table height optional 2' 4.35" or 2' 5.53"			-



### WWW.A2S.COM/US





#### SEMICIRCLE





### LE



### TABLE ATTACHMENTS, FRONT AND SIDE PANELS FOR METAL TABLE SYSTEM

FOR RECTANGULAR TABLES

- cover board as well as sides and front with melamine coated finishboard in particularly scratch-resistant and shock-proof design, 60 Series in corpus construction or 20 Series with holder made of round tube 1.57" x 0.08" powder-coated, see A2S material overview
- 0.12" and 0.04" plastic edge in board color, for finish selection see A2S material overview
- 20 Series available with one-sided or double-sided linking

TABLE TOPS | HEIGHT 1' 2.17"

fixing of front and side panels with steel panel holder, powder-coated, see A2S material overview

**20 Series** elegant appearance: continuous table leg and with matching front and side panels



20 Series high and deep enough for standard folders

2053.080	2053.090	2053.100	2053.120	2053.140	2053.160	2053.180	2053.200
2053.081	2053.091	2053.101	2053.121	2053.141	2053.161	2053.181	2053.201
2053.082	2053.092	2053.102	2053.122	2053.142	2053.162	2053.182	2053.202
2' 7.50" x 1' 2.17"	2' 11.43" x 1' 2.17"	3' 3.37" x 1' 2.17"	3' 11.24" x 1' 2.17"	4' 7.12" x 1' 2.17"	5' 2.99" x 1' 2.17"	5' 10.87" x 1' 2.17"	6' 6.74" x 1' 2.17"
	<b>2053.081</b> <b>2053.082</b> 2' 7.50" x	2053.081         2053.091           2053.082         2053.092           2'7.50" x         2' 11.43" x	2053.081         2053.091         2053.101           2053.082         2053.092         2053.102           2'7.50" x         2'11.43" x         3' 3.37" x	2053.081         2053.091         2053.101         2053.121           2053.082         2053.092         2053.102         2053.122           2'7.50" x         2' 11.43" x         3' 3.37" x         3' 11.24" x	2053.081         2053.091         2053.101         2053.121         2053.141           2053.082         2053.092         2053.102         2053.122         2053.142           2'7.50" x         2'11.43" x         3' 3.37" x         3' 11.24" x         4' 7.12" x	2053.081         2053.091         2053.101         2053.121         2053.141         2053.161           2053.082         2053.092         2053.102         2053.122         2053.142         2053.162           2'7.50" x         2'11.43" x         3' 3.37" x         3' 11.24" x         4' 7.12" x         5' 2.99" x	2053.081         2053.091         2053.101         2053.121         2053.141         2053.161         2053.181           2053.082         2053.092         2053.102         2053.122         2053.142         2053.162         2053.182           2'7.50" x         2'11.43" x         3' 3.37" x         3' 11.24" x         4' 7.12" x         5' 2.99" x         5' 10.87" x



MODEL	6010	6011	6012	6013	6014	6015	6016	6020	6021	6022	6023	6024
Table length	2' 7.50"	2' 11.43"	3' 11.24"	4' 7.12"	5' 2.99"	5' 10.87"	6' 2.80"			2' 7.50" x 2' 7.50"		
For corner board								90°	90°	30°	45°	60°

#### FRONT AND SIDE PANELS | HEIGHT 1' 0.99"

T

		T									
MODEL											
Front and side panel	2050.060	2050.070	2050.080	2050.090	2050.100	2050.120	2050.140	2050.150	2050.160	2050.180	2050.200
Linking one-sided left/right	2050.061	2050.071	2050.081	2050.091	2050.101	2050.121	2050.141	2050.151	2050.161	2050.181	2050.201
Linking double-sided	2050.062	2050.072	2050.082	2050.092	2050.102	2050.122	2050.142	2050.152	2050.162	2050.182	2050.202
For table depth	1' 11.62"	2' 3.56"	2' 7.50"	2' 11.43"	3' 3.37"	3' 11.24"	4' 7.12"	4' 11.05"	5' 2.99"	5'10.87"	6' 6.74"
Dimensions B	1' 6.42"	1' 10.36"	2' 2.30"	2' 6.24"	2' 10.17"	3' 6.05"	4' 1.92"	4' 5.86"	4' 9.79"	5' 5.67"	6' 1.54"
	1' 80" 1' 9.57"	1' 11.94" 2' 1.51"	2' 3.87" 2' 5.45"	2' 7.81" 2' 9.39"	2' 11.75" 3' 1.32"	3' 7.62" 3' 9.20"	4' 3.50" 4' 5.07"	4' 7.43" 4' 9.01"	4' 11.37" 5' 1.34"	5' 7.24" 5' 8.82"	6' 3.12" 6' 4.69"

### ACCESSORIES FOR **TABLE SYSTEMS**



Individually extendable

and linkable

EXAMPLE

	CONNECTOR		KEYBO
	4		
MODEL	0224	0227	0909
Description	Connection clamp for beech table system oval wood, galvanised steel	Universal connector for 1000 and 2000 table system, galvanized steel	Keybo 1' 8.87
	WIRE GRILLE CABLE CH	ANNEL	
MODEL	0908	0906	0907
Description	1' 5.72" length	2' 10.65" Length	4' 2.39
	CABLE OUTLET		CABLE
			35
MODEL	0904	3035.002	3035.







89



Pinboard, privacy and glare protection in one

### FLEXIBLE TABLE PARTITION SYSTEM

- 1' 6.11" high partition wall, quickly mountable to the tabletop using allen key and easily retrofitted
- table partition wall system in 2 different versions: 3-layer finish board, 0.98" (E1) with 0.12" plastic edge in board color or
- robust softwood sandwich board as pinboard with fabric cover according to A2S color chart, sound-absorbing
- fastening to round steel tube, Ø 1.57" x 0.08", powder-coated or chrome-plated
- suitable for 1000 and 2000 table systems from 1' 11.62" to 6' 6.74" width
- corner solutions possible
- you will find our selection of fabrics, finishes and steel colors in the A2S material overview

OPTIONS	
Chrome-plated frame	
Material groups 1-3	
Magnetic	





Mounting by means of allen screw on the table top; installation of the partition walls is also possible on triangular and semicircular tables. You will find the A2S table systems from p. 78.





Connection of T-shaped partition walls The 1' 6.11" high partition walls allow more concentrated work due to less distraction, also available with tables with one-sided or double-sided linking.

#### TABLE PARTITION SYSTEM | HEIGHT 1' 6.11"

for single tables Partition wall width	<b>1099.060</b> 1' 6.42"	<b>1099.070</b> 1'10.36"	<b>1099.080</b> 2'2.30"	<b>1099.090</b> 2'6.24"	<b>10</b> 9 2'1
for side partition* Partition wall width	<b>1098.060</b> 1' 6.42"	<b>1098.070</b> 1'10.36"	<b>1098.080</b> 2'2.30"	<b>1098.090</b> 2'6.24"	<b>10</b> 9 2'1
for one-sided linking Partition wall width	<b>1099.061</b> 1' 8"	<b>1099.071</b> 1' 11.94"	<b>1099.081</b> 2' 3.87"	<b>1099.091</b> 2' 7.81"	<b>10</b> 9 2'1
for double-sided linking partition wall width	<b>1099.062</b> 1' 9.57"	<b>1099.072</b> 2' 1.51"	<b>1099.082</b> 2' 5.45"	<b>1099.092</b> 2' 9.39"	<b>10</b> 9 3'1
for table width, depth	1' 11.62"	2' 3.56"	2' 7.50"	2' 11.43"	3' 3
			*** *		

\*optional with metal clamp for T-shaped connection without support column



Coherent color concept: The finish and fabric colors of the partition wall system match the table tops and table panels as well as the chairs' upholstery colors.



2' 6.24"       2' 10.17"       3' 6.05"       4' 1.92"       4' 5.86"       4' 9.79"       5' 5.67"       6' 1.54" <b>1098.090</b> 2' 10.17"       2' 10.17"       5' 5.67"       6' 1.54" <b>1099.091 1099.101 1099.121 1099.141 1099.151 1099.161 1099.181 1099.201</b> 2' 7.81"       2' 11.75"       3' 7.62"       4' 3.5"       4' 7.43"       4' 11.37"       5' 7.24"       6' 3.12"									
2' 6.24"       2' 10.17"         1099.091       1099.101       1099.121       1099.141       1099.151       1099.161       1099.181       1099.201         2' 7.81"       2' 11.75"       3' 7.62"       4' 3.5"       4' 7.43"       4' 11.37"       5' 7.24"       6' 3.12"         1099.092       1099.102       1099.122       1099.142       1099.152       1099.162       1099.182       1099.202         2' 9.39"       3' 1.32"       3' 9.20"       4' 5.07"       4' 9.01"       5' 0.94"       5' 8.82"       6' 4.69"	)								<b>1099.200</b> 6'1.54"
2'7.81"         2'11.75"         3'7.62"         4'3.5"         4'7.43"         4'11.37"         5'7.24"         6'3.12"           1099.092         1099.102         1099.122         1099.122         1099.152         1099.162         1099.182         1099.202           2'9.39"         3'1.32"         3'9.20"         4'5.07"         4'9.01"         5'0.94"         5'8.82"         6'4.69"									
2'9.39" 3'1.32" 3'9.20" 4'5.07" 4'9.01" 5'0.94" 5'8.82" 6'4.69"									
2' 11.43" 3' 3.37" 3' 11.24" 4' 7.12" 4' 11.05" 5' 2.99" 5' 10.87" 6' 6.74"									<b>1099.202</b> 6' 4.69"
		2' 11.43"	3' 3.37"	3' 11.24"	4' 7.12"	4' 11.05"	5' 2.99"	5' 10.87"	6' 6.74"



9232.800 Rolling container handleless with central lock on robust castors with stable cover board 1 utensil drawer, 1 drawer 2 HU, 2 drawers of 3 HU

### **CONTAINERS/ROLLING CONTAINERS** AND BASE UNITS

- containers in 2 different versions: height 1' 10.05" with sturdy castors for stowing under the table height 1' 7.29" as a permanently mounted base unit
- Iow-emission finishboard (0.75") with 0.08" plastic edge in board color, for finish selection see A2S material overview
- robust fittings and drawers
- including central lock
- accessories for interior separation
- handleless rolling containers with integrated damping function
- handles in different shapes selectable contact your A2S area manager
- info: the height of the drawers is indicated in "HU"; 1 HU = 2.09"



9109.601 1 utensil drawer, 1 drawer 2 HU, 2 drawers of 3 HU

-		۲
-	~	
-		

9109.603 1 utensil drawer, 2 drawers of 2 HU each, 1 drawer 4 HU



9109.604 1 utensil drawer, 1 drawer 2 HU, 1 drawer 6 HU incl. suspension file insert DIN A4



MODEL   2' 1.59" DEEP	9119.701	9119.703	
MODEL   2' 5.53" DEEP	9119.801	9119.803	
Equipment	Utensil drawer 1 HU 1 drawer 2 HU 2 drawers à 3 HU	Utensil drawer 1 HU 2 drawers à 2 HU 1 drawer 4 HU	

\*incl. Suspension file insert DIN A4

## ACCESSORIES FOR ROLLING CONTAINERS AND BASE UNITS





### WWW.A2S.COM/US



HANDLES 0935 contact your A2S area manager DIN A5



Multifunctional benefit with back wall in magnetic design





9131.080 Pull-out pantry body pure white U400, front maple D033

9131.080 Pull-out pantry with 2 shelves and 4 Tidy Boxes



Large handle for comfortable opening



9135.080 Pull-out pantry with suspension file



low-emission finish board (0.75") with gapless plastic edge in board color, for finish selection see A2S material overview

- front color freely selectable
- back wall optional white magnetic or as pin board with cork coating
- complete opening by full extension
- lockable
- 3 different equipment variants: Storage compartments with suspension file or Tidy Boxes and bag compartment
- Tidy Boxes in 2 different sizes selectable: 4 x small or 2 x large or 2 x small and 1 x large



Lots of storage space directly at the workplace 9133.080 Pull-out pantry with 3 shelves, lockable **5580.149** OFFICE desk motorised height adjustable 9335 WAVE gas-lift swivel chair with seat and back upholstered with wave padding



#### 913ER SERIES | PULL-OUT PANTRIES



913ER SERIES   PULL-OUT PA	NIRIES					
MODEL	9131.080	9132.080	9133.080	9134.080	9135.080	9136.080
Equipment	2 storage compartments 1 bag compartment 4 Tidy Boxes	2 storage compartments 1 bag compartment 4 Tidy Boxes	3 storage compartments	3 storage compartments	2 storage compartments 1 pocket compartment hanging file	2 storage compartments 1 pocket compartment hanging file
Dimensions W/H/D	1' 5.72" x 3' 6.91" x 2' 8.28"	1' 5.72" x 3' 6.91" x 2' 8.28"	1' 5.72" x 3' 6.91" x 2' 8.28"	1' 5.72" x 3' 6.91" x 2' 8.28"	1' 5.72" x 3' 6.91" x 2' 8.28"	1' 5.72" x 3' 6.91" x 2' 8.28"
Table on the side of the table	left	right	left	right	left	right
Suitable table depth	2' 7.50"	2' 7.50"	2' 7.50"	2'7.50"	2' 7.50"	2' 7.50"
Lockable						
OPTIONS						
Magnetic backplane		-				
Back wall covered with cork						

913ER SERIES   POLL-OUT PA	INTRIES					
MODEL	9131.080	9132.080	9133.080	9134.080	9135.080	9136.080
Equipment	2 storage compartments 1 bag compartment 4 Tidy Boxes	2 storage compartments 1 bag compartment 4 Tidy Boxes	3 storage compartments	3 storage compartments	2 storage compartments 1 pocket compartment hanging file	2 storage compartments 1 pocket compartment hanging file
Dimensions W/H/D	1' 5.72" x 3' 6.91" x 2' 8.28"	1' 5.72" x 3' 6.91" x 2' 8.28"	1' 5.72" x 3' 6.91" x 2' 8.28"	1' 5.72" x 3' 6.91" x 2' 8.28"	1' 5.72" x 3' 6.91" x 2' 8.28"	1' 5.72" x 3' 6.91" x 2' 8.28"
Table on the side of the table	left	right	left	right	left	right
Suitable table depth	2' 7.50"	2' 7.50"	2' 7.50"	2' 7.50"	2' 7.50"	2' 7.50"
Lockable						
OPTIONS						
Magnetic backplane						
Back wall covered with cork						






Combination of privacy screen and storage space. The height is chosen exactly so that the shelf can be used as a counter for small meetings.

CORPUS FURNITURE | OVERVIEW



A2S CORPUS FURNITURE 100 102 104 Corpus furniture system 333 Corpus furniture learning spaces 108 109 110



Hallway furniture system Organising systems

Corpusfurniture administration







WWW.A2S.COM/US


# **CUSTOM-MADE CABINETS**

Things always have to be stored well and safely in educational institutions. Ideally, our A2S cabinet system in the EURO grid DIN 18000 can be adapted to any situation, from a single item to a wall unit to a built-in cabinet. This means that a solution can always be found for the most diverse rooms. And you can be sure that you purchase A2S quality from Germany, persistent and resilient.

### BASIC CONSTRUCTION

- low-emission, 0.75" thick 3-layer fish board according to DIN EN 14 322 (E1), shock-proof, scratch- and abrasion resistant
- the plastic edges in board color are 0.04"-0.08" thick (info p. 158)
- all cabinets are firmly doweled and glued ex works; it guarantees high stability and smooth, quick assembly
- all back walls made of 0' 0.31" thick, low-emission 3-layer finish board are grooved and glued all around
- shelves on metal shelf supports with pull-out protection are adjustable by means of row hole drilling

- the opening hinged doors can be opened by the stable, visible all-metal bands up to 240 degrees
- locks with exchangeable cylinder core are optionally available with plate or pin cylinder available
- different base variants enable an optimal adaptation to the room and use. Standard bases are available with independently selectable finish and also up to 3 FH, also roller frames with rubberised castors are possible - thus makes them mobile cabinets



### POSSIBILITIES FOR INDIVIDUAL ADAPTATION

- heights and depths of the cabinets can be modified in a grid of 32
- widths can be freely selected individually to make the most of the room
- maximum corpus dimensions of 4' 1.21" x 8' 2.42" x 2' 3.56" are possible
- possible base heights for wooden base: 1' 11.62", 3' 3.37", 4' 11.05"
- 1-part and 2-part combination cabinets, see pages 100/101



#### WWW.A2S.COM/US

2 FH CH: 9' 4.24" CorH: 2' 6.98"

1 FH CSH: 8'1.12" CorH: 1' 3.87" CAH: 1'3.12"

Ladder rail guide H: 0' 0.98"

5 FH CH: 6' 8.27" CorH: 6' 4.34"

4 FH CH: 5' 5.16" CorH: 5' 1.22"

3 FH CH: 4' 2.04" CorH: 3' 10.1" CAH: 3' 9.35"

**2 FH** CH: 2' 10.92" CorH: 2' 6.98" CAH: 2' 6.24"

1 FH CorH: 1' 3.87"

Base . 0'3.94" H:

CH = Cabinet height CorH = Corpus height CAH = Corpus attachment height FH = Folder height 1 FH = 1' 3.12"

Cabinet depths: 1' 4.54" or 1' 10.83". plus front thickness of 0.79" e.g. for hinged doors

Cabinet heights: refer to a 3.94" high base

## **COMBINATION CABINETS 1-PART**

1-part combination cabinets have fixed combinations in 5 FH

COMBINATION CABINETS 1-DOOR	LOCKABLE	LOCKABLE		LOCKABLE COMBINATION CABINETS 2-DOOR SPLIT DOORS LOCKABLE ON ONE SIDE				LOCKABLE O	LOCKABLE ON BOTH SIDES		
FH	5	5	FH	5	5	5	5				
Height	6' 8.31"	6' 8.31"	Height with base	6' 8.31"	6' 8.31"	6' 8.31"	6' 8.31"				
Number of shelves	2+1	2+1	Number of shelves	6	6	6	6				
Number of shelves Center panel	2+1	2+1	Number of shelves Center panel	6	6	6	6				
	2+1 1' 5.32''	2+1 1' 11.62''									
Center panel			Center panel								
Center panel DEPTH	1' 5.32"	1' 11.62"	Center panel <b>DEPTH</b>	1' 5.32"	1' 11.62"	1' 5.32"	∎ 1′ 11.62″				


## **COMBINATION CABINETS 2-PART**

- combinable from two freely selectable cabinet types
- the combination top cabinet (2 FH/3 FH) and top cabinet (2 FH) configure from basic cabinet 2 FH and 3 FH
- If the combination top cabinet must have the same width as the base cabinet, two narrow base cabinets and one wide combination top cabinet are not possible

### STRUCTURE OF CABINET COMBINATIONS


### **EXAMPLES COMBINATION CABINETS 2-PART**

consisting of base cabinet + combination top cabinet or shelf



COMBINATION CABINETS 2-DOOR	LOCKABLE ON E		
FH	5	5	5
Height	6' 8.31"	6' 8.31"	6' 8.31"
Number of shelves	2+2	2+2	4+2
Number of extracts			
Center panel	lower 2 FH	lower 2 FH	continuously
DEPTH	1' 5.32"	1' 11.62"	1' 5.32"
Width 2' 7.50"	4215.650	4216.650	4485.650
Width 3' 3.37"	4215.950	4216.950	4485.950
Width 3' 11.24''	4215.850	4216.850	4485.850

Due to the additional shelf, the combination top cabinet is always 0.75" lower in order to be able to keep to the folder heights and to avoid height offset in cabinet walls.






4243.820



Hinged door cabinet 4405.620

### **SHELVES**



### SHELVING UNITS WITH CENTER PANEL

FH 4 2 5 5 4 3 3 2 1 Height with base 6' 8.31" 6' 8.31" 5' 4.96" 5' 4.96" 4' 2" 4' 2" 2' 11.04" 2' 11.04" Height top cabinet 2' 7.10" 2' 7.10" 1' 3.75" 1' 3.75" Height combi top cabinet 3' 9.28" 3' 9.28" 2' 6.31" 2' 6.31" 1' 2.96" 1' 2.96" Number of shelves 8 4 8 6 6 4 2 2 DEPTH 1' 4.54" 1' 10.83" 1' 4.54" 1' 10.83" 1' 4.54" 1' 10.83" 1' 4.54" 1' 10.83" 1' 4.54" 1' 10.83" Width 2' 7.50" 4489.650 4490.650 4489.640 4490.640 4489.630 4490.630 4489.620 4490.620 4123.610 4124.610 Width 3' 3.37" 4489.950 4490.950 4489.940 4490.940 4489.930 4490.930 4489.920 4490.920 4123.910 4124.910 4489.850 4490.850 4489.840 4490.840 4489.830 4490.830 4489.820 4490.820 4123.810 Width 3' 11.24'' 4124.810

\*Add-on shelves in 2 FH result from the 2 FH shelf, configured without base.

TOP MOUNTED SHELVES\*



SUSPENDED SHELVE	S WITHOUT CEN	ITER PANEL	WITH CENTER	WITH CENTER PANEL		
FH	2	1	2	1		
Height	2' 7.10"	1' 3.75"	2' 7.10"	1' 3.75"		
Number of shelves	1		2			
Center panel						
DEPTH	1' 4.54''	1' 4.54"	1' 4.54''	1' 4.54''		
Width 1' 4.14"	4939.220	4939.210				
Width 2' 0.02"	4939.420	4939.410				
	4939.620	4939.610	4941.620	4941.610		
Width 2' 7.50"						
Width 2' 7.50" Width 3' 3.37"	4939.921	4939.911	4941.920	4941.910		

CORNER SHELVES					TOP MOUNTI	ED SHELVES*
ОН	5	4	3	2	2	1
Height	6' 8.31"	5' 4.96''	4' 2"	2' 11.04"	2' 7.1"	1' 3.75"
Number of shelves	4	3	2	1	1	
DEPTH	2' 3.56"	2' 3.56"	2' 3.56"	2' 3.56"	2' 3.56"	2' 3.56"
Width 2' 3.56"	4062.050	4062.040	4062.030	4062.020	4063.020	4063.010


The bases of corner shelves must always be covered. For heights 2-4 FH, additional cover boards must be assembled.






### WWW.A2S.COM/US

### HINGED DOOR CABINETS



2-DOOR | LOCKABLE ON ONE SIDE WITHOUT CENTER PANEL

TOP MOUNTED CABINETS\*



2-DOOR | LOCKABLE ON ONE SIDE WITH CENTER PANEL **TOP MOUNTED CABINETS\*** FH 5 4 2 1 5 4 3 3 1 2 Height with base 6' 8.31'' 6' 8.31" 5' 4.96" 5' 4.96" 4' 2" 4' 2" 2' 11.04'' 2' 11.04" Height top cabinet 2' 7.10" 2' 7.10" 1' 3.75" 1' 3.75" Height combi top cabinet 3' 9.28" 3' 9.28" 2' 6.31' 2' 6.31" 1' 2.96" 1' 2.96" Number of shelves 4 4 0 8 6 0 8 6 Center panel . DEPTH 1' 5.32" 1' 11.62" 1' 5.32" 1' 11.62'' 1' 5.32" 1' 11.62" 1' 5.32" 1' 11.62" 1' 5.32" 1' 11.62" Width 2' 7.50" 4405.650 4406.650 4405.640 4406.640 4405.630 4406.630 4405.620 4406.620 4223.610 4224.610 Width 3' 3.37' 4405.950 4406.950 4405.940 4406.940 4405.930 4406.930 4405.920 4406.920 4223.910 4224.910 Width 3' 11.24'' 4405.850 4406.850 4405.840 4406.840 4405.830 4406.830 4405.820 4406.820 4223.810 4224.810

\*Top-mounted cabinets in 2 FH result from the 2 FH cabinet, configured without base.



#### 2-DOOR | LOCKABLE ON BOTH SIDES WITH CENTER PANEL

										I
FH	5	5	4	4	3	3	2	2	1	1
Height with base	6' 8.31"	6' 8.31"	5' 4.96''	5' 4.96"	4' 2"	4' 2"	2' 11.04''	2' 11.04''		
Height top cabinet							2' 7.10"	2' 7.10"	1' 3.75"	1' 3.75"
Height combi top cabinet					3' 9.28"	3' 9.28''	2' 6.31"	2' 6.31"	1' 2.96"	1' 2.96''
Number of shelves	8	8	6	6	4	4	2	2	0	0
Center panel										
DEPTH	1' 5.32"	1' 11.62"	1' 5.32"	1' 11.62"	1' 5.32"	1' 11.62''	1' 5.32"	1' 11.62''	1' 5.32"	1' 11.62''
Width 2' 7.50"	4441.650	4446.650	4441.640	4446.640	4441.630	4446.630	4441.620	4446.620	4225.610	4226.610
Width 3' 3.37"	4441.950	4446.950	4441.940	4446.940	4441.930	4446.930	4441.920	4446.920	4225.910	4226.910
Width 3' 11.24''	4441.850	4446.850	4441.840	4446.840	4441.830	4446.830	4441.820	4446.820	4225.810	4226.810
*Top-mounted cabinets in 2	FH result fro	m the 2 FH ca	binet config	ured without	hase					

\*Top-mounted cabinets in 2 FH result from the 2 FH cabinet, configured without

### WALL UNITS

WALL UNITS	1-DOOR ONE-SIDED LOCKABLE	2-DOOR ONE-SIDED LOCKABLE
FH	2	2
Height	2' 7.10"	2' 7.10"
Number of shelves	1	1
DEPTH	1' 5.32"	1′ 5.32″
Width 1' 4.14"	4931.220	
Width 2' 0.02"	4931.420	
Width 2' 7.50"		4933.620
Width 3' 3.37"		4933.920
Width 3' 11.24"		4933.820

FH = folder height Height specifications refer to a O' 3.94" high base.

#### **TOP MOUNTED CABINETS\***

base.

	2-DOOR ONE-SIDED LOCKABLE WITH CENTER PANEL	2-DOOR LOCKABLE ON BOTH SIDES WITH CENTER PANEL
1	2	2
1' 3.75"	2' 7.10"	2' 7.10"
0	2	2
1' 5.32''	1' 5.32"	1' 5.32"
4933.610	4935.620	4937.620
4933.910	4935.920	4937.920
4933.810	4935.820	4937.820

## **SLIDING DOOR CABINETS**

SLIDING DOOR CABINETS WITH CENTER PANEL					TOP MOUNTED CABINETS WITH CENTER PANEL		
FH	3	3	2	2	2	1	1
Height with base	4' 2"	4' 2"	2' 11.04"	2' 11.04"	2' 11.04"		
Height top cabinet			2' 7.10"	2' 7.10"	2' 7.10"	1' 3.75"	1' 3.75"
Height combi top cabinet	3' 9.28"	3' 9.28"	2' 6.31"	2' 6.31"	2' 6.31"	1' 2.96"	1' 2.96"
Number of shelves	4	4	2	2	2	0	0
DEPTH	1' 4.54"	1' 10.83"	1' 4.54''	1' 10.83"	1' 6.90''	1' 4.54"	1' 10.83"
Width 2' 7.50"	4243.630	4244.630	4243.620	4244.620		4205.610	4206.610
Width 3' 3.37"	4243.930	4244.930	4243.920	4244.920		4205.910	4206.910
Width 3' 11.24''	4243.830	4244.830	4243.820	4244.820		4205.810	4206.810
Width 4' 6.33"					4040.820		

#### SLIDING DOOR CABINETS WITH CENTER PANEL, LOCKABLE

FH	5	5
Height	6' 8.31"	6' 8.31"
Number of shelves	8	8
Center panel		
DEPTH	2' 0.41"	2' 0.41"
Width 7' 10.49"	4708.850	4706.850

## **SUSPENSION FILE CABINETS**

SUSPENSION FILE CABINETS*					COMBINAT WITH TWO	ION CABINE	TS	[
	44 05 02		- 24 					
FH	3	3	2	2	5	5	5	F
Height	4' 2"	4' 2"	2' 11.04"	2' 11.04"	6' 8.31"	6' 8.31"	6' 8.31"	ł
Number of extracts	3	3	2	2	2	3	3	1
DEPTH	1' 5.32"	1' 11.62"	1' 5.32"	1' 11.62"	1′ 5.32″	1' 5.32"	1′ 11.62″	I
Width 2' 7.50"	4163.630	4164.630	4161.620	4162.620	4153.650	4155.650	4156.650	١
*can be combined with	combination	top cabinets						1

### DRAWER **CABINETS**



# **ROLLER SHUTTER CABINETS**

ROLLER SHUTTER CABIN	ETS				
FH	5	5	4	4	3
Height with base	6' 8.31"	6' 8.31"	5' 4.96"	5' 4.96''	4
Height top cabinet					
Height combi top cabinet					3'
Number of shelves	4	4	3	3	2
Center panel					
DEPTH	1' 4.54"	1' 10.83"	1' 4.54''	1' 10.83"	1′
Width 2' 7.50"	4531.650	4532.650	4531.640	4532.640	4
Width 3' 3.37"	4531.950	4532.950	4531.940	4532.940	4
Width 3' 11.24''	4531.850	4532.850	4531.840	4532.840	4





Color-matched handle bar with grip and without disturbing handle

for more stability

#### MEDIA CADDY

	5
MODEL	9126.001
Dimensions W/H/D	2' 3.56" x 3' 1.01" x 2' 3.56"
Number of shelves	1
Info	incl. viewing rear panel, laptop shelf with full extension, ventilation grille, 6-way socket with 9' 10.11" cable, 4 castors, 2 of these lockable, cover plate with rounded corners (r=0' 1.57")

FH = folder height Height specifications refer to a O' 3.94" high base.





3	3	2	2	1	1
4' 2"	4' 2"	2' 11.04''	2' 11.04''		
		2' 7.10"	2' 7.10"	1' 3.75"	1' 3.75"
3' 9.28"	3' 9.28"	2' 6.31"	2' 6.31"	1' 2.96''	1' 2.96"
2	2	1	1	0	0
1' 4.54''	1' 10.83"	1' 4.54"	1' 10.83"	1' 4.54''	1' 10.83"
4531.630	4532.630	4531.620	4532.620	4533.610	4534.610
4531.930	4532.930	4531.920	4532.920	4533.910	4534.910
4531.830	4532.830	4531.820	4532.820	4533.810	4534.810



SHUTTERS

1000

Extra wide profile strips

White 9010 Aluminium look



9126.001 Media Caddy

107

TOP MOUNTED CABINETS

### CORPUS FURNITURE | CORPUS FURNITURE FOR LEARNING SPACES



### **MEDIA WORKSTATIONS**

- space-saving integration of media workstations in one cabinet wall
- table top available in sizes ISO 4-7
- optional with cable outlet
- back wall covered with fabric and useable as pin board, see A2S material overview

#### MEDIA WORKSTATIONS

DEPTH	1' 6.9"/1' 10.83"
Height	ISO size Table height 4-7
W 2' 7.50"	4750.601
W 3' 3.37"	4750.901
Number of shelves	1



### **CABINETS FOR SLIDING BOARDS**

- ideally combined with the multifunctional board system 3' 11.24" x 2' 7.50" portrait or landscape format
- additional storage space behind the boards
- can be combined with hinged door and sliding door base units in special heights, for individual planning please contact your A2S area manager

SHELF EXTENSIONS	WITHOUT CENTER PANEL	WITH CENTER PANEL	SHELF EXTEN	ISIONS WITH TIC	DY BOXES
	1' 6.9"/1' 8.47"/	DEPTH	1′ 6.9″/ 1′ 8.47″	1' 6.9"/ 1' 8.47"	
Height	<b>1' 10.83''</b> 2' 10.25''/	<b>1' 10.83''</b> 2' 10.25''/	Height	2' 10.25"/ 4' 2.39"	2' 10.25"/ 4' 2.39"
	4' 2.39"	4' 2.39"	W 2' 3.56"	4740.070	
W 2' 7.50"	4730.600	4731.600	W 3' 5.34"		4741.104
W 3' 3.37"	4730.900	4731.900	Number of	2	3
W 3' 11.24"	4730.800	4731.800	shelves	_	
Number of shelves	2	4	Number of Tidy Boxes	8	12

DE RMA
S





BASE UNITS WITH TIDY BOXES

	-

-	
-	
-	
	-



DEPTH	1' 6.9''	1' 6.9"
Height	2' 5.92"	2' 5.92"
Width	2' 3.56"	3' 5.34"
Tidy Boxes small, number of Tidy Boxes	4128.421 12 pieces	4128.621 18 pieces
Tidy Boxes large, number of Tidy Boxes	4129.423 6 pieces	4129.623 9 pieces



#### CHANGE

multifunctional cabinet with doors at the front and back: storage, pinboard, whiteboard and room divider in one; optionally as shelf cabinet or drawer cabinet with tidy boxes

### **CHANGE CABINET SERIES** CABINETS AND SIDEBOARDS

- CHANGE cabinets made of low-emission 3-layer finish board (E1), scratch-resistant coating, for finish selection see A2S material overview
- with a particularly durable plastic edge even in humid climate
- modern rounded aluminium profile corners reduce the risk of injury and make the furniture more resistant
- doors lockable at front and back
- sturdy metal frame with 4 robust, rubberized plastic castors
- CHANGE sideboard without doors with lots of storage space, thanks to Tidy Boxes and large storage compartment



4130.502 CHANGE sideboard offers space for 16 small or 8 large Tidy Boxes





CHANGE cabinet with closed doors

4130.503 CHANGE drawer cabinet

CHANGE

MODEL

SHELF CABINET DRAWER CABINET





4130.501 with 3 shelves

with 2 shelves and 12 small Tidy Boxes

3′ 4.94″ x Dimensions W/H/D 3′ 4.94″ x 5' 4.57" x 1' 11.62"


5′	4.57"	Х	1′ 11.62″	

.



OPTIONS Back panel cork linoleum





Rounded aluminium profiles





4130.506 CHANGE Caddy with door, lockable



- modern rounded aluminium profile corners reduce the risk of injury and make the furniture more resistant
- CHANGE Caddies made of low-emission 3-layer finish board (E1), for finish selection see A2S material overview
- sturdy metal frame with 4 robust, rubberized plastic castors
- multifunctional as storage space at the table, room divider or small counter



Rounded aluminium profiles



Magnetic linking system for connecting several caddies, e.g. to form a material cabinet



Optionally with magnetic sides





4130.505 CHANGE Caddy open on one side

4130.506 CHANGE Caddy with door



CHANGE CADDIES

- 11		

MODEL	4130.505	4130.506
Design	Caddy open on one side	Caddy with d
Dimensions W/H/D	1' 2.17" x 3' 7.70" x 1' 9.65"	1′ 2.17″ x 3′ 7.
Weight	68 lb 5 oz	79 lb 6 oz
Number of compartments	2 x storage space 3 small Tidy Boxes or 1 small and 1 large Tidy Box	2 x storage s 3 small Tidy I 1 small and 1
Magnetic connector		
OPTIONS		
Magnetic side walls		





4130.507 CHANGE Caddy open on both sides



10


Lockable utensil drawer and pull-out

Fully extendable base for laptop

Smooth-running, lockable plastic roller shutter



### **BOOKSHELVES AND ROOM DIVIDERS**



### SHELVES AND ROOM DIVIDERS

SHELVES/ROOM DIVIDERS   WO	DOD	
DESIGN	BASIC SHELF	EXTENSION SHELF
Number of shelves	6 per side	6 per side
Dimensions W/H	2' 8.68" x 6' 7.92"	2' 7.50" x 6' 7.92"
Depth 1' 1.39"	6220	6225
Depth 2' 4.35"	6230	6235
OPTIONS		
Movable bookend (0992)		
Shelf with guide groove (0638)		
Magazine shelf (0644)		
Labelling carrier (0652)		
Labelling strip (0653)		

.

SHELVES/ROOM DIVIDERS | STEEL



DESIGN	BASIC SHELF	EXTENSION SHELF	SHELF
Number of shelves	5	5	1
Dimensions W/H	3' 5.73" x 6' 6.74"	3' 3.76" x 6' 6.74"	W 3' 3.37"
Depth 0' 11.81"	6280	6285	0600
Depth 1' 3.75"	6281	6286	0601
Depth 1' 7.68''	6282	6287	0602
Depth 1' 11.62"	6283	6288	0603



End bracket (6220010)



#### Shelves/room divider

Labelling strips

Quick-adjustable bookend



Labelling carriers



### **PROPERTY LOCKERS**

MODELA001.820A003.830A002.820A004.820Dimensions W/H/D46.33° x 2° 11.04° x 1 6.00°46.33° x 2° 11.04° x 1 6.90°46.33° x 2° 11.04° x 1 6.90°Dimensions W/H/D46.33° x 2° 11.04° x 1 6.00°46.33° x 2° 11.04° x 1 6.90°46.33° x 2° 11.04° x 1 6.90°Dimensions W/H/D6696Option mobile*9677PROPERTY LOCKERSMODEL4005.8204006.8204007.8204020.8204015.620°Dimensions W/H/D405.8204006.8204007.8204023.72 ° 11.04° x 1 6.90°Dimensions W/H/D40.53° x 2° 11.04° x 1 6.90°46.33° x 2° 11.04° x 1 6.90°46.33° x 2° 11.04° x 1 6.90°No. of compartments33333Number of Tidy Boxes45.33° x 2° 11.04° x 1 6.90°46.33° x 2° 11.04° x 1 6.90°46.33° x 2° 11.04° x 1 6.90°Option mobile*999999Option mobile*99999Option mobile*99999	PROPERTY LOCKERS					
Dimensions W/H/D       4' 6.33" x 2' 11.04" x 1' 6.90       4' 6.33" x 2' 11.04" x 1' 6.90       4' 6.33" x 2' 11.04" x 1' 6.90         No. of compartments       6       9       6       9       6         Option mobile*       •       •       •       •       •       •         PROPERTY LOCKERS       -						
No. of compartments         6         6         9         6           Option mobile*         •         <	MODEL	4001.820	4003.830	4002.820	4004.820	
Option mobile*         Image: Second sec	Dimensions W/H/D	4' 6.33" x 2' 11.04" x 1' 6.90"	4' 6.33" x 3' 10.46" x 1' 6.90"	4' 6.33" x 2' 11.04" x 1' 6.90"	4' 6.33" x 2' 11.04" x 1' 6.90"	
PROPERTY LOCKERS           MODEL         405.820         406.820         4007.820         4020.820         4015.820         4015.820           No. of compartments         3	No. of compartments	6	6	9	6	
MODEL         4005.820         4006.820         4007.820         4020.820         4015.820           No. of compartments         3	Option mobile*					
MODEL         4005.820         4006.820         4007.820         4020.820         4015.820           No. of compartments         3						
MODEL         4005.820         4006.820         4007.820         4020.820         4015.820           Dimensions W/H/D         4'6.33" x 2'11.04" x 1' 6.90"           No. of compartments         3         3         3         3         3           Number of Tidy Boxes         8 x small         8 x small         16 x small         8 x large         16 x small, 8 x large	PROPERTY LOCKERS					
Dimensions W/H/D         4' 6.33" x 2' 11.04" x 1' 6.90"         4' 6.33" x 2' 11.04" x 1' 6.9						
No. of compartments         3         3         3         3           Number of Tidy Boxes         8 x small         8 x small         16 x small         8 x large         16 x small, 8 x large	MODEL	4005.820	4006.820	4007.820	4020.820	4015.820
Number of Tidy Boxes     8 x small     8 x small     16 x small     8 x large     16 x small, 8 x large	Dimensions W/H/D	4' 6.33" x 2' 11.04" x 1' 6.90"	4' 6.33" x 2' 11.04" x 1' 6.90"	4' 6.33" x 2' 11.04" x 1' 6.90"	4' 6.33" x 2' 11.04" x 1' 6.90"	4' 6.33" x 2' 11.04" x 1' 6.90"
	No. of compartments	3	3	3	3	
Option mobile*	Number of Tidy Boxes	8 x small	8 x small	16 x small	8 x large	16 x small, 8 x large
	Option mobile*					

#### PROPERTY LOCKERS

MODEL	4128.420	4128.620	4128.820	4129.422	4129.622	4129.822
Dimensions W/H/D	2' 3.56" x 2' 11.04" x 1' 6.90"	3′ 4.94″ x 2′ 11.04″ x 1′ 6.90″	4' 6.33" x 2' 11.04" x 1' 6.90"	2′ 3.56″ x 2′ 11.04″ x 1′ 6.90″	3' 4.94" x 2' 11.04" x 1' 6.90"	4' 6.33" x 2' 11.04" x 1' 6.90"
Number of Tidy Boxes	16 x small	24 x small	32 x small	8 x large	12 x large	16 x large
Option mobile*						

### **PUPIL SUBJECT SHELVES**

SCHOOL SATCHEL SHELVES

MODEL	4031.220	4031.320	4031.420	4031.230	4031.330	4031.100	4031.430	4031.240	4031.340
No. of compartments	4	6	8	6	9	12	12	8	12
Dimensions W/H/D	2′ 0.02″ x 3′ 4.16″ x 1′ 4.54″	2' 11.83" x 3' 4.16" x 1' 4.54"	3' 11.24" x 3' 4.16" x 1' 4.54"	2' 0.02" x 4' 9.87" x 1' 4.54"	2′ 11.83″ x 4′ 9.87″ x 1′ 4.54″	3′ 3.37″ x 4′ 9.87″ x 1′ 4.54″	3′ 11.24″ x 4′ 9.87″ x 1′ 4.54″	2' 0.02" x 6' 3.59" x 1' 4.54"	2' 11.43" x 6' 3.59" x 1' 4.54"
Option mobile*									

#### PUPIL LOCKERS

Option mobile*								
Dimensions W/H/D	2' 11.43" x 2' 11.04" x 1' 4.54"	2' 11.43" x 2' 11.04" x 1' 10.83"	3' 11.24" x 2' 11.04" x 1' 4.54"	3' 11.24" x 2' 11.04" x 1' 10.83"	2' 11.43" x 2' 11.04" x 1' 4.54"	2' 11.43" x 2' 11.04" x 1' 10.83"	3' 11.24" x 2' 11.04" x 1' 4.54"	3' 11.24'' x 2' 11.04'' x 1' 10.83''
No. of compartments	9	9	12	12	12	12	16	16
MODEL	4260.629	4261.629	4262.820	4263.820	4252.629	4253.629	4264.820	4265.820

\* Height for mobile cabinets + 0' 1.18"















4031.330 4031.100 4031.430 4031.240 4031.340 4031.440 16

3' 11.24''	Х
6' 3.59"	Х
1' 4.54''	





## SPECIALIST CLASSROOM CABINETS

#### LAPTOP CABINET

MODEL	4440.200
Doors	2-door
Dimensions W/H/D	3' 11.24" x 4' 3.18" x 1' 8.47"
Number of shelves	16
Design	space for 16 laptops, incl. 2 Tidy Boxes, 2 x 8-way power socket with inrush current limiter, 1 x cable outlet in the back wall on the left for power supply, cable holder on the back wall on the left for winding up the power cable, castor frame with 4 double swivel castors, 2 of which are lockable, 2 furniture handles on the sides lockable with safety lock







From behind, closed



4440.200 Laptop cabinet

#### INSTRUMENT CABINETS





MODEL	4444.011	4444.012	4444.850
Doors	2-door	2-door	2-door
Dimensions W/H/D	3' 11.24" x 6' 8.31" x 1' 11.62"	3' 11.24" x 6' 8.31" x 1' 11.62"	4' 11.05" x 6' 8.31" x 2' 4.74"
Design	lockable on one side, without center panel, 2 removable shelves, 8 small compartments at bottom right	individually lockable on both sides, with center panel, 8 removable shelves, 10 small compartments on the right, container for small parts on the inside of the doors	individually lockable on both sides, with center panel, 5 removable shelves, 4 small compartments, 3 compartments on the bottom right, holders and containers on the inside of the doors

DRAWING CADINETS	DIN AO		DIN A1	
MODEL	1181.006	1181.106	1181.008	1181.108
Dimensions W/H/D	4' 5.15" x 2' 7.10" x 3' 0.61"	3' 3.37" x 2' 7.10" x 2' 2.77"	4' 5.15" x 3' 2.58" x 3' 0.61"	3' 3.37" x 3' 2.58" x 2' 2.77"
Number of extracts	6	6	8	8
The wooden drawing ca	binets are delivered disassemble	1.		
DRAWING CABINETS	MADE OF SHEET STEEL DIN AO		DIN A1	

MODEL	4182	4183	4185	4186
Powder-coated	RAL 1013 pearl white			
Dimensions W/H/D	4' 5.15" x 2' 5.92" x 3' 1.79"	4' 5.15" x 2' 5.92" x 3' 1.79"	3' 7.31" x 2' 5.92" x 2' 6.12"	3' 7.31" x 2' 5.92" x 2' 6.12"
Number of extracts	8	10	8	10

### SINK CABINETS

SINK CABINETS			
MODEL	4438.650	4438.950	4438.850
Doors	2-door	2-door	2-door
Dimensions W/H/D	2' 7.50" x 6' 8.31" x 1' 11.62"	3' 3.37" x 6' 8.31" x 1' 11.62"	3' 11.24" x 6' 8.31" x 1' 11.62"
Design	lockable on one side, without back wall, with trailing base and recessed bottom panel	lockable on one side, without back wall, with trailing base and recessed bottom panel	lockable on one side, without back wall, with trailing base and recessed bottom panel

### WARDROBE CABINETS

WARDROBE CABINETS	WITH LONGITUDINAL EXTENSION ROD			WITH TRANSVERSE CLOTHES RAIL				WARDROBE SHELVES	
FH	5	5	5	5	5	5	5	5	5
Height	6' 8.31"	6' 8.31''	6' 8.31"	6' 8.31"	6' 8.31''	6' 8.31"	6' 8.31''	6' 8.31''	6' 8.31''
Number of shelves	0	0	4	1	2	4	1	1	2
Center panel									
DEPTH	1' 5.32"	1' 5.32"	1' 5.32"	1' 11.62"	1' 11.62"	1' 11.62"	1' 11.62''	1' 10.83''	1' 10.83"
Width 2' 0.02"	4403.450			4404.450				4419.450	
Width 2' 7.50"			4407.650		4448.650	4408.650	4410.650	4419.650	4429.650
Width 3' 3.37"		4443.950	4407.950		4448.950	4408.950	4410.950	4419.951	4429.950
		4445.950	4407.950		4440.950	4400.950	4410.250	4417.751	4429.950

### WWW.A2S.COM/US

117



Hallway cabinets with top mounted cabinets provide sufficient storage space; the integrated seating niche with benches and table for primary pupils creates a cosy area for short breaks or a quiet workplace for individual or group work

### HALLWAY FURNITURE SYSTEM Thüringen S WITH SEATING NICHES

- flexible for different rooms and budgets
- in 5 FH and 2 different widths for 1 or 2 students
- top mounted cabinet in 1 FH or 2 FH with plenty of storage space
- carrier board material certified hardly flammable according to DIN 4201 B1
- finish white hardly flammable according to DIN 4201 B1
- cabinet-high handle strips, keep the escape route clear and are easy to grip from any height
- optionally all cabinets lockable
- in 3 different equipment variants
- with coat hook for jackets
- with tidy boxes optionally large and small
- small tidy boxes also fit under the A2S tables
- pull-out stools with non-slip foot
- base distributor for levelling
- bodies with connecting screws securely interconnected
- seating niche for primary school with 2 seating benches in TAFF B1 or ARTIFICIAL LEATHER B1 and 1 table
- seating niche for secondary school with one seating bench in button upholstery ARTIFICIAL LEATHER B1
- finish and material color selection see A2S Material overview
- seating niches can also be combined with other 5 FH A2S cabinets, e.g. in the classroom or administrative area
- for individual planning also as a corner solution or with inclined roof please also contact your A2S area manager

HALLWAY CABINETS IN **3 EQUIPMENT VARIANTS** FOR 1 OR 2 PUPILS









Hallway cabinets in 2 widths and 3 equipment variants establish order; the seating niche offers seating comfort in the hallway without having to adjust the escape routes

HALLWAY FURNITURE SYSTEM	HALLWAY C	ABINET		TOP MOUNT	ED CABINET	SEATINH NICHE	PRIMARY SCHOOL	SECONDARY SCHOOL
					A A			
FH	5	5	5	1	2	FH	5	5
Width 1' 2.17" · for 1 pupil	6670.250	6671.250	6672.250	6675.210	6675.220		6680.001	6680.002
Width 1' 6.90" · for 2 pupils	6670.950	6671.950	6672.950	6675.910	6675.920	Dimensions W/H/D	4′ 8.69″ x	4′ 8.69″ x
Dimensions H/D	6' 8.27'' - 1' 10.83''	6' 8.27'' - 1' 10.83''	6' 8.27" - 1' 10.83"	1' 3.87" - 1' 10.83"	2' 6.98" - 1' 10.83"		6′ 8.27″ x 2′ 3.56″	6' 8.27" x 2' 3.56"
1 fixed floor above						Seat height	1' 2.96"	1′ 7.68″
1 fixed floor below	-	-	-			Bench	self-supporting	self-supporting
Adjustable shelf Shelf with bottom panel	3					Full upholstery	B1 hardly flammable,	B1 hardly flammable,
Coat hooks		1/2	1/2				PG 2 and 4	PG 4
Tidy Box bottom large transparent		1				Seat upholstery thickness, W/D	0' 5.31" , 2' 1.59" x 1' 3.75"	0′ 4.84″ , 4′ 7.12″ x 1′ 11.62″
Tidy Boxes selectable large/small		2/0 or 1/2 or 0/4	1/0 or 0/2			Back upholstery thickness, W/H	0' 2.72" , 2' 1.59" x 1' 7.68"	0' 2.48" , 4' 7.12" x 3' 0.22"
Stool			6690.200/ 6690.900			Weight	284 lb 6 oz	277 lb 13 oz
Finishing side	6674.050	6674.050	6674.050	6674.010	6674.020			
Weight	134 lb 8 oz/ 156 lb 8 oz	125 lb 11 oz/ 141 lb 2 oz	154 lb 5 oz/ 180 lb 12 oz	30 lb 14 oz/ 37 lb 8 oz	55 lb 2 oz/ 63 lb 15 oz	OPTIONS		
OPTIONS						Top mounted cabinet width 1' 2.17''	4 x mod. 6675.210/ 6675.220	4 x mod. 6675.210/ 6675.220
Lockable						Top mounted	3 x mod.	3 x mod.
Sloping roof one-sided	-		-	-		cabinet	6675.910/	6675.910/
Sloping roof on both sides					-	width 1' 6.90"	6675.920	6675.920
Sloping roof corner solution	-	-				Sloping roof one-sided	-	





Tidy Boxes keep order in property lockers.



Mountable on different table models.



Removed from the cabinets, the Tidy Boxes can be conveniently and efficiently stowed away at the workplace.

## PLAY BUILD SIT ROL ARRANGE TIDY UP ODDS AND ENDS.


As a playable box on wheels, as a comfortable stool with upholstered lid or simply as a clearly arranged shelf - the versatile odds and ends box quickly creates space for all kinds of things that quickly accumulate, especially in the all-day school routine, and helps to keep the classroom tidy.





Tidv boxes in 2 sizes and 5 colors



- in 2 sizes and 5 colors
- drawers made of saliva-proof plastic
- removable title block on the narrow side
- lengthwise and transversely insertable through circumferential handle strip
- fully recyclable
- optional: transparent lid









# ODDS AND ENDS BOX

- 1' 3.75" x 1' 3.75" x 1' 2.57" cube made of robust, low-emission 3-layer finished panel (E1), scratch-resistant coating
- with patented connecting elements made of stable plastic, which are simply clamped into the handle holes
- they are needed in the room
- furniture edges with plastic strips protect against damage
- available in many friendly colors, see A2S material overview
- removable seat upholstery in many colors







Odds and ends box. connected to the shelf

■ the elements can be quickly and safely joined together to form entire shelf walls - and removed again when





### **GLASS DISPLAY CASES**



### **MAGAZINE CABINETS**

MAGAZINE CABINET	S	
MODEL	4399.850	4398.950
Doors	2-door	2-door
Dimensions W/H/D	3' 11.24" x 6' 8.31" x 1' 5.32"	3′ 3.37″ x 6′ 8.31″ x 1
Design	with 12 magazine flaps, with center panel at the top, bottom 2 FH 2-door, individually lockable on both sides	with 12 magazine flaj without center panel bottom 2 FH 2-door, individually lockable sides

### **COUNTER CABINETS**

3' 5.34"

1' 4.54"

4605.910

4605.810

2

COUNTER CABINETS LOCKABLE

Height

DEPTH

Info

Number of shelves

Width 3' 3.37"

Width 3' 11.24''





4815 Display case for wall mounting

DISPLAY CASES

2.0. 1 0							
MODEL	5472	5483	5484	5485	4810	4815	4820
Dimensions W/H/D	4' 11.05" x 5' 6.93" x 1' 9.46"	4' 11.05" x 3' 3.37" x 0' 11.81"	4' 11.05" x 3' 3.37" x 0' 2.83"	6' 6.74" x 3' 3.37" x 0' 2.83"	3' 3.37" x 3' 3.37" x 0' 5.91"	4' 11.05" x 3' 3.37" x 0' 5.91"	6' 6.74" x 3' 3.37" x 0' 5.91"
Design	freestanding	wall mounting*	wall mounting*	wall mounting*	wall mounting**	wall mounting**	wall mounting**

\*with magnetic back wall, optionally back pwall with colored cork coating \*\*back wall with colored cork coating

### WWW.A2S.COM/US



1' 5.32" el at the top,

le on both

3' 9.28"

3' 9.28"

1' 4.54"

4605.950

4605.850

3' 5.34"

1' 10.83"

4600.910

4600.810


Open at the top with 6 small compartments.

2

#### 1' 10.83"

4600.950 4600.850 Room divider with 2 sliding doors for secondary schools.

### **TEACHER'S COMPARTMENT CABINETS**



#### TEACHER'S COMPARTMENT CABINETS | WITH MAILBOXES IN THE MIDDLE

FH	5	5	5	5
Height	6' 8.31"	6' 8.31''	6' 8.31"	6' 8.31"
No. of teacher compartments	4	4	3	3
Number of mailboxes	4	4	3	3
DEPTH	1' 5.32"	1' 11.62"	1' 5.32"	1' 11.62''
Width 1' 4.14"	4279.250	4280.250	4283.250	4284.250
Width 1' 8.08"	4279.950	4280.950		
Width 2' 0.02"	4279.450	4280.450		
Info			lower 2 FH with 1 revolving door	lower 2 FH with 1 revolving door

#### TEACHER'S LOCKERS CABINETS | WITH MAILBOXES CENTRED | WITH CENTRE PANEL

FH	5	5	5	5	5	5	5	5
Height	6' 8.31''	6' 8.31''	6' 8.31"	6' 8.31"	6' 8.31"	6' 8.31''	6' 8.31''	6' 8.31"
No. of teacher compartments	8	8	8	8	6	6	6	6
Number of mailboxes	8	8	8	8	6	6	6	6
DEPTH	1' 5.32"	1' 11.62"	1′ 5.32″	1' 11.62"	1' 5.32"	1' 11.62"	1' 5.32"	1' 11.62"
Width 2′ 0.02″	4239.450	4240.450			4287.450	4288.450		
Width 2' 7.50"			4281.650	4282.650			4285.650	4286.650
Width 3' 3.37"			4281.950	4282.950			4285.950	4286.950
Width 3' 11.24''			4281.850	4282.850				
Info					lower 2 FH with 1 revolv- ing door	lower 2 FH with 1 revolv- ing door	lower 2 FH with 2 revolv- ing doors	lower 2 FH with 2 revolv- ing doors



### TEACHER'S COMPARTMENTS WITH MAILBOXES UNDERNEATH TEACHER'S COMPARTMENTS WITH LETTER SLOTS ABOVE

ILACIILA J COMPART	MENTS WITH MALED	JAES ONDERNEATH	TEACHER 5 COMPA		IER SECTS ADOVE	
FH	5	5	5	5	5	5
Height	6' 8.31"	6' 8.31''	6' 8.31''	6' 8.31''	6' 8.31''	6' 8.31"
No. of teacher compartments	4	8	5	10	3	6
Number of mailboxes	4	8	5	10	3	6
DEPTH	1' 5.32"	1' 5.32"	1' 5.32"	1′ 5.32″	1′ 5.32″	1' 5.32"
Width 1' 4.14"	4275.250		4291.250		4295.250	
Width 2' 7.50"		4277.650		4293.650		4297.650
Width 3' 3.37"		4277.950		4293.950		4297.950
Info					lower 2 FH with 1 revolving door	lower 2 FH with 2 revolving doors

### MAILBOX CABINETS

MAILBOX CABINETS LOCKABLE

5	5
6' 8.31"	6' 8.31"
24	36/36/48
1	2
1' 5.32"	1' 5.32"
4477.450	
	4479.650
	4479.950
	4479.850
	6' 8.31" 24 1 1' 5.32"

### **KITCHENETTE CABINETS**

	KITCHENETTE CABINETS	SINK BASE CABINETS		
MODEL	4439.852	4459.100	6354.503	6354.420
Doors	2-door	Roller shutter	1-door	1-door
Dimensions W/H/D	3' 11.24" x 6' 8.31" x 2' 2.38"	4' 0.82" x 6' 8.31" x 2' 1.2"	1′ 8.47″ x 2′ 4.35″ x 1′ 9.65″	1′ 11.62″ x 2′ 4.35″ x 1′ 9.65″
Design	with carrying base, lockable on one side, supplemented by sink base cabinet 6354.503 and refrigerator or dishwasher	supplemented by sink base cabinet 6354.420 and refrigerator or dishwasher	addition to 4439.852 electrical and water connection on site	addition to 4459.100 electrical and water connection on site


FH = folder height Height specifications refer to a O' 3.94" high base.



ACOUSTIC elements 140

140

140



### WWW.A2S.COM/US

140



9390.002 CHILL HOUSE WOOD with exterior walls in natural oak



9390.001 CHILL HOUSE with exterior walls in fabric

The CHILL House for relaxed breaks or pleasant reading, learning or exchanging. Ideally for hallways, waiting areas and auditoriums.

## **CHILL HOUSE/MEETING HOUSE**

- upholstered elements with backrest: Upholstery made of foam
- height upholstered element with backrest: 2' 2.77"
- upholstery and interior walls optional with fabric TAFF B1 or WOOL, for color selection see A2S material overview
- substructure of robust 3-layer chipboard
- frame construction: Metal frame with closed base powder-coated in RAL 9005 black or RAL 9010 pure white
- flooring in wooden panels natural oak

#### CHILL HOUSE

exterior walls available in fabric or wooden panels natural oak, for fabric selection see A2S material overview

#### MEETING HOUSE

- table frame powder-coated like metal frame
- table top HPL coated, optional in white, anthracite or black
- multimedia connection: 1 x power socket, 1 x USB, 1 x HDMI
- incl. LED light
- optional with glass door and ventilation system

Your A2S area manager will be happy to advise you



9390.003 MEETING HOUSE

space for 4 people, incl. table, multimedia connections and LED light optional also with glass door and ventilation, for quiet working or undisturbed meetings


	CHILL HOUSE	MEETING HOUSE	
MODEL	9390.001	9390.002	9390.003
Dimensions W/H/D	6' 10.68" x 7' 5.76" x 2' 6.71"	6' 10.68" x 7' 5.76" x 2' 6.71"	6' 10.68" x 7' 5.76" x 5' 0.24"
Seat height	1' 0.99"	1' 0.99"	1' 0.99"
Interior walls fabric TAFF B1/WOOL			
Exterior walls fabric TAFF B1/WOOL			
Exterior walls natural oak			
Frame powder-coated black			
Weight	462 lb 16 oz	462 lb 16 oz	1.102 lb 5 oz
Packaging note	is delivered disassembled on a pallet: W/H/D: 6' 10.68" x 6' 2.80" x 2' 6.71"	is delivered disassembled on a pallet: W/H/D: 6' 10.68'' x 6' 2.80'' x 2' 6.71''	is delivered disassembled on two pallets: 2 x W/H/D: 6' 10.68'' x 6' 2.80'' x 2' 6.71''





Fits together perfectly and offers numerous design possibilities: DOMINO and MAZE. For individual planning of your seating arrangements, please contact your A2S area manager.

# DOMINO AND MAZE SERIES

- robust construction and durable foams
- easy-care and hard-wearing fabrics and leather covers in a wide selection, in price group 1-4, see A2S material overview
- color combinations freely selectable within a fabric group
- optional with hardly inflammable fabric and leather covers in B1 of price group 2 and 4, see A2S material overview
- Freely combinable individual modules, useable individually or in a fixed combination
- optional privacy and noise protection on back and/or sides, only available in fabric group WOOL
- frame powder-coated in RAL 9006 chrome silver as standard or optionally chrome-plated
- table available with finish board or glass board









Combination of 9387.147 MAZE stool with backrest and



Privacy screen*		9385.069	9385.165	9385.069		9384.003
Linking						
Felt floor protectors						
Chrome-plated frame						
OPTIONS						
Weight	39 lb 11 oz	52 lb 15 oz	105 lb 13 oz	55 lb 2 oz	19 lb 13 oz	48 lb 8 oz
Powder-coated frame	skids	skids	skids	skids		skids
Seat height	1' 5.72"	1' 5.72"	1' 5.72"	1' 5.72"		
Dimensions W/H/D	2' 3.17" x 1' 5.72" x 2' 3.17"	2' 3.17" x 2' 5.13" x 2' 3.17"	5′ 4.96″ x 2′ 5.13″ x 2′ 3.17″	2' 3.17" x 2' 5.13" x 2' 3.17"	8.66" x 1' 8.47" x 2' 3.17"	2′ 3.17″ x 1′ 5.72″ x 2′ 3.17′
MODEL	9384.001	9384.070	9384.165	9384.301R 9384.302L 9384.303E	9384.004	9384.003 9384.006
MODULE SYSTEM DOMINO	STOOL	STOOL WITH BACKREST	BENCH	EXTERNAL ELEMENT/ CORNER ELEMENT	ARMREST	TABLE WITH GLASS BOARD, FINISH BOARD
lements of the CYLIN	DA series					

<b>9387.002</b> MAZE stool s elements of the CYLIND.		2	5.5	1 and a start of the start of t		
MODULE SYSTEM DOMINO	STOOL	STOOL WITH BACKREST	BENCH	EXTERNAL ELEMENT/ CORNER ELEMENT	ARMREST	TABLE WITH GLASS BOARD/ FINISH BOARD
MODEL	9384.001	9384.070	9384.165	9384.301R 9384.302L 9384.303E	9384.004	9384.003 9384.006
Dimensions W/H/D	2' 3.17" x 1' 5.72" x 2' 3.17"	2' 3.17" x 2' 5.13" x 2' 3.17"	5' 4.96" x 2' 5.13" x 2' 3.17"	2' 3.17" x 2' 5.13" x 2' 3.17"	8.66" x 1' 8.47" x 2' 3.17"	2' 3.17" x 1' 5.72" x 2' 3.17"
Seat height	1' 5.72"	1' 5.72"	1' 5.72"	1' 5.72"		
Powder-coated frame	skids	skids	skids	skids		skids
Weight	39 lb 11 oz	52 lb 15 oz	105 lb 13 oz	55 lb 2 oz	19 lb 13 oz	48 lb 8 oz
OPTIONS						
Chrome-plated frame						
Felt floor protectors						
Linking						
Privacy screen*		9385.069	9385.165	9385.069		9384.003

9387.002 MAZE stool so elements of the CYLINDA		1		Y		
MODULE SYSTEM DOMINO	STOOL	STOOL WITH BACKREST	BENCH	EXTERNAL ELEMENT/ CORNER ELEMENT	ARMREST	TABLE WITH GLASS BOARD/ FINISH BOARD
MODEL	9384.001	9384.070	9384.165	9384.301R 9384.302L 9384.303E	9384.004	9384.003 9384.006
Dimensions W/H/D	2′ 3.17″ x 1′ 5.72″ x 2′ 3.17″	2′ 3.17″ x 2′ 5.13″ x 2′ 3.17″	5' 4.96" x 2' 5.13" x 2' 3.17"	2′ 3.17″ x 2′ 5.13″ x 2′ 3.17″	8.66" x 1' 8.47" x 2' 3.17"	2' 3.17" x 1' 5.72" x 2' 3.17"
Seat height	1' 5.72"	1' 5.72"	1' 5.72"	1′ 5.72″		
Powder-coated frame	skids	skids	skids	skids		skids
Weight	39 lb 11 oz	52 lb 15 oz	105 lb 13 oz	55 lb 2 oz	19 lb 13 oz	48 lb 8 oz
OPTIONS						
Chrome-plated frame						
Felt floor protectors						
Linking						
Privacy screen*		9385.069	9385.165	9385.069		9384.003
*mounted height 4' 5.15". On	ly available in fabric	group Wool				


MAZE	STOOL	STOOL WITH BACKREST
MODEL	9387.002	9387.147
Dimensions W/H/D	2' 7.50" x 1' 5.72" x 2' 8.28"	2' 7.50" x 2' 7.10" x 2' 8.28"
Seat height	1' 5.72"	1' 5.72"
Powder-coated frame	round tube with platform	round tube with platform
Weight	44 lb 1 oz	48 lb 8 oz
OPTIONS		

OP HONS	
Chrome-plated frame	-
Linking	-



DOMINO PILLOW

### POSITIONING OF CORNER/ EXTERNAL ELEMENTS



E = corner element

L = external element left

R = external element right



9385.001 DOMINO HOUSE suitable addition to the DOMINO and MAZE Series

## DOMINO SERIES | DOMINO HOUSE

- robust construction and durable foams
- frame powder-coated RAL 9006 chrome silver, optional chrome-plated
- height upholstered element with backrest: 2' 5.13"
- upholstery element as well as interior and exterior walls optional with FLEECE, SKANDIA, TAFF B1 or WOOL fabric, for color selection see A2S material overview optionally available in 3 different colors within one fabric group:
- seating element, interior wall and exterior wall
- equipped with coat hooks left and right, powder-coated black



Up to 3 different colors selectable within one fabric group: Seating element, interior wall and exterior wall



MODEL	9385.001
Dimensions W/H/D	5' 6.93" x 5' 4.96" x 2' 4.35"
Seat height	1' 5.72"
Powder-coated frame	skids
Weight	253 lb 9 oz

0	D	т	I	0	M	S
0	r.		•	~	14	-

DOMINO HOUSE


Chrome-plated frame	
Felt floor protectors	



Equipped with one coat hook each left and right



UPHOLSTERED STOOL



The seating islands of the CYLINDA and BLOC Series make diverse opportunities possible to place cosy and colorful spots.

## CYLINDA AND BLOC SERIES | UPHOLSTERED STOOL


- robust construction and durable upholstery
- easy-care and hard-wearing upholstery fabrics and leather covers in a wide selection, in price group 1-4, see A2S material overview
- optional with hardly inflammable fabric and leather covers, in price group 2 and 4, see A2S material overview
- felt or plastic floor protectors

	CYLINDA	CYLINDA			BLOC		
MODEL	9359.045	9359.090	9359.120	9358.042	9358.069	9358.096	
Dimensions W/D	Ø 1′ 5.72″	Ø 2' 11.43''	Ø 3' 11.24''	1' 4.73" x 1' 4.73"	2' 3.36" x 1' 4.73"	3' 1.99" x 1' 4.73"	
Seat height	1' 4.14''	1' 4.14"	1' 4.14"	1' 4.14"	1' 4.14"	1' 4.14''	
Veight	17 lb 3 oz	44 lb 16 oz	66 lb 2 oz	18 lb 8 oz	28 lb 11 oz	39 lb 11 oz	

### WWW.A2S.COM/US

The colorful seating elements **CYLINDA** and **BLOC** combine comfort with maximum flexibility, even in small rooms, and are ideal in combination with our DOMINO and MAZE Series, see page 131





9396.168 COMFORT HI with **9386.001** C-shape table

# COMFORT SERIES | COMFORT HI

- Iflat skid frame optionally chrome-plated or powder-coated in RAL 9006 chrome silver
- robust construction and durable upholstery
- easy-care and hard-wearing fabrics and leather covers in the fabric groups 1-4 in a wide selection, see A2S material overview
- color combinations freely selectable within a fabric group
- optionally with hardly inflammable covers, B1 in price group 2 and 4, see A2S material overview
- COMFORT HI with high backrests is a room divider and absorbs sound

UPHOLSTERED FURNITURE COMFORT HI	1-SEATER	2-SEATER	3-SEATER	LOUNGE TABLES*	
MODEL	9396.105	9396.168	9396.223	9386.001	9386.137
Dimensions W/H/D	3′ 5.73″ x 4′ 3.57″ x 2′ 8.28″	5' 6.53" x 4' 3.57" x 2' 8.28"	7' 4.19" x 4' 3.57" x 2' 8.28"	1' 6.11" x 2' 4.74" x 1' 1.39"	4' 3.18" x 1' 9.26" x 2' 3.56"
Seat surface W/D	1' 10.44" x 1' 11.23"	3' 11.24" x 1' 11.23"	5' 8.90" x 1' 11.23"		
Seat height	1' 4.54"	1' 4.54"	1' 4.54''		
Chrome-plated frame	flat skids	flat skids	flat skids	C-shape	flat skids
Frame RAL 9006					
Weight	141 lb 2 oz	189 lb 10 oz	238 lb 2 oz	13 lb 4 oz	57 lb 5 oz

\* more lounge tables can be found at the plate foot tables on page 77



Backrests acoustically effective

LOUNGE TABLES

■ table top with multi-layer melamine

impact-resistant and glare-free

resin coating, therefore scratch- and

as standard, we supply the table with

a 0.12" plastic edge in the color of the

table top, see A2S material overview

optional edge with 1.57" corner radius

chrome-plated frame



Folding couch and armchair for sitting, lounging, sleeping - just in case

## FOLDING ARMCHAIR AND COUCH

- a must for every all-day room with durable, 8.27" thick PUR foam core (hardness 35/45) - withstands even heavy use
- upholstery fabric TAFF B1 flame-resistant or PROTEX with antibacterial surface, water-repellent and easy to wipe off. Optional also with artificial leather, for colors see A2S material overview
- cover easy to remove through the zip and washable at 60 °C
- by folding out you get a lying surface of 5' 10.87" x 5' 9.29" (couch) or 2' 7.50" x 5' 10.87" (folding armchair)

	FOLDING ARMCHAIR	
MODEL	5005.005	5005.001
Dimensions W/H/D	2' 7.50" x 2' 3.95" x 2' 7.50"	5′ 10.87″ x 2′ 3.95′
Seat height	1' 4.54"	1' 4.54"
Lying surface	2' 7.50" x 5' 10.87" x 8.27"	5′ 10.87″ x 5′ 9.29
Weight	26 lb 7 oz	66 lb 2 oz

### WWW.A2S.COM/US



5005.005 Folding armchair



5″ x 2′ 10.65″

9″ x 8.27″



Our CHILL Series with beanbags, stools and floor cushions provides the necessary balance of comfort - because it is known that relaxed learning is the most effective way to learn.

## CHILL SERIES | BEANBAGS/STOOL/CUSHION

- cover easily removable by zip
- fabrics washable or wipeable
- available in three different fabrics: OX, NORDIC or OUTSIDE, for color selection and material properties see A2S material overview
- beanbag with handle for easy carrying
- inner bag with safety zip
- filling of polystyrene beads, hardly inflammable, certified according to DIN 4102 B1
- beanbag in combination with stool to put up the feet
- stool and seat cushion not only for CHILL landscapes but also ideal for the seating circle

### **CHILL SERIES | SEAT CUSHION**

- cover easily removable by zip
- fabrics washable or wipeable
- available in three different fabrics: OX, NORDIC or OUTSIDE,
- for color selection and material properties see A2S material overview foam core
- as upholstery for benches and also ideal for the seating circle on the floor







Whether the comfortable **beanbag** with handle for easy carrying, most appropriate in combination with one of the **stools** for the feet, or a cosy lounging area of large **couch cushions** - that's how easy it is to create little oases of well-being in everyday school life.

The particularly hard-wearing and waterproof fabric OX is recommended for primary school, which also matches the color scheme of the primary school very well.

CHILL	BEANBAG	BEANBAG JUNIOR	STOOL	STOOL JUNIOR	COUCH CUSHION	SEAT CUSHION
						•
MODEL	5030.045	5030.035	5033.040	5032.035	5031.001	5034.001
Dimensions W/H/D	2' 6.71" x 3' 3.37" x 2' 9.86"	2' 1.59" x 2' 3.56" x 2' 2.77"	1' 5.72" x 1' 3.75" x 1' 5.72"	Ø 1' 1.78" x 1' 1.78"	5' 2.99" x 10.63" x 3' 11.24"	Ø 1′ 1.78″ x 1.97″
Seat height	1′ 5.72″	1' 1.78''	1' 3.75"	1′ 1.78″	n.a.	1.97″
Weight	12 lb 2 oz	7 lb 4 oz	5 lb 8 oz	1 lb 16 oz	17 lb 7 oz	
Use	secondary schools	primary schools	secondary schools	primary schools	primary schools	primary schools



For a more homely atmosphere and comfortable haptic, we recommend the fabric NORDIC, which can be easily integrated with the fabric groups 1-4 in thought out color concepts for secondary schools.



#### COMBI acoustic partition walls:

The right soundscape for healthy learning and working.

# COMBI SERIES | ACOUSTIC PARTITION WALL

- acoustically effective honeycomb board as core
- available in the easy-care and hard-wearing fabrics TAFF B1 and WOOL, color selection see A2S material overview
- optional with electrical set with sockets, also available for retrofitting
- simple and versatile combinable system for all types of work
- flexible zoning and design of rooms and inviting relaxation areas
- levelling feet powder-coated RAL 9006 chrome silver, optionally also available with castors



Triangular table 1003.118 3' 7.31" x 2' 7.50"

Trapezoidal table Classroom table 1004.147 7210 4' 7.12" x 2' 3.56"

Group table 1001.088 2' 3.56" x 1' 9.65" 2' 7.50" x 2' 7.50" 2' 3.56" x 2' 3.56"

Group table

1001.077





COMBI Acoustic movable walls in combination with 1004.147 trapezoidal tables for quiet working areas and 9387.147 MAZE as an island of rest



Up to four walls can be connected at different angles without tools.

COMBI ACOUSTIC PARTITION WALLS

	2-2-	P - P-		
MODEL	6710.070	6710.090		
Dimensions W/D	2' 3.56" x 4' 7.90" x 3.15"	2' 11.43" x 4' 7.90" x 3.15"		
Weight	33 lb 1 oz	41 lb 14 oz		

#### OPTIONS Felt floor protectors . Castors . Electrical kit 6711.071 6711.091

### WWW.A2S.COM/US



Powder-coated adjustable feet in chrome silver, optionally available with castors



6714.001/6714.002 Acoustic elements freestanding muffle noises, placeable in the room as required

Up to 5 pieces can be pushed into each other to save space

## LEAF-SHAPED ACOUSTIC ELEMENTS

- acoustically effective fabric-coated chipboard with leaf shape
- available in the material groups FELT or WOOL, color selection see A2S material overview
- elements in different colors can be selected within a material group

#### FREESTANDING

- flexible zoning and pleasant design of rooms and relaxation areas depending on the situation
- for space-saving storage, can be pushed into each other up to max. 5 pieces

#### WALL-MOUNTED

- sets in two different sizes
- for wall mounting by means of a rail




6715.001/6715.002 The wall-mounted 3- and 5-part acoustic elements ensure pleasant acoustics and, thanks to their leaf shape, a natural atmosphere even during large meetings.










# BOARDS | MULTIFUNCTIONAL BOARD SYSTEM



# MULTIFUNCTIONAL BOARD SYSTEM

- the board elements are particularly light and available in the sizes 2' 11.43" x 1' 11.62" and 3' 11.24" x 2' 7.50"
- the edging of the board elements is waterproof, the corners are rounded
- the working surfaces of the board elements in sandwich construction can be equipped as required, e.g. magnetic enamelled sheet steel in green or white
- the aluminium guide is robust, the fastening is invisible, the ends of the profile are enclosed by plastic caps
- board system can also be mounted on cabinet walls, info p. 109


The elastic ASSODUR<sup>®</sup> Edging strip protects the edges from impacts, e.g. when dropping

The lightweight board elements can be easily removed from the board profile rails, but are secured against

	SHEET STEEL GREEN		SHEET STEEL WHITE		SHEET STEEL GREEN/WHITE	
Dimensions	H 2' 11.43"	H 3' 11.24"	H 2' 11.43"	H 3' 11.24"	H 2' 11.43"	H 3' 11.24"
W 1′ 11.62″	6814221		6814321		6814921	
W 2' 7.50"		6814223		6814323		6814923
OPTIONS						
Picture clamp (cannot be retrofitted)						
Board profile rails 6872*						
*Length individually adjustable, for e	xact planning please	e contact vour A2S a	rea manager			

Dimensions	H 2' 11.43"	H 3' 11.24"	H 2' 11.43"	H 3' 11.24"	H 2' 11.43"	H 3' 11.24''
W 1' 11.62"	6814221		6814321		6814921	
W 2' 7.50"		6814223		6814323		6814923
OPTIONS						
Picture clamp (cannot be retrofitted)						
Board profile rails 6872*						
*Length individually adjustable, for e	xact planning pl	ease contact your A	2S area manager			

# WWW.A2S.COM/US





accidental ejection



Sliding picture clamps with integrated gallery hook can be used in the upper aluminium guide



# DISPLAY | DURAVISION

- display made of tempered glass (ESG) glare-free with touch sensor
- resolution 3.840 x 2.160 pixels (UHD)
- display aspect ratio 16:9
- 2 integrated 12 W speakers
- integrated CPU: Android 5.1, Quad Core 450 MP, 2 GB RAM, 16 GB SSD, LAN, WIFI plug-in module, Wireless Mirroring Win, Mac, Android
- optional with plug-in PC and audio system



compatible with all operating systems



#### DVpylone

with two board wings writeable on both sides, adjustment range up to 4' 7.12", with integrated storage strip

DURAVISION

# MOBIL



COMPACT



MODEL	DVcompact	DVmobil
Dimensions W/H/D	75" (5' 9.29" x 3' 4.55" x 3.94") 86" (6' 6.35" x 3' 10.46" x 3.94")	
Design	wall-mounted height adjustable	mobile height adju

Adjustment range	up to 1' 11.62''	up to 1' 11.62
OPTIONS		
Plug-in PC		
Audio system		
Electrical height adjustment		



**DVcompact** height adjustable optional with electrical height adjustment



Bright ultra-short distance Highly robust steel enamel surface beamer for very good readability · for everyday school life. The sensor in all lighting conditions reacts pixel-precisely and without delay Writing surface **Z** with rounded plastic "security corners" 1ô T.T Edges with aluminium profiles 6 👔 🐺 👩 processed waterproof C • 6 • 10 - 123 Storage strip integrated into the board, Maintenance-free height ····· which keeps your hands free when adjustment, adjustment range: needed up to 2' 3.56" Firm stand due to heavy-duty castors, lockable in 2 positions All electrical elements are safely stowed away; only the power supply DBmobil cable is visible from outside useable in different classrooms

# DIGITAL BOARDS | DURABOARD

- system incl. whiteboard (6' 6.74" x 3' 11.24") and ultra-short distance beamer
- optional with computer or audio system
- optional with remote control of the board via tablet
- for permanently mounted systems optionally with board wing
- intuitive to use



compatible with all operating systems



DBpylone with two board wings writeable on both sides, adjustment range up to 4' 7.12"



transmits the image directly to

the board



Optional with remote control of the board via tablet



optional: Board wings (except mobile board), audio system, integrated computer, software

# WWW.A2S.COM/US

DBcompact

height adjustable,

with integrated storage strip







The detection of pen movements is purely optical. No electromagnetic radiation, no exposure

BOARD ACCESSORIES

Audio system, response system, tablet and document camera complement the digital board system and expand the possibilities for use and learning.

Ask your A2S field service.

SLIDING BOARDS



Long wall board Magnetic sheet steel green Ruling optional, see page 155



Available in 4 different surfaces



Picture clamping strip optional



Writing surface with rounded "safety corners"; profile covers firmly screwed on



■ for wall mounting with and without storage strip


- due to the sandwich construction different surfaces are possible
- enamelled, magnetic steel sheet in green or white
- 0.16" thick cork coating
- 0.24" thick cork linoleum coating in 4 different colors, see A2S material overview
- the edges of the writing surfaces are glued waterproof with natural anodised aluminium profiles
- the corners are protected with rounded plastic caps


	SHEET STE	EL GREEN		SHEET STE	EL WHITE		CORK COAT	ING	CORK LINO	LEUM
Dimensions	H 3' 3.37"	H 3' 11.24"	H 4' 11.05"	H 3' 3.37"	H 3' 11.24"	H 4' 11.05"	H 3' 3.37"	H 3' 11.24"	H 3' 3.37"	H 3' 11.24"
W 3' 3.37"	6810201			6820301			6830501		6815 401	
W 3' 11.24''	6810202			6820302			6830502		6815 402	
W 4' 11.05''	6810203	6810204		6820303	6820304		6830503	6830504	6815 403	6815404
W 6' 6.74''	6810205	6810206		6820305	6820306		6830505	6830506	6815 405	6815406
W 8' 2.42"	6810207	6810208		6820307	6820308		6830507	6830508	6815 407	6815408
W 9' 10.11"	6810209	6810210	6810 213	6820309	6820310	6820313	6830509	6830510	6815409	6815 410

OPTIONS							
Storage strip	incl.	incl.	incl.				
Picture clamping strip						-	



Stop of end position by metal springs with rubber buffer





SINGLE SU	RFACE SL	IDINGBOA	RD   FLO	robust welded steel construction, scratch- resistant neuropage sector					
	SHEET ST	EEL GREEN	I	SHEET ST	EEL WHITE		resistant powder-coated maintenance-free, low-noise precision qui		
Dimensions	H 3' 3.37"	H 3' 11.24"	H 4' 11.05"	H 3' 3.37"	H 3' 11.24"	H 4' 11.05"	8 polyamide rollers with ball bearings		
W 6' 6.74"	6843205	6843206	6843211	6843305	6843306	6843311	<ul> <li>aluminium guide rail</li> <li>sprung steel counterweights</li> </ul>		
W 8' 2.42"	6843207	6843208	6843212	6843307	6843308	6843312			
W 9' 10.11"	6843209	43209 6843210 6843213 6843309 6843310 6843			6843310	6843313	<ul> <li>incl. storage strip and sponge container</li> </ul>		
optional: mobile version, free-standing version, floor mounting									

#### HINGED SLIDINGBOARDS | FLOOR/WALL MOUNTING

SHEET STEEL GREEN			SHEET STEEL WHITE		SHEET STEEL GREEN			SHEET STEEL WHITE				
Dimensions	H 3' 3.37"	H 3' 11.24"	H 4' 11.05"	H 3' 3.37"	H 3' 11.24"	H 4' 11.05"	H 3' 3.37"	H 3' 11.24"	H 4' 11.05"	H 3' 3.37"	H 3' 11.24"	H 4' 11.05"
W 6' 6.74"	6840205	6840206	6840 211	6840305	6840306	6840 311	6841205	6841206	6841211	6841305	6841306	6841311
W 8' 2.42"	6840207	6840208		6840307	6840308		6841207	6841208		6841307	6841308	
optional: mo	optional: mobile version, free-standing version, floor mounting											

# WWW.A2S.COM/US




Single surface sliding board

### ATTENTION!

Wall mounting of long wall or hinged sliding boards is only possible with solid walls; with lightweight walls only with load distribution frames.

# **SLIDING BOARDS**

#### HINGED SLIDINGBOARDS | WALL MOUNTING



# **PYLON BOARDS**

- robust aluminium column guide, wall mounting
- maintenance-free and low-noise precision guide on 8 polyamide rollers with ball bearing
- incl. storage strip and sponge container
- working surface made of enamelled, magnetic sheet steel in green or white
- waterproof processed edge trim with rounded corners
- rulings optional for green or white board surfaces

#### HINGED PYLON SLIDING BOARD





Pylon double sliding board incl. storage strip and sponge container for wall mounting





Storage strip and sponge container

Rulings optional for green or

#### PYLON DOUBLE SLIDING BOARD





Pylon single-surface sliding board incl. storage strip and sponge container for wall mounting



white boards (info p. 155)



The accessories adhere magnetically to the sheet steel board surface

	SHEET ST	EEL GREEN		SHEET STEEL WHITE				
1.05″	H 3' 3.37"	H 3' 11.24"	H 4' 11.05"	H 3' 3.37"	H 3' 11.24"	H 4' 11.05"		
311	6853205	6853206	6853211	6853305	6853306	6853 311		
312	6853207	6853208	6853212	6853307	6853308	6853 312		
313	6853209	6853210	6853213	6853309	6853310	6853 313		
316	6853214	6853215	6853216	6853314	6853315	6853 316		

## PYLON SINGLE-SURFACE SLIDING BOARD





Magnetic writing surface can be rotated 360° and locked

# **BOGIE BOARDS**

- with mobile, stable tubular steel frame and 4 swivel castors, universally applicable
- the 360° horizontally rotating writing surface can be locked in any position and is magnetic
- edges waterproof processed
- incl. storage strip and sponge container
- rulings optional

#### 6855 SERIES

	SHEET STEE	L GREEN	SHEET STEE	SHEET STEEL WHITE		
Dimensions	H 3' 3.37"	H 3' 11.24"	H 3' 3.37"	H 3' 11.24"		
W 3' 11.24"	6855202		6855302			
W 4' 11.05''	6855203	6855204	6855303	6855304		
W 6' 6.74''	6855205	6855206	6855305	6855306		

incl. storage strip and sponge container



Connecting rod removable, alternatively available with electric motor

# **SCREENS**

- structured, matt white surface; cloth type D according to DIN 19045
- housing made of square sheet steel RAL 9003 removable connection rod
- also with electric motor in noise-insulated
- construction with automatic limit stop against moving the screen too far out

6880 AND 6890 SERIES

	CONNECTTING ROD	ELECTRIC MOTOR
W 6' 6.74" x H 6' 6.74"	6882	6892
W 9'10.11" x H 8' 2.42"		6895
W 9'10.11" x H 9' 10.11"	6886	

Rulings and accessories

# **RULINGS**

all rulings are possible on green, enamelled writing surface as well as on frosted glass inlay wings selected rulings on white enamel steel up to board size 9' 10.11" x 3' 11.24" possible

	1. SCHOOL YEAR	2. SCHOOL YEAR	3. SCHOOL YEAR
	RULING 01	RULING 02	RULING 03
	Distance: 1.57" 1.97" 1.57"	Distance: 1.18" 1.57" 1.18"	Distance: 1.38" 3.15
	CALCULATION BOX	CALCULATION BOX	CALCULATION BO
	RULING 05	RULING 07*	RULING 10
	Distance: 1.97"	Distance: 2.76"	Distance: 3.94"
	also on steel enamel white		also on steel ename
	SHORTHAND LINES	NOTE LINES	NOTE LINES
	RULING 14	RULING 15	RULING 16
	Distance: 1.57"	Distance: 0.98"	Distance: 1.97"
		also on steel enamel white	

# ACCESSORIES

509303


509304

PICTURE CLAMPING STRIP	PICTURE CLAMP	BOARD WIPER	WIPING FELTS	
6865	6860	509261	509296	
BOARD PEN HOLDER	BOARD PEN	PIN SET	HOLDING MAGNETS	POWER MAGNET

509306


CA.

509260





#### DRAWING SETS




6862 4-piece: ruler, compass, pointer, instrument board, magnetic



# 6863

4-piece: ruler. compass, set-square 1' 11.62", set-square 2' 7.50", pointer. instrument board, magnetic



6869

6-piece: ruler, compass, angle 45°, angle 30°, protractor, pointer, instrument board, magnetic



509307



# **A2S FINISH BOARDS**

When pupils are letting off steam, the tables at which they sit should be particularly resistant to abrasion, scratches and shocks. That's exactly why we have covered all our tabletops, which are made of chipboard with A2S standard finishes, in several layers with a robust melamine resin coating.

This means that school furniture not only survives the rough everyday school life, it is also easy to clean and largely glare-free.

# WOODMARK

Our tabletops are subjected to a lot of wear and tear every day. That's why we provide them with a lot for their journey through life. Special resins ensure break-proof quality of our MDF carrier boards. Under high pressure and heat we press the upper and lower cover layer of hard-wearing, melamine resin-coated finish layer with the board in a metal mould. This makes Woodmark surfaces particularly resistant to abrasion, scratches and impacts.

They are glare-free and easy to clean. Rounded edges reduce the risk of injury.

# COMPACT BOARD

The compact board is a highly compressed, black colored wood fibre board. The natural material wood is gently defibered during production and further processed according to ecological aspects. The board has a very high density and is therefore, despite its slim design (thickness 0.47"), extremely robust and the edges are particularly resistant.

# MULTIPLEX

Multiplex is, as a material made of cross-glued solid veneers, very dimensionally stable and resilient. For our table tops we coat the robust core made of solid beech multiplex on both sides with 0.03" thick HPL laminate, which is abrasion-, scratch- and impact-resistant. In addition it is fire-retardant, food-safe and environmentally friendly, thanks to renewable raw materials. Soft rounded edges make the table tops less susceptible to possible damage and reduce the risk of injury.

# WWW.A2S.COM/US




# PRODUCTS AND MATERIALS | EDGES

**PAGHOLZ®** 



# **PLASTIC EDGE**

The plastic edge is robust and shock-proof. As standard, these plastic edges are manufactured in a color matching the surface finish. These edges are ideally suited for table tops in administrative areas.



0.04" square edge (corpus furniture)

Concealed edge

band crowned

0.12" edge rounded off (front panels of corpus furniture and table tops)

# SOLID WOOD EDGES

A2S solid wood edges are firmly glued to the chipboard, have a high-quality appearance and protect the stressed furniture edges. We offer our concealed edges for the highest demands - in this case the chipboard is additionally coated on both sides with a 0.03" thick HPL board. This abrasion-, scratch-resistant and shock-proof HPL coating is fire-retardant, food-safe and, thanks to renewable raw materials, environmentally friendly.





# **ASSODUR® EDGE**

For the ASSODUR® edge , the elastic and liquid polyurethane edge is cast onto the table edge in a metal mould. Due to the strong cross-linking with the board material, it is thus particularly permanently bonded to the chipboard. The ASSODUR® edges are available in three color combinations, all free of PVC and especially abrasion- and impact-resistant.



# **PAGHOLZ®**

Wherever furniture is subject to particularly heavy use, we rely on PAGHOLZ<sup>®</sup>, an invention from our company. For PAGHOLZ<sup>®</sup>, thin veneer layers are prepared at great expense, individually stained and soaked in synthetic resin. Only then we press them under heat with up to 2,000 tons of pressure into the desired shape.

PAGHOLZ® offers the natural appearance of solid wood and much more:

- high form stability
- high scratch and wear resistance
- shock and break resistance
- resistance to staining and abrasion
- light fastness and resistance to chemicals

For you, this means: easy cleaning and flame-resistant, selfextinguishing material that is even weatherproof with special resins on request.

You can be sure of that: We only use native red beech from tree stocks that are carefully reforested. And of course all products made of PAGHOLZ<sup>®</sup> are particularly durable and can be recycled.



## WWW.A2S.COM/US





Resistant to chemicals

Stain- and abrasion-resistant



Hardly inflammable, self-extinguishing







Scratch- and wear-resistant

Shock- and break-proof

Lightfast





# ADVICE

We advise you on site

# INSTALLATION

Our fitters set up fully assembled furniture without disrupting school operations.



# PLANNING

Design of your rooms on request, including color and furnishing concept in accordance with the legally required standards.



# VISUALISATION

Detailed renderings provide more planning security.



# **SPARE PARTS**

Even after years you can obtain spare parts quickly and without bureaucracy directly from www.a2s.com/service service@a2s.com



# **ON-SITE SERVICE**

All the furniture is assembled where you want it.




In repair WWW.A2S.COM/US



# ACKAGING

We take all packaging with us for disposal, you just need to arracnge the furniture.



# REPAIR

case of larger damages our service takes care of the issue. 161

## Α

Acoustic movable walls 138 f., 140 f.	
Acoustic elements 140 f.	
Accessories boards 155	
Accessories classroom tables59	
Accessories table systems	
Armchair 135	
Armrest (chairs with) 22 f., 26 f., 28ff.	
Assembly service 160 f.	
ASSODUR <sup>®</sup> edge, material science 158	

G

н

L.

Bag shelves115	DO
Bar stools15, 38 f., 41	Dra
Base units 109, 125	Dra
Beanbag136 ff.	Dra
Benches 36 f.	
BLOC Series 133	Е
Board accessories 155	Ele
Board rulings155	Ele
Boards142 ff.	
Board system 144 f.	F
Bogie boards154	Fili
Book storage for classroom tables	Fin
Book shelves	Fix
Book trolley114	FLI

#### С

•	
C-shaped frame (chairs with) 12 ff.	
Cabinets for musical instruments	
Cabinets individual	
Cable clamp	
Cable channel	
Cable conduit	
Cable outlet	
Cantilever chairs23, 31 f.	
Castors	
Certificates	
Chairs10 ff.	
Chairs with armrests 22 f., 26 f., 28ff.	
Chairs with C-shaped frame 12 ff.	
Chairs with four-leg frame 12 ff., 22 ff., 30 ff.	
Chairs with plastic shell 12 f., 20f.	
Chairs with writing surface 12 ff., 20 f.	
Chairs with Z-shaped frame12 f.	
CHANGE Series	
Circular segment shelve114	
Clamping rails152 f.	
Classroom cabinets 115 f.	
Classroom chairs 12 ff.	
Classroom tables 44 ff.	
COMFORT Series	
Compact board, material science 156	
Computer tables	
Conference chairs	
Conference tables	
Containers92 ff.	

# 

CPU holder 70, 89	Material boxes120
Cushion136 f.	Mats
Cushion combination130 f.	MAZE Series130 f.
CYLINDA Series 133	Media workstations 108 f.
	Meeting tables76 ff.
D	Mobile boards 144 f., 146, 148, 154
Development	Mono-column tables 62 f.
Desk systems78 ff.	Mounting tables
Digital boards 148 f.	Multifunctional board system 109, 144 f.
Display cases 122	Multiplex shells, chairs
DOMINO Series130 ff.	Multiplex, materials science 157
DOMINO HOUSE 132	Multi-purpose chairs 22 f.
Drawing cabinets116	Music cabinets 116
Drawing devices (boards) 155	

## 

Electrically height-adjustable tables..... 60 f.

Elements acoustic ......138 ff.

Filing shelves/cabinets ......103 f.

Folding sliding boards ..... 151 f.

Folding tables ......72 ff. 

Height-adjustable student chairs ... 12 ff., 20 f. Height-adjustable student desks ...... 55 ff. 

Laptop cabinet ..... 116

Light screens ......154 Line marking (boards).....155 Long wall boards .....150

Four-legged frame (chairs with)

Odds and ends box121
On-site service 160 f.
Office desks 62 f., 78 f.
Office swivel chairs
OFFICE tables 60 f.
Open shelves102 f.

## Finish boards, material science ...... 156 P

PAGHOLZ <sup>®</sup> , materials science 159
PAGHOLZ <sup>®</sup> shell (chairs with)
Painting and drawing tables59
Pharmacy cabinets
Pin boards
Plastic boxes 120
Plastic edge, material science 158
Plastic shell (chairs with) 12 f., 20f.
Plastic stool
Plate base tables77
Privacy screens 90 f., 138 f.
Property shelves/cupboards115, 120
Property trolley115
Pylon boards152 f.

#### 

Quality		• •	-	 • •		• •	• •	• •	• •	•	•	•	•	•	2 f.
Quarter circ	cle shelf			 											.114

#### R

I	Rail system, boards 144 f.
Information display cases 122	Roller shutter cabinets 107
Interactive boards146 ff.	Rolling containers
IT tables	Room dividers 110 f., 114 ff., 123
	Round tables

## Large capacity chairs ...... 22 ff. **S**

S-shaped tables85
School bag shelves115
Seat combinations
Segment shelf114
Segment tables

Semicircular tables	Ste	el sh
Shelves	Su	spen
Sideboards 110 ff.	Sw	ivel o
Side folding tables	Sw	ivels
Single surface sliding boards	Sw	ivels
Single boards 144 f.	Sw	ivel
Size table		
Skid-base chairs	т	
Sliding board system 109, 144 f.	T-s	hape
Sliding door cabinets	Tab	ole at
Sofas	Tab	ole co
Solid wood chairs	Tab	ole pa
Solid wood tables	Tab	oles.
Sound insulation	Tab	oles,
Specialist room tables	Tab	ole sy
Stacking benches	Теа	achei
Stacking chairs 12 ff., 31 ff.	Теа	achei
Stacking tables	Tid	ly Bo
Stacking trolley 32, 73 f.	Тор	o-mo
Standing/sitting workstation	Tra	nspo
Stool	Tra	pezc
Storage boxes120 f.	Tri	angu
Student chairs12 ff.		
Student chairs, height-adjustable 12 ff., 20 f.	U	


## 84, 87 Steel shelves..... nsion file for conta l castor..... spindle chairs . . . stool . . . . . . . . . . . . work chairs . . . . .

т
T-shaped tables
Table attachments
Table combinations
Table partition wall syste
Tables
Tables, electrically height
Table systems
Teacher's cabinets
Teacher's desks
Tidy Boxes
Top-mounted cabinets
Transport trolley
Trapezoidal tables
Triangular tables

# $\mathcal{Q}^{\wedge}$

## WWW.A2S.COM/US

	Upholstered house
12 ff., 21	V
	Visualization on computer 160 f.
12 ff., 20 ff., 28 ff.	
	W
	Wall boards
	Wall board system 144 f.
	Wall rail system 144 f.
	Wardrobe cabinets117
	Waved tables84
	WAVE office chairs
t-adjustable 60 f.	Whiteboard sliding door cabinet
	Wooden chairs
124 f.	Wooden frame (tables with)50 f., 65, 86 f.
64 f.	WOODMARK, materials science
	Work stools
	Writing surface (chairs with) 12 ff., 20 f.
	Z
	Z-shaped frame (chairs with)



# YOUR CONTACTS IN SALES

#### A2S Inc.

62-64 Enter Lane Islandia, NY 11749 Phone 631.501.1057 Email info@a2s.com

# A2S-Furnishing Systems

ASS-Einrichtungssysteme GmbH Po. Box 1154 96338 Stockheim Germany Phone +49 9265 808-0 Fax +49 9265 808-201 Email info@a2s.com





DER BILDUNGSEINRICHTER.